

CATALOGUE

GARDEN

schepach

Germany



LAWN CARE

4 – 25	Lawnmowers
26 – 29	Ride-on lawnmowers
30 – 33	Lawn tractors
34 – 35	Sickle bar mower
36 – 41	Scarifiers
42 – 47	Brush cutters

SHRUB AND HEDGE CARE

48 – 51	Multifunction devices
52 – 59	Hedge trimmers

TREE CARE

60 – 73	Chainsaws
74 – 75	Chain sharpener

WORKING WITH LEAVES, SOIL AND GROUND

76 – 79	Leaf vacuum/blower
80 – 81	Leaf blower
82 – 87	Shredder
88 – 89	Stump grinder
90 – 99	Tillers
100 – 105	Rotating sieve

CLEANING SYSTEMS

106 – 107	Sweeper
108 – 125	Pumps & domestic waterworks



40 CM PETROL LAWNMOWER

MP132-40

2in1

- Mowing
- Collecting



PRODUCT DATA

Dimensions L x W x H	1310 x 470 x 970 mm
Engine	131 cm ³
Power	2.4 kW / 3.3 PS
Fuel type	Petrol
Lawn area	600 m ²
Max. cutting width	40 cm
Cutting height adjustment	30 - 66 mm
Collection basket	35 L
Start system	Rope pull starter system
Mulching	No
Side discharge	No
Cleaning function	No
Wheel drive	No
Housing material	Plastic
CO ₂ output	1033 g/kWh

LOGISTICAL DATA

Weight net / gross	16.3 / 18.6 kg
Packaging dimensions	670 x 470 x 350 mm
Item number	5911250903
EAN	4046664081913
20 containers	258 pcs.
40 containers	528 pcs.
40 HQ containers	616 pcs.


600 m²

131 cc
2.4 kW / 3.3 HP

40 cm

30 - 66 mm

35 L





Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned

Suitable for gardens up to 600 m².



Foldable handle for easy and space-saving storage as well as transport.



Axial cutting height adjustment in 3 steps (30 to 66 mm).



Large fabric collector: 35 L.

02/2026 Technical modifications and errors reserved.

42 CM PETROL LAWNMOWER

MP132-42

3in1

- Mowing
- Collecting
- Cleaning function



PRODUCT DATA

Dimensions L x W x H	1300 x 510 x 1010/1080 mm
Engine	131 cm ³
Power	2.4 kW / 3.3 PS
Fuel type	Petrol
Lawn area	800 m ²
Max. cutting width	42 cm
Cutting height adjustment	25 - 75 mm
Collection basket	45 L
Start system	Rope pull starter system
Mulching	No
Side discharge	No
Cleaning function	Yes
Wheel drive	No
Housing material	Steel
CO ₂ output	1033 g/kWh

LOGISTICAL DATA

Weight net / gross	20.9 / 23.6 kg
Packaging dimensions	720 x 520 x 460 mm
Item number	5911248903
EAN	4046664081906
20 containers	175 pcs.
40 containers	350 pcs.
40 HQ containers	420 pcs.


800 m²

131 cc
2.4 kW / 3.3 HP

42 cm

25 - 75 mm

45 L





Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned



Rope pull starter system.



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection



The central cutting height adjustment is in 7 steps from 25 to 75 mm.



Large fabric collector: 45 L.

46 CM PETROL LAWMOWER

MP150-46

5in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function



PRODUCT DATA

Dimensions L x W x H	1450 x 540 x 1120 mm
Engine	150 cm ³
Power	2.6 kW / 3.5 PS
Fuel type	Petrol
Lawn area	1000 m ²
Max. cutting width	46 cm
Cutting height adjustment	25 - 75 mm
Collection basket	55 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	No
Housing material	Steel
CO ₂ output	1033 g/kWh

LOGISTICAL DATA

Weight net / gross	23 / 27 kg
Packaging dimensions	780 x 565 x 380 mm
Item number	5911244906
EAN	4046664139591
20 containers	174 pcs.
40 containers	360 pcs.
40 HQ containers	420 pcs.


1000 m²

150 cc
2.6 kW / 3.5 HP

46 cm

25 - 75 mm

55 L





Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned

Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



The side ejector can be easily attached/detached if needed.



42 CM PETROL LAWNMOWER

MS132-42

5in1

- Mowing
- Collecting
- Mulching
- Cleaning function
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	1300 x 510 x 1010/1080 mm
Engine	131 cm ³
Power	2.4 kW / 3.3 PS
Fuel type	Petrol
Lawn area	800 m ²
Max. cutting width	42 cm
Cutting height adjustment	25 - 75 mm
Collection basket	45 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	No
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1033 g/kWh


LOGISTICAL DATA

Weight net / gross	23.5 / 26.8 kg
Packaging dimensions	720 x 530 x 400 mm
Item number	5911249903
EAN	4046664081920
20 containers	175 pcs.
40 containers	350 pcs.
40 HQ containers	420 pcs.

800 m²



131 cc
2.4 kW / 3.3 HP



42 cm



25 - 75 mm



45 L





Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned



Rope pull starter system.



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection



The central cutting height adjustment is in 7 steps from 25 to 75 mm.



Large fabric collector: 45 L.

02/2026 Technical modifications and errors reserved.

46 CM HYBRID-STARTER PETROL LAWNMOWER

MS150-46E

Part of the battery platform

20 V LIXES
ONE BATTERY FOR ALL DEVICES

7in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive
- Hybrid starter



PRODUCT DATA

Dimensions L x W x H	1580 x 540 x 1060/1130 mm
Engine	150 cm ³
Power	2.7 kW / 3.5 PS
Fuel type	Petrol
Lawn area	1000 m ²
Max. cutting width	46 cm
Cutting height adjustment	25 - 75 mm
Collection basket	55 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1033 g/kWh

LOGISTICAL DATA

Weight net / gross	27.1 / 31.5 kg
Packaging dimensions	890 x 565 x 380 mm
Item number	5911244903
EAN	4046664080756
20 containers	174 pcs.
40 containers	360 pcs.
40 HQ containers	420 pcs.


1000 m²

150 cc
2.7 kW / 3.5 HP

46 cm

25 - 75 mm

55 L



Elektro
Start



The wheel drive provides perfect support during mowing – especially for steeper lawns.



The side ejector can be easily attached/detached if needed.



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection



The central cutting height adjustment is in 8 steps from 25 to 75 mm.

46 CM PETROL LAWNMOWER

MS161-46

6in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	1460 x 651 x 1150 mm
Engine	150 cm ³
Power	2.6 kW / 3.5 PS
Fuel type	Petrol
Lawn area	1000 m ²
Max. cutting width	46 cm
Cutting height adjustment	25 - 75 mm
Collection basket	55 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1033 g/kWh

LOGISTICAL DATA

Weight net / gross	26.6 / 30.2 kg
Packaging dimensions	780 x 545 x 500 mm
Item number	5911244905
EAN	4046664139225
20 containers	174 pcs.
40 containers	360 pcs.
40 HQ containers	420 pcs.

1000 m²



150 cc
2.6 kW / 3.5 HP



46 cm



25 - 75 mm



55 L





The wheel drive provides perfect support during mowing – especially for steeper lawns.



The side ejector can be easily attached/detached if needed.



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Axial cutting height adjustment in 3 steps (30 to 66 mm).



The central cutting height adjustment is in 8 steps from 25 to 75 mm.

02/2026 Technical modifications and errors reserved.

51 CM PETROL LAWMOWER

MS173-51

6in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	1640 x 560 x 1060/1130 mm
Engine	173 cm ³
Power	3 kW / 4.1 PS
Fuel type	Petrol
Lawn area	1600 m ²
Max. cutting width	51 cm
Cutting height adjustment	25 - 75 mm
Collection basket	65 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1180 g/kWh

LOGISTICAL DATA

Weight net / gross	27.3 / 32 kg
Packaging dimensions	865 x 580 x 380 mm
Item number	5911259903
EAN	4046664081890
20 containers	156 pcs.
40 containers	318 pcs.
40 HQ containers	370 pcs.


1600 m²

173 cc
3 kW / 4.1 HP

51 cm

25 - 75 mm

65 L





Rope pull starter system.



The wheel drive provides perfect support during mowing – especially for steeper lawns.




Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.

Easy Clean - cleaning function with water connection



The side ejector can be easily attached/detached if needed.



The central cutting height adjustment is in 7 steps from 25 to 75 mm.

02/2026 Technical modifications and errors reserved.

53 CM PETROL LAWMOWER

MS225-53

6in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine	224 cm ³
Power	4.4 kW / 6 PS
Fuel type	Petrol
Lawn area	1800 m ²
Max. cutting width	53 cm
Cutting height adjustment	25 - 75 mm
Collection basket	65 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1088 g/kWh

LOGISTICAL DATA

Weight net / gross	30.30 / 35.30 kg
Packaging dimensions	885 x 580 x 440 mm
Item number	5911241903
EAN	4046664070566
20 containers	130 pcs.
40 containers	260 pcs.
40 HQ containers	310 pcs.


1800 m²

224 cc
4.4 kW / 6 HP

53 cm

25 - 75 mm

65 L





Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned



The wheel drive provides perfect support during mowing – especially for steeper lawns.




The central cutting height adjustment is in 7 steps from 25 to 75 mm.



Easy Clean - cleaning function with water connection



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



The side ejector can be easily attached/detached if needed.



Rope pull starter system.

02/2026 Technical modifications and errors reserved.

53 CM HYBRID-STARTER PETROL LAWNMOWER

MS225-53E

Part of the battery platform

20 V LIXES
ONE BATTERY FOR ALL DEVICES

7in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive
- Hybrid starter

Schaeppach MS225-53E

Einsteigeklasse

**Heimwerker
Praxis**

1,4

Preis/Leistung: gut - sehr gut



Click here for
optional accessories



PRODUCT DATA

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine	224 cm ³
Power	4.4 kW / 6 PS
Fuel type	Petrol
Lawn area	1800 m ²
Max. cutting width	53 cm
Cutting height adjustment	25 - 75 mm
Collection basket	65 L
Start system	Hybrid starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1088 g/kWh

LOGISTICAL DATA

Weight net / gross	33.25 / 38.2 kg
Packaging dimensions	885 x 580 x 440 mm
Item number	5911245903
EAN	4046664080763
20 containers	130 pcs.
40 containers	260 pcs.
40 HQ containers	310 pcs.

1800 m²

150 cc
2.7 kW / 3.5 HP

53 cm

25 - 75 mm


55 L



Elektro
Start



Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



The central cutting height adjustment is in 7 steps from 25 to 75 mm.



The side ejector can be easily attached/detached if needed.



Easy Clean - cleaning function with water connection



Hybrid starter system

02/2026 Technical modifications and errors reserved.

56 CM PETROL LAWNMOWER

MS225-56

6in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine	224 cm ³
Power	4.4 kW / 6 PS
Fuel type	Petrol
Lawn area	2200 m ²
Max. cutting width	56 cm
Cutting height adjustment	25 - 75 mm
Collection basket	65 L
Start system	Rope pull starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1088 g/kWh

LOGISTICAL DATA

Weight net / gross	35 / 38 kg
Packaging dimensions	890 x 583 x 500 mm
Item number	5911277903
EAN	4046664193289
20 containers	130 pcs.
40 containers	260 pcs.
40 HQ containers	310 pcs.


2200 m²

224 cc
4.4 kW / 6 HP

56 cm

25 - 75 mm

65 L



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



The central cutting height adjustment is in 7 steps from 25 to 75 mm.



The side ejector can be easily attached/detached if needed.



Easy Clean - cleaning function with water connection

02/2026 Technical modifications and errors reserved.

56 CM HYBRID-STARTER PETROL LAWNMOWER

MS225-56E

Part of the battery platform

20V LIXES
ONE BATTERY FOR ALL DEVICES

7in1

- Mowing
- Collecting
- Mulching
- Side discharge
- Cleaning function
- Wheel drive
- Hybrid starter



PRODUCT DATA

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine	224 cc
Power	4.4 kW / 6 PS
Fuel type	Petrol
Lawn area	2200 m ²
Max. cutting width	56 cm
Cutting height adjustment	25 - 75 mm
Collection basket	65 L
Start system	Hybrid starter system
Mulching	Yes
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	1088 g/kWh

LOGISTICAL DATA

Weight net / gross	33.25 / 38.2 kg
Packaging dimensions	885 x 580 x 440 mm
Item number	5911276903
EAN	4046664227687
20 containers	120 pcs.
40 containers	255 pcs.
40 HQ containers	306 pcs.


2200 m²

224 cc
4.4 kW / 6 PS

56 cm

25 – 75 mm

65 L



Elektro Start

Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



The central cutting height adjustment is in 7 steps from 25 to 75 mm.



The side ejector can be easily attached/detached if needed.

Hybrid starter system



Easy Clean - cleaning function with water connection.

61 CM PETROL RIDE-ON LAWNMOWER

MR200-61



6in1

- Mowing
- Collecting
- Side discharge
- Cleaning function
- Wheel drive
- Hybrid starter




PRODUCT DATA

Dimensions L x W x H	1820 x 720 x 1090 mm
Engine	196 cm ³
Power	3.5 kW / 4.8 PS
Fuel type	Petrol
Lawn area	2600 m ²
Max. cutting width	46 cm
Cutting height adjustment	35 - 75 mm
Collection basket	150 L
Start system	Electric start
Mulching	No
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	785.20 g/kWh

LOGISTICAL DATA

Weight net / gross	120 / 143.5 kg
Packaging dimensions	1480 x 770 x 855 mm
Item number	5911293901
EAN	4046664252801
20 containers	20 pcs.
40 containers	40 pcs.
40 HQ containers	69 pcs.






Ideal for large lawn areas up to 2600 m².



Easy start-up using e-starter or pull starter



The side ejection is easy to attach and allows mowing of higher grass as well.



Four forwards gears and one reverse gear allow convenient operation and manoeuvring.



There is sufficient space for cut materials in the robust 150 litre collector.



Adjustable seat for a comfortable, ergonomic seating position.



Easy Clean - cleaning function with water connection



Central cutting height adjustment in 5 steps from 35 to 75 mm.

02/2026 Technical modifications and errors reserved.

61 CM PETROL RIDE-ON LAWNMOWER

MR230-61



6in1

- Mowing
- Collecting
- Side discharge
- Cleaning function
- Wheel drive
- Hybrid starter



PRODUCT DATA

Dimensions L x W x H	1820 x 720 x 1090 mm
Engine	224 cm ³
Power	4.4 kW / 6 PS
Fuel type	Petrol
Lawn area	2600 m ²
Max. cutting width	46 cm
Cutting height adjustment	35 - 75 mm
Collection basket	150 L
Start system	Electric start
Mulching	No
Side discharge	Yes
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	785.20 g/kWh

LOGISTICAL DATA

Weight net / gross	120 / 143.5 kg
Packaging dimensions	1480 x 770 x 855 mm
Item number	5911292901
EAN	4046664252818
20 containers	20 pcs.
40 containers	40 pcs.
40 HQ containers	69 pcs.


2600 m²

224 cc
4.4 kW / 6 HP

61 cm

35 - 75 mm

150 L






Ideal for large lawn areas up to 2600 m².



Easy start-up using e-starter or pull starter



The side ejection is easy to attach and allows mowing of higher grass as well.



Four forwards gears and one reverse gear allow convenient operation and manoeuvring.




There is sufficient space for cut materials in the robust 150 litre collector.



Adjustable seat for a comfortable, ergonomic seating position.



Easy Clean - cleaning function with water connection




Central cutting height adjustment in 5 steps from 35 to 75 mm.

©2026 Technical modifications and errors reserved.

98 CM PETROL LAWN TRACTOR

TMR452-98C-RD

CVT
Automatic
transmission



5in1

- Mowing
- Collecting
- Electric start
- Cleaning function
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	2300 x 960 x 1110 mm
Engine	452 cm ³
Power	9.2 kW / 12.5 PS
Fuel type	Petrol
Lawn area	5000 m ²
Max. cutting width	98 cm
Cutting height adjustment	30 - 90 mm
Collection basket	245 L
Start system	Electric start
Mulching	Yes
Side discharge	No
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	903.8 g/kWh


LOGISTICAL DATA

Weight net / gross	200 / 241 kg
Packaging dimensions	1685 x 1130 x 855 mm
Item number	59112115903
EAN	4046664289562
20 containers	12 pcs.
40 containers	28 pcs.
40 HQ containers	42 pcs.

5000 m²



452 cc
9.2 kW / 12.5 HP



98 cm



30 - 90 mm



245 L



CVT
Automatic transmission





Easy cleaning thanks to water connection.



Large catch box with 245 litre capacity, convenient emptying directly from the driver's seat via lever control.



Central cutting height adjustment in 7 steps from 30 to 90 mm.




Stepless CVT gears ensure ideal efficiency without manual gear changes

02/2026 Technical modifications and errors reserved.

98 CM PETROL LAWN TRACTOR

TMR452-98H-RD

Hydrostatic
Automatic
transmission



5in1

- Mowing
- Collecting
- Electric start
- Cleaning function
- Wheel drive

Click here for
optional accessories



PRODUCT DATA

Dimensions L x W x H	2300 x 960 x 1110 mm
Engine	452 cm ³
Power	9.2 kW / 12.5 PS
Fuel type	Petrol
Lawn area	5000 m ²
Max. cutting width	98 cm
Cutting height adjustment	30 - 90 mm
Collection basket	245 L
Start system	Electric start
Mulching	Yes
Side discharge	No
Cleaning function	Yes
Wheel drive	Yes
Housing material	Steel
CO ₂ output	903.8 g/kWh


LOGISTICAL DATA

Weight net / gross	200 / 241 kg
Packaging dimensions	1685 x 1130 x 855 mm
Item number	59112112903
EAN	4046664252825
20 containers	12 pcs.
40 containers	28 pcs.
40 HQ containers	42 pcs.

5000 m²



452 cc
9.2 kW / 12.5 HP



98 cm



30 - 90 mm



245 L



Hydrostatic
Automatic transmission





Easy cleaning thanks to water connection.



Large catch box with 245 litre capacity, convenient emptying directly from the driver's seat via lever control.



Stepless speed adjustment - no gear change required; This type of gearbox is generally more durable, efficient and less prone to wear.



Central cutting height adjustment in 7 steps from 30 to 90 mm.



E-start function.

88 CM SICKLE BAR MOWER

BMS196-88




PRODUCT DATA

Dimensions L x W x H	1265 x 920 x 1300 mm
Engine	196 cm ³
Power	4.2 kW / 5.7 PS
Fuel type	Petrol
Lawn area	3000 m ²
Max. cutting width	88 cm
Cutting height adjustment	30 - 60 mm
Cutting speed	800 m/s
Number of blades	18 pcs.
Working height	830 / 970 / 1100 mm
Wheel drive	Forward gear: 2.52 km/h
Start system	Pull starter
CO ₂ output	744 g/kWh

LOGISTICAL DATA

Weight net / gross	58 / 65 kg
Packaging dimensions	970 x 455 x 570 mm
Item number	5908902903
EAN	4046664215684
20 containers	90 pcs.
40 containers	240 pcs.
40 HQ containers	240 pcs.





Cutting height 30 – 60 mm.



Forward speed 2.52 km/h.



3-stage height adjustment.



Large tyres with cross-country tread.




50 mm blade spacing.



88 cm cutting width.

SUITABLE FOR



Orchards



Fields



Natural gardens



Slopes


02/2026 Technical modifications and errors reserved.

ELECTRIC SCARIFIER

SC32

3in1

- Scarifying
- Aerating
- Collecting



PRODUCT DATA

Dimensions L x W x H	1130 x 505 x 920 mm
Mains voltage	230 – 240 V~ / 50 Hz
Power	1500 W
Lawn area	500 m ²
Working width of	32 cm
Working depth	-12 to +4 mm
Collection basket	30 L
Cutting roller	
Number of blades	16
Aerator roller	
Number of aerating tines	20

LOGISTICAL DATA

Weight net / gross	9.3 / 11 kg
Packaging dimensions	525 x 425 x 308 mm
Item number	5912006901
EAN	4046664076261
20 containers	420 pcs.
40 containers	880 pcs.
40 HQ containers	1000 pcs.

500 m²

4-stage, central

Max. 32 cm

30 L

1500 W





Foldable handle for easy transport and space-saving storage.




Collection bag with 30 litre capacity.




Practical carrying handle ensures easy transport.



The 4-stage height adjustment allows easy adjustment of the scarifying depth.



Before scarifying/aerating:
Poor nutrient uptake, poor rooting, moss and lawn thatch.



After scarifying/aerating:
Denser and stronger lawn, deeper roots and significantly better nutrient uptake.

+ INCLUDING

- Scarifying attachment with 16 blades
- Aerator attachment with 20 aerator tines




ELECTRIC SCARIFIER

SC38

3in1

- Scarifying
- Aerating
- Collecting



PRODUCT DATA

Dimensions L x W x H	1130 x 605 x 1085 mm
Mains voltage	230 – 240 V~ / 50 Hz
Power	1600 W
Lawn area	700 m ²
Working width of	38 cm
Working depth	-12 to +6 mm
Collection basket	45 L
Cutting roller	
Number of blades	16
Aerator roller	
Number of aerating tines	24

LOGISTICAL DATA

Weight net / gross	12.8 / 14.4 kg
Packaging dimensions	595 x 450 x 345 mm
Item number	5912007901
EAN	4046664123736
20 containers	300 pcs.
40 containers	626 pcs.
40 HQ containers	725 pcs.

700 m²

5-stage, central

Max. 38 cm

45 L

1600 W





Foldable handle with quick-release fastener for easy transport and space-saving storage.




The 5-stage height adjustment allows easy adjustment of the scarifying depth.




Practical carrying handle ensures easy transport.



Ergonomically adaptable steering bars.



Before scarifying/aerating:
Poor nutrient uptake, poor rooting, moss and lawn thatch.



After scarifying/aerating:
Denser and stronger lawn, deeper roots and significantly better nutrient uptake.

+ INCLUDING

- Scarifying attachment with 16 blades
- Aerator attachment with 24 aerator tines



PETROL SCARIFIER

SC55P

2in1

- Scarifying
- Collecting



PRODUCT DATA

Dimensions L x W x H	1150 x 585 x 1110 mm
Power	4 kW / 5.4 PS
Lawn area	1400 m ²
Working width of	40 cm
Working depth	-15 to +5 mm
Collection basket	40 L
Cutting roller	
Number of blades	15

LOGISTICAL DATA

Weight net / gross	28.2 / 31.2 kg
Packaging dimensions	600 x 570 x 550 mm
Item number	5911904903
EAN	4046664215677
20 containers	144 pcs.
40 containers	304 pcs.
40 HQ containers	304 pcs.

1400 m²



6-stage, central



Max. 40 cm



40 L



212 cm³, 5.4 PS






Foldable handle for easy transport and space-saving storage.




Collection bag with 40 litre capacity.




Practical carrying handle ensures easy transport.



The 6-stage height adjustment allows easy adjustment of the scarifying depth.



Before scarifying/aerating:
Poor nutrient uptake, poor rooting, moss and lawn thatch.



After scarifying/aerating:
Denser and stronger lawn, deeper roots and significantly better nutrient uptake.

PETROL BRUSH CUTTER

PBC330

2in1

- Grass trimmer
- Brush cutter



PRODUCT DATA

Dimensions L x W x H	1870 x 617 x 486 mm
Engine	2-stroke
Power	0.9 kW / 1.22 HP
Fuel type	Fuel mixture 1:40
Idle speed	6000 / 6800 rpm

Cutting system

Max. cutting width	430 mm
Line specification	Spool with double line / 430 mm
Line feed	Tap 'n' Go function
Blade specification	3-blade disc / 255 mm
Anti-vibration system	Yes
Easy-Start	Yes
Start system	Cable pull
CO ² output	992.04 g/kWh

LOGISTICAL DATA

Weight net / gross	7.3 / 9.3 kg
Packaging dimensions	1050 x 305 x 300 mm
Item number	5910714915
EAN	4046664228226
20 containers	450 pcs.
40 containers	900 pcs.
40 HQ containers	1150 pcs.


430 mm



255 mm



0.9 kW / 1.22 HP /
32.5 cc



0.9 L



APPLICATION EXAMPLES



Lawn



Scrub



Weeds



Easy to operate and control using stop switch and throttle lock.



2-hand control – adjustable bike handle for ergonomic working.



Easy disassembly for space-saving storage.



Powerful 2-stroke petrol engine with simple engine lubrication system and compact design.



Spool with double line – 430 mm cutting width & Tap'n'Go function.



3-blade disc, 255 mm cutting width.

+ INCLUDING

- Double line spool 420 mm
- Brushcutter 255 mm
- Shoulder strap



PETROL BRUSH CUTTER

PBC520

2in1

- Grass trimmer
- Brush cutter



PRODUCT DATA

Dimensions L x W x H	1870 x 617 x 486 mm
Engine	2-stroke
Power	1.4 kW / 1.9 HP
Fuel type	Fuel mixture 1:40
Idle speed	6000 / 6800 rpm

Cutting system

Max. cutting width	420 mm
Line specification	Spool with double line / 420 mm
Line feed	Tap 'n' Go function
Blade specification	3-blade disc / 255 mm
Anti-vibration system	Yes
Easy-Start	Yes
Start system	Cable pull
CO ² output	830.20 g/kWh

LOGISTICAL DATA

Weight net / gross	7.6 / 9.3 kg
Packaging dimensions	1050 x 305 x 300 mm
Item number	5910715915
EAN	4046664228219
20 containers	450 pcs.
40 containers	900 pcs.
40 HQ containers	1170 pcs.

420 mm



255 mm



1.4 kW / 1.9 HP / 52 cc



1.2 L



APPLICATION EXAMPLES



Lawn



Scrub



Weeds



Easy to operate and control using stop switch and throttle lock.



2-hand control – adjustable bike handle for ergonomic working.



Easy disassembly for space-saving storage.



Powerful 2-stroke petrol engine with simple engine lubrication system and compact design.



Spool with double line – 420 mm cutting width & Tap'n'Go function.



3-blade disc, 255 mm cutting width.

+ INCLUDING

- Double line spool 420 mm
- Brushcutter 255 mm
- Shoulder strap



PETROL BRUSH CUTTER

PBC310-4S

2in1

- Grass trimmer
- Brush cutter



PRODUCT DATA

Dimensions L x W x H	1870 x 617 x 486 mm
Engine	4-stroke
Power	0.7 kW / 1.0 HP
Fuel type	Petrol
Idle speed	6000 / 7000 rpm
Cutting system	
Max. cutting width	480 mm
Line specification	2 x 2.4 mm / 4m
Line feed	Tap 'n' Go function
Blade specification	3-blade disc / 255 mm
Anti-vibration system	Yes
Easy-Start	Yes
Start system	Cable pull
CO ² output	970.92 g/kWh

LOGISTICAL DATA

Weight net / gross	8.7 / 10.5 kg
Packaging dimensions	1050 x 305 x 300 mm
Item number	5910716915
EAN	4046664228202
20 containers	400 pcs.
40 containers	800 pcs.
40 HQ containers	950 pcs.

480 mm



255 mm



0.7 kW / 1.0 HP /
31 cc



0.7 L



APPLICATION EXAMPLES



Lawn



Scrub



Weeds



Easy to operate and control using stop switch and throttle lock.



2-hand control – adjustable bike handle for ergonomic working.



Easy disassembly for space-saving storage.



Powerful 4-stroke petrol engine for quieter running and low fuel consumption.



Spool with double line – 480 mm cutting width & Tap'n'Go function.



3-blade disc, 255 mm cutting width.

INCLUDING

- Double line spool 480 mm
- Brushcutter 255 mm
- Shoulder strap



MULTIFUNCTIONAL PETROL DEVICE

PMT520

4-in-1

- Grass trimmer
- Brush cutter
- Hedge trimmer
- Pole-mounted pruner



PRODUCT DATA

Pole-mounted pruner

Blade length	300 mm
Max. cutting length	260 mm
Chain specifications	10" / 3.8" / 1.27 mm / 39
Cutting speed	18 m/s
Speed	9300 rpm
Overall length	2085 mm

Hedge trimmer

Maximum branch diameter	24 mm
Max. cutting length	390 mm
Cutting speed	10000 rpm
Cutting angle	+ 90° / 0° / -75° (165°)
Overall length	2290 mm

Grass trimmer

Cutting system	Spool with dual line
Max. cutting width	420 mm
Line specification	2 x 2.5 mm / 4m
Line feed	Tap 'n' Go function
Speed	9000 rpm

Brush cutter

Max. cutting width	255 mm
Blade specification	3-blade disc
Speed	10000 rpm
Anti-vibration system	Yes
Easy-Start	Yes
Backpack	No
Start system	Cable pull
CO ² output	830.2 g/kWh

PRODUCT DATA

Dimensions L x W x H	2085 x 420 x 250 mm
Engine	2-stroke
Power	1.4 kW / 1.9 PS
Fuel type	Fuel mixture 1:40

LOGISTICAL DATA

Weight net / gross	12 / 13.8 kg (Set)
Packaging dimensions	1080 x 265 x 280 / 100 mm
Item number	5904821915
EAN	4046664228769
20 containers	444 pcs.
40 containers	921 pcs.
40 HQ containers	1080 pcs.

260 mm



390 mm



420 mm



255 mm



1.2 L



UNIVERSAL APPLICATION



Shrubs



Weeds



Lawn



Hedges



Branches

APPLICATION EXAMPLES



Grass trimmer



Brush cutter



Hedge trimmer



Pole-mounted pruner



Automatic Tap 'n' Go line feed system.



Easily controlled using stop switch and throttle lock.



Increased safety, thanks to quick release.

+ INCLUDING

- Double line spool 420 mm
- Brushcutter 255 mm
- Shoulder strap



4-IN-1 BACKPACK MULTIFUNCTIONAL PETROL DEVICE

MFH5300-4BP

4-in-1

- Grass trimmer
- Brush cutter
- Hedge trimmer
- Pole-mounted pruner



PRODUCT DATA

Pole-mounted pruner	
Blade length	300 mm
Max. cutting length	254 mm
Chain specifications	10" ProCut chain
Cutting angle	No
Speed	4200 rpm
Overall length	3050 mm
Hedge trimmer	
Maximum branch diameter	24 mm
Max. cutting length	400 mm
Cutting speed	1550 rpm
Cutting angle	+ 90° / 0° / -75° (165°) 11 steps/15°
Overall length	3250 mm
Grass trimmer	
Cutting system	Spool with dual line
Max. cutting width	450 mm
Line specification	2.4 mm / 4 m
Line feed	Tap 'n' Go function
Speed	6900 rpm
Brush cutter	
Max. cutting width	255 mm
Blade specification	3-blade disc
Speed	7500 rpm
Anti-vibration system	Yes
Easy-Start	Yes
Backpack	Yes
Start system	Cable pull
CO ² output	1059.5 g/kWh

PRODUCT DATA

Dimensions L x W x H	2850 x 370 x 550 mm
Engine	2-stroke
Power	1.3 kW / 1.8 HP
Fuel type	Fuel mixture 1:40

LOGISTICAL DATA

Weight net / gross	16.4 / 19.6 kg (Set)
Packaging dimensions	1200 x 280 x 440 / 140 mm
Item number	5904805904
EAN	4046664109938
20 containers	295 pcs.
40 containers	605 pcs.
40 HQ containers	708 pcs.



254 mm

400 mm

450 mm

255 mm

0.96 L



UNIVERSAL APPLICATION



Shrubs



Weeds



Lawn



Hedges



Branches

APPLICATION EXAMPLES



Grass trimmer



Brush cutter



Hedge trimmer



Pole-mounted pruner



Automatic Tap 'n' Go line feed system.



Convenient carrying system with back cushioning, wide shoulder straps and waist strap for fatigue-free working.

ELECTRIC TELESCOPIC HEDGE TRIMMER

ETHT500



PRODUCT DATA

Dimensions L x W x H	2160 x 120 x 180 mm
Mains voltage	230 – 240 V / 50 Hz
Power	500 W

Hedge trimmer

Blade length	520 mm
Maximum branch diameter	16 mm
Max. cutting length	450 mm
Cutting speed	1500 rpm
Overall length	2750 mm
Telescopic function	2160mm – 2900mm

LOGISTICAL DATA

Weight net / gross	3.95 / 5.5 kg
Packaging dimensions	1200 x 170 x 185 mm
Item number	5910509901
EAN	4046664225539
20 containers	700 pcs.
40 containers	1484 pcs.
40 HQ containers	1735 pcs.

450 mm

520 mm

16 mm

1500 rpm

230 – 240 V –
500 W







Practical strain relief.




The quick-release fastener enables simple fitting/removal.



The cutting head can be rotated by 90° and adjusted in 6 steps.




Laser-cut steel blade ensures maximum effectiveness.



Telescopic extension:
Overall length: 2750 mm, telescopic extension: 740 mm

UNIVERSAL APPLICATION



Shrubs



Hedges



Bushes

02/2026 Technical modifications and errors reserved.

ELECTRIC LONG-REACH HEDGE TRIMMER

ETHT1000



PRODUCT DATA

Dimensions L x W x H	2650 x 100 x 150 mm
Mains voltage	230 – 240 V / 50 Hz
Power	1000 W

Hedge trimmer

Blade length	500 mm
Maximum branch diameter	20 mm
Max. cutting length	410 mm
Cutting speed	1000 rpm
Overall length	2590 mm

LOGISTICAL DATA

Weight net / gross	6.8 / 8 kg
Packaging dimensions	1160 x 180 x 115 mm
Item number	5910510901
EAN	4046664225522
20 containers	1100 pcs.
40 containers	2385 pcs.
40 HQ containers	2760 pcs.

410 mm

500 mm

20 mm

1000 rpm

230 – 240 V –
1000 W







Practical strain relief.



Shoulder strap for ergonomic operation.



The cutting head can be adjusted 10 steps from 0° to 135°.




Laser-cut steel blade ensures maximum effectiveness.



The tool can be stored without needing much space because its shaft can be separated.

UNIVERSAL APPLICATION



Shrubs



Hedges



Bushes

02/2026 Technical modifications and errors reserved.

+ INCLUDING

- Shoulder strap



ELECTRIC HEDGE TRIMMER

EHT610



PRODUCT DATA

Dimensions L x W x H	1100 x 170 x 190 mm
Mains voltage	230 – 240 V~ / 50 Hz
Power	600 W

Hedge trimmer

Blade length	710 mm
Maximum branch diameter	24 mm
Max. cutting length	610 mm
Cutting speed	1500 rpm
Rotatable handle	-90° – +90°

LOGISTICAL DATA

Weight net / gross	3.4 / 4.6 kg
Packaging dimensions	1125 x 185 x 210 mm
Item number	5910511901
EAN	4046664225515
20 containers	840 pcs.
40 containers	1824 pcs.
40 HQ containers	2150 pcs.

610 mm


710 mm

24 mm


1500 rpm

230 – 240 V –
600 W





Removable base plate for simple machine maintenance.



High-performance 710 mm blade with 1500 cuts per minute and a cutting length of 610 mm.




Rotatable handle for ergonomic working posture.



The hand guard guarantees maximum safety during operation.

UNIVERSAL APPLICATION



Shrubs



Hedges



Bushes

02/2026 Technical modifications and errors reserved.

25.4 CC PETROL HEDGE TRIMMER

HTH250/240P



PRODUCT DATA

Dimensions L x W x H	1165 x 230 x 220 mm
Engine	2-stroke petrol engine, air-cooled
Power	0.7 kW / 1.0 PS
Fuel type	Petrol/oil mix
Mixing ratio	40:1
Blade length	690 mm
Maximum branch diameter	27 mm
Max. cutting length	600 mm
Cutting speed	1850 rpm
Rotatable handle	-90° – +90°
Start system	Cable pull

LOGISTICAL DATA

Weight net / gross	6.1 / 8.3 kg
Packaging dimensions	1170 x 275 x 245 mm
Item number	5910401903
EAN	4046664035442
20 containers	400 pcs.
40 containers	750 pcs.
40 HQ containers	920 pcs.

600 mm



690 mm



27 mm



1850 rpm



25.4 cc - 0.7 kW
1.0 HP - 2-stroke





Easy start-up using pull starter



High-quality double-edged steel blade for tough tasks.




Hand protection for maximum safety.



-90° to +90° rotatable handle with anti-vibration protection for an ergonomic working posture.

UNIVERSAL APPLICATION



Shrubs



Hedges



Bushes

02/2026 Technical modifications and errors reserved.

ELECTRIC CHAINSAW

CSE2600



PRODUCT DATA

Dimensions L x W x H	890 x 260 x 220 mm
Mains voltage	230 – 240 V~ / 50 Hz
Power	2400 W
Blade length	45.5 cm
Max. cutting length	44 cm
Chain specifications	18" / 3.8" / 1.27 mm / 62
Cutting speed	15 m/s
Chain tension	Tool-free
Chain replacement	Quick-tensioning system
Chain lubrication	Automatic

LOGISTICAL DATA

Weight net / gross	5.3 / 6.2 kg
Packaging dimensions	485 x 260 x 135 mm
Item number	5910204901
EAN	4046664092285
20 containers	1050 pcs.
40 containers	2180 pcs.
40 HQ containers	2500 pcs.

45.5 cm



44 cm



15 m/s



2400 W



UNIVERSAL APPLICATION



Forestry work



Firewood



Delimiting



The robust claw stop supports the sawing process. It protects the material to be cut from slipping.



Chain can be changed without tools thanks to quick-tensioning system.



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



Oil level display with viewing window so the fill level can be checked easily.

ELECTRIC CHAINSAW

CSE2700



PRODUCT DATA

Dimensions L x W x H	890 x 260 x 220 mm
Mains voltage	230 – 240 V~ / 50 Hz
Power	2700 W
Blade length	45.5 cm
Max. cutting length	44 cm
Chain specifications	18" / 3.8" / 1.27 mm / 62
Cutting speed	15 m/s
Chain tension	Tool-free
Chain replacement	Quick-tensioning system
Chain lubrication	Automatic

LOGISTICAL DATA

Weight net / gross	5.2 / 6.05 kg
Packaging dimensions	550 x 215 x 260 mm
Item number	5910205901
EAN	4046664093350
20 containers	1100 pcs.
40 containers	2320 pcs.
40 HQ containers	2720 pcs.

45.5 cm



44 cm



15 m/s



2700 W






“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback Hand protection guarantees additional safety.



Electric drive without harmful emissions.



The robust claw stop supports the sawing process. It protects the material to be cut from slipping.



Chain can be changed without tools thanks to quick-tensioning system.



Oil level display with viewing window so the fill level can be checked easily

UNIVERSAL APPLICATION



Forestry work



Firewood



Delimiting

02/2026 Technical modifications and errors reserved.

PETROL TOP HANDLE CHAINSAW

PCS26



PRODUCT DATA

Dimensions L x W x H	250 x 230 x 220 mm
Engine	2-stroke
Power	0.7 kW / 0.95 HP
Fuel type	Petrol
Mixing ratio	40:1
Blade length	25 cm
Max. cutting length	21 cm
Chain specifications	10" / 3/8" / 1.27 mm / 40
Cutting speed	21 m/s
Chain tension	Manual
Chain replacement	Requires tools
Chain lubrication	Automatic
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Pull starter
CO ² output	1503 g/kWh

LOGISTICAL DATA

Weight net / gross	3.9 / 5.1 kg
Packaging dimensions	320 x 250 x 250 mm
Item number	5910126903
EAN	4046664221616
20 containers	1450 pcs.
40 containers	2900 pcs.
40 HQ containers	3400 pcs.

25 cm

21 cm

0.7 kW / 0.95 HP

21 m/s



2
STROKE



UNIVERSAL APPLICATION



Branch waste & branch trimming



Treetop removal



High performance petrol top handle chainsaw for tree care, treetop removal or branch trimming.



Pull starter with easy-start function so the chainsaw can be activated effortlessly.



Robust metal claw stop protects the material to be cut from slipping.



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback Hand protection guarantees additional safety.

02/2026 Technical modifications and errors reserved.

PETROL CHAINSAW

PCS38



PRODUCT DATA

Dimensions L x W x H	380 x 255 x 255 mm (without guide bar) 750 x 255 x 255 mm (with guide bar)
Engine	2-stroke
Power	1.3 kW / 1.8 HP
Fuel type	Petrol
Mixing ratio	40:1
Blade length	35 cm
Max. cutting length	33.5 cm
Chain specifications	14" / 3/8" / 1.27 mm / 50
Cutting speed	21 m/s
Chain tension	Yes
Chain replacement	Tool-free
Chain lubrication	Automatic
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Pull starter
CO ² output	1229.52 g/kWh

LOGISTICAL DATA

Weight net / gross	5.5 / 6.9 kg
Packaging dimensions	800 x 270 x 280 / 135 mm
Item number	5910127903
EAN	4046664221661
20 containers	1000 pcs.
40 containers	2070 pcs.
40 HQ containers	2312 pcs.

35 cm



33.5 cm



1.3 kW / 1.8 HP

2
STROKE

21 m/s



UNIVERSAL APPLICATION



Forestry work



Firewood



Delimiting




Powerful petrol chainsaw for cutting firewood, pruning shrubs, branch trimming or garden care.



Robust metal claw stop protects the material to be cut from slipping.



Pull starter with easy-start function so the chainsaw can be activated effortlessly.



Chain can be changed without tools thanks to quick-tensioning system.



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback Hand protection guarantees additional safety.

PETROL CHAINSAW

PCS46



PRODUCT DATA

Dimensions L x W x H	430 x 255 x 250 mm
Engine	2-stroke
Power	1.8 kW / 2.45 HP
Fuel type	Petrol
Mixing ratio	40:1
Blade length	45 cm
Max. cutting length	43 cm
Chain specifications	18" / 0.325" / 1.5 mm / 72
Cutting speed	22 m/s
Chain tension	Yes
Chain replacement	Tool-free
Chain lubrication	Automatic
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Pull starter
CO ² output	1229.52 g/kWh

LOGISTICAL DATA

Weight net / gross	6.0 / 7.2 kg
Packaging dimensions	480 x 260 x 285 mm
Item number	5910129903
EAN	4046664221630
20 containers	850 pcs.
40 containers	1700 pcs.
40 HQ containers	1900 pcs.

45 cm

43 cm

1.8 kW / 2.45 HP

22 m/s



2
STROKE





Powerful petrol chainsaw for cutting firewood, pruning shrubs, branch trimming or garden care.




Robust metal claw stop protects the material to be cut from slipping.



Pull starter with easy-start function so the chainsaw can be activated effortlessly.



Anti-vibration system for extended and fatigue-free working.



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback Hand protection guarantees additional safety.

UNIVERSAL APPLICATION



Forestry work



Firewood



Delimiting

02/2026 Technical modifications and errors reserved.

PETROL CHAINSAW

PCS53



PRODUCT DATA

Dimensions L x W x H	375 x 185 x 190 mm
Engine	2-stroke
Power	2.0 kW / 2.7 HP
Fuel type	Petrol
Mixing ratio	40:1
Blade length	51 cm
Max. cutting length	47 cm
Chain specifications	20" / 0.325" / 1.5 mm / 76
Cutting speed	21 m/s
Chain tension	Yes
Chain replacement	Tool-free
Chain lubrication	Automatic
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Pull starter
CO ² output	811.32 g/kWh

LOGISTICAL DATA

Weight net / gross	6.9 / 8.25 kg
Packaging dimensions	480 x 260 x 300 mm
Item number	5910130903
EAN	4046664221678
20 containers	800 pcs.
40 containers	1600 pcs.
40 HQ containers	1900 pcs.

51 cm

47 cm

2.0 kW / 2.7 HP

21 m/s



2
STROKE





Powerful petrol chainsaw for cutting firewood, pruning shrubs, branch trimming or garden care.



Pull starter with easy-start function so the chainsaw can be activated effortlessly.



Robust metal claw stop protects the material to be cut from slipping.



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback Hand protection guarantees additional safety.

UNIVERSAL APPLICATION



Forestry work



Firewood



Delimiting

PETROL CHAINSAW

PCS56



PRODUCT DATA

Dimensions L x W x H	430 x 255 x 250 mm
Engine	2-stroke
Power	2.3 kW / 3.1 HP
Fuel type	Petrol
Mixing ratio	40:1
Blade length	51 cm
Max. cutting length	47 cm
Chain specifications	20" / 0.325" / 1.5 mm / 76
Cutting speed	22 m/s
Chain tension	Yes
Chain replacement	Tool-free
Chain lubrication	Automatic
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Pull starter
CO ² output	811.32 g/kWh

LOGISTICAL DATA

Weight net / gross	7 / 8.5 kg
Packaging dimensions	490 x 260 x 300 mm
Item number	5910131903
EAN	4046664221647
20 containers	800 pcs.
40 containers	1600 pcs.
40 HQ containers	1900 pcs.

51 cm

47 cm

2.3 kW / 3.1 HP

22 m/s



2
STROKE



UNIVERSAL APPLICATION



Forestry work



Firewood



Delimiting



Powerful petrol chainsaw for cutting firewood, pruning shrubs, branch trimming or garden care.



Robust metal claw stop protects the material to be cut from slipping.



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback Hand protection guarantees additional safety.



Pull starter with easy-start function so the chainsaw can be activated effortlessly.

02/2026 Technical modifications and errors reserved.

CHAIN SHARPENER

KS1200



PRODUCT DATA

Dimensions L x W x H	265 x 140 x 200 mm
Speed	7500 rpm
Bore diameter	10 mm
Grinding disc Ø	100 mm
Grinding disc thickness	3.2 mm
Engine	230 V~
Engine output	220 W

LOGISTICAL DATA

Weight net / gross	1.8 / 2.1 kg
Packaging dimensions	350 x 180 x 205 mm
Item number	5903602901
EAN	4046664063940
20 containers	2500 pcs.
40 containers	5144 pcs.
40 HQ containers	5800 pcs.

100 mm



10 mm



3.2 mm



35° to -35°



7500 rpm



220 W





Suitable for all standard types and sizes of saw chains.



Depth limiter to adjust the grinding depth to protect the chain.



Thanks to the different adjustment options of the grinding angle, different types of saw chains can be quickly and easily sharpened.

02/2026 Technical modifications and errors reserved.

PETROL LEAF VACUUM/BLOWER

LBH2600P

4in1

- Vacuuming
- Blowing
- Shredding
- Collecting



PRODUCT DATA

Dimensions L x W x H	1260 x 550 x 370 mm
Engine	2-stroke
Power	0.7 kW / 1.0 HP
Fuel type	Petrol
Mixing ratio	40:1
Speed setting	7500 / 7900 rpm
Air power	678 m³/h
Air speed	268 km/h
Shredding function	10:1
Collection bag	50 L
Blower type	Radial
Anti-vibration technology	No
Easy-Start	Yes
Start system	Pull starter
CO ² output	1443 g/kWh

LOGISTICAL DATA

Weight net / gross	5.6 / 8 kg
Packaging dimensions	590 x 285 x 405 mm
Item number	5911104903
EAN	4046664067962
20 containers	410 pcs.
40 containers	850 pcs.
40 HQ containers	990 pcs.

268 km/h



678 m³/h



0.7 kW / 1.0 HP



10:1



50 L





Lightweight and ergonomic design to reduce fatigue.



The chopping function reduces the vacuumed material to 10% of the original volume.



Includes collection bag with a volume of 50 litres.

+ INCLUDING

- Flat nozzle
- Round nozzle
- Collection bag



PETROL LEAF VACUUM/BLOWER

PLB32

4in1

- Vacuuming
- Blowing
- Shredding
- Collecting



PRODUCT DATA

Dimensions L x W x H	1081 x 236 x 351 mm
Engine	2-stroke
Power	0.7 kW / 1.0 HP
Fuel type	Petrol-oil mix
Mixing ratio	1:40
Air power	678 m³/h
Air speed	260 km/h
Shredding function	10:1
Collection bag	35 L
Blower type	Radial
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Cable pull
CO² output	1495.00 g/kWh

LOGISTICAL DATA

Weight net / gross	4.6 / 5.8 kg
Packaging dimensions	990 x 275 x 345 mm
Item number	5911108903
EAN	4046664295136
20 containers	460 pcs.
40 HQ containers	1120 pcs.

260 km/h



678 m³/h



0.75 kW / 1.0 HP



10:1



35 L





The chopping function reduces the vacuumed material to 10% of the original volume.



Includes collection bag with a volume of 50 litres.



Flat nozzle



Round nozzle

+ INCLUDING

- Flat nozzle
- Round nozzle
- Collection bag



BACKPACK LEAFBLOWER

PLB52BP



PRODUCT DATA

Dimensions L x W x H	1700 x 400 x 470 mm
Engine	2-stroke
Power	1.45 kW / 1.97 HP
Fuel type	Petrol-oil mix
Mixing ratio	1:40
Air power	1080 m³/h
Air speed	295 km/h
Shredding function	No
Collection bag	No
Blower type	Radial
Anti-vibration technology	Yes
Easy-Start	Yes
Start system	Cable pull
CO² output	1319.0 g/kWh

LOGISTICAL DATA

Weight net / gross	8.2 / 9.4 kg
Packaging dimensions	420 x 380 x 470 mm
Item number	5911107903
EAN	4046664295143
20 containers	370 pcs.
40 HQ containers	895 pcs.

295 km/h



1080 m³/h



1.45 kW / 1.97 HP





The petrol engine is worn on the back using a comfortable, fully adjustable, cushioned and vibration-absorbing frame.



Easy assembly of the different components.



The throttle locking function allows ergonomic and extended working.



Flexible hose – even at low temperatures.



Easy-start for simple, effortless starting.

02/2026 Technical modifications and errors reserved.

+ INCLUDING

- Round nozzle
- Flat nozzle



2500 W ELECTRIC GARDEN SHREDDER

GS65

2in1

- Shredding
- Collecting



Click here for
optional accessories



PRODUCT DATA

Dimensions L x W x H	465 x 360 x 960 mm
Mains voltage	220 – 240 V~ / 50 Hz
Power	2500 W
Maximum branch diameter	Ø 44 mm
Cutting speed	4500 rpm
Cutting system	Blade shredder
Number of blades	2x reversible blades
Collection basket	2x 45 L

LOGISTICAL DATA

Weight net / gross	8.5 / 9.5 kg
Packaging dimensions	640 x 300 x 370 mm
Item number	5904414901
EAN	4046664242734
20 containers	232 pcs.
40 containers	480 pcs.
40 HQ containers	600 pcs.

Ø 44 mm

4500 rpm

2x 45 L

2x

2500 W






Compact electric garden shredder for shredding green waste, bushes and shrubs with branch thicknesses of up to 44 mm.



Protected on/off switch and reset button as overload protection with restart protection.



Robust chassis with large wheels and transport handle for easy transport to the respective place of use.



Two large, removable 45-litre collection bags provide ample space for clippings and shredded material.



Stopper for safe refilling.

SUITABLE FOR



Foliage



Branches



INCLUDING

- 2x collection bag



2800 W QUIET SHREDDER

GS70

2in1

- Shredding
- Collecting



PRODUCT DATA

Dimensions L x W x H	465 x 360 x 960 mm
Mains voltage	220 – 240 V~ / 50 Hz
Power	2500 W
Maximum branch diameter	Ø 44 mm
Cutting speed	4500 rpm
Cutting system	Blade shredder
Number of blades	2x reversible blades
Collection basket	2x 45 L

LOGISTICAL DATA

Weight net / gross	8.5 / 9.5 kg
Packaging dimensions	640 x 300 x 370 mm
Item number	5904414901
EAN	4046664242734
20 containers	232 pcs.
40 containers	480 pcs.
40 HQ containers	600 pcs.

Ø 87 mm

60 rpm

56 L

2800 W





In a bed, wood chips will prevent the growth of weeds and make a great home for important insects.



Protected on/off switch: with reverse gear and reset button as protection against excessive load



56 L collection box: with locking lever for safety deactivation during removal.



8 cutting rollers made of Ø 87 mm durable steel.



Stopper for safe refilling.

SUITABLE FOR



Foliage



Branches

02/2026 Technical modifications and errors reserved.

PETROL GARDEN SHREDDER

PGS420E



PRODUCT DATA

Dimensions L x W x H	2200 x 700 x 1110 mm
Mains voltage	4-stroke petrol engine, 12 hp / 9 kW
Power	420 cm ³
Maximum branch diameter	120 mm
Cutting speed	3600 rpm
Cutting system	Blade
Number of blades	2
Adjustable discharge pipe	Yes
Ball coupling	Yes
Start system	E-start

LOGISTICAL DATA

Weight net / gross	142 / 152 kg
Packaging dimensions	900 x 580 x 1120 mm
Item number	5904418903
EAN	4046664297369
20 containers	48 pcs.
40 containers	94 pcs.
40 HQ containers	139 pcs.

4-stroke petrol engine,
420 cm³, 12 hp and 9 kW

max. Ø 120 mm

3600 rpm

4
STROKE



Elektro
Start



Robust metal construction weighing 120 kg.



Ball coupling for transport.



Flexibly rotatable and adjustable discharge pipe for optimum directional adjustment.



Maximum branch diameter 120 mm.



Foldable support feet with quick-release fasteners for transport.



Safety switch on the feed hopper ensures safe operation of the machine.



Easy starting with electric starter.



Practical handles for easy and ergonomic transport.



Easy transport thanks to large air-filled transport wheels.

02/2026 Technical modifications and errors reserved.

PETROL STUMP GRINDER

SGM4200



PRODUCT DATA

Dimensions L x W x H	1730 x 790 x 1170 mm
Engine power	9 kW
Displacement	420 ccm
Fuel tank capacity	6.5 L
Brake	Yes
Adjustable handlebars	Yes
Automatic oil cut-off	Yes

LOGISTICAL DATA

Weight net / gross	106 / 128 kg
Packaging dimensions	1060 x 800 x 650 mm
Item number	5904905903
EAN	4046664292692
20 containers	54 pcs.
40 containers	/
40 HQ containers	112 pcs.

Max. 600 mm



Max. 235 mm



300 millimeters



9



420 cm³
9 kW / 12.2 PS





A powerful motor and 9 carbide-tipped cutting teeth ensure excellent results.



Cutting disc thickness 90 mm.
Cutting disc diameter 300 mm.



Side splash guards prevent wood chips from flying around uncontrollably.



The ergonomic, adjustable handlebar and grips ensure easy operation and facilitate transport.



Easily accessible pneumatic tyres with off-road tread for safe operation.



Cutting depth below ground 235 mm.
Cutting depth above ground 600 mm.



Double V-belt ensures robustness and protects both the engine and the entire mechanism from any internal shocks and kickback.

ELECTRIC TILLER

MTE380



PRODUCT DATA

Dimensions L x W x H	900 x 360 x 1090 mm
Mains voltage	230 – 240 V~ / 50 Hz
Power	1050 W
Working width of	360 mm
Working depth	205 mm
Speed	400 rpm
Number of blades	16

LOGISTICAL DATA


Weight net / gross	7.4 / 8.6 kg
Packaging dimensions	505 x 395 x 340 mm
Item number	5912312901
EAN	4046664091004
20 containers	460 pcs.
40 containers	976 pcs.
40 HQ containers	1110 pcs.

1050 W

360 mm

205 mm

16





High-quality gearbox made of die-cast aluminium.




16 sheet steel blades.



The MTE380 makes tough, laborious work in beds or in the garden easier.




Comfortable handles with instant start and circuit breaker as well as cable strain relief.




Foldable handle ensures easy transport and space-saving storage.

APPLICATION EXAMPLES




Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser

02/2026 Technical modifications and errors reserved.

ELECTRIC TILLER

MTE460



PRODUCT DATA

Dimensions L x W x H	1020 x 450 x 1040 mm
Mains voltage	230 ~240 V~ / 50 Hz
Power	1500 W
Working width of	450 mm
Working depth	220 mm
Speed	400 rpm
Number of blades	24

LOGISTICAL DATA


Weight net / gross	10.4 / 12.2 kg
Packaging dimensions	580 x 485 x 365 mm
Item number	5912313901
EAN	4046664090977
20 containers	332 pcs.
40 containers	696 pcs.
40 HQ containers	796 pcs.

1500 W

450 mm

220 mm

24





High-quality gearbox made of die-cast aluminium.



24 sheet steel blades.




Comfortable handles with instant start and circuit breaker as well as cable strain relief.




Foldable handle ensures easy transport and space-saving storage.

APPLICATION EXAMPLES




Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser

02/2026 Technical modifications and errors reserved.

PETROL TILLER

MTP370



PRODUCT DATA

Dimensions L x W x H	1340 x 445 x 1070 mm
Engine	150 cm ³
Power	2.6 kW / 3.5 PS
Fuel type	Petrol
Working width of	360 mm
Working depth	130 mm
Speed	3600 rpm
Number of blades	16
Wheel drive	No
Start system	Pull starter
CO ₂ output	1033 g/kWh

LOGISTICAL DATA


Weight net / gross	26.2 / 30.4 kg
Packaging dimensions	710 x 380 x 665 mm
Item number	5912319903
EAN	4046664292494
20 containers	144 pcs.
40 containers	297 pcs.
40 HQ containers	396 pcs.

150 cm³
2.6 kW / 3.5 PS

360 mm

130 mm

16






Features forward gear to make work effortless.




Height-adjustable depth limiter allows you to set the working depth easily.




16 blades for even soil loosening.

APPLICATION EXAMPLES




Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser

02/2026 Technical modifications and errors reserved.

PETROL TILLER

MTP560



PRODUCT DATA

Dimensions L x W x H	1390 x 605 x 980 mm
Engine	150 cm ³
Power	2.7 kW / 3.7 PS
Fuel type	Petrol
Working width of	560 mm
Working depth	260 mm
Speed	3000 rpm
Number of blades	24
Wheel drive	Yes
Start system	Pull starter
CO ₂ output	1293 g/kWh

LOGISTICAL DATA



Weight net / gross	29 / 32.9 kg
Packaging dimensions	700 x 365 x 665 mm
Item number	5912311903
EAN	4046664079828
20 containers	144 pcs.
40 containers	297 pcs.
40 HQ containers	396 pcs.


150 cm³
2.7 kW / 3.7 PS

560 mm

260 mm

24






16 blades for even soil loosening.



Using the depth settings, you can specify the working depth as well as direction and speed. Lowering decelerates the tiller and increases the working depth. Raising increases speed and reduces working depth.






Features forward gear to make work effortless.



Protective cover for existing plants.

APPLICATION EXAMPLES



02/2026 Technical modifications and errors reserved.

PETROL TILLER

MTP750



PRODUCT DATA

Dimensions L x W x H	1390 x 605 x 980 mm
Engine	212 cm ³
Power	4.2 kW / 5.7 PS
Fuel type	Petrol
Working width of	750 mm
Working depth	310 mm
Speed	3600 rpm
Number of blades	24
Wheel drive	Yes
Start system	Pull starter
CO ₂ output	767 g/kWh

LOGISTICAL DATA


Weight net / gross	70.2 / 77.4 kg
Packaging dimensions	700 x 365 x 665 mm
Item number	5912316903
EAN	4046664079828 4046664240631
40 HQ containers	210 pcs.



212 cm³
4.2 kW / 5.7 PS

750 mm




310 mm

24





APPLICATION EXAMPLES



02/2026 Technical modifications and errors reserved.

ROTATING SIEVE

RS350




PRODUCT DATA

Dimensions L x W x H	1040 x 665 x 1480 mm
Mains voltage:	230 - 240 V~, 50 Hz
Power	250 W
Screen drum Ø	400 mm
Screen drum length	800 mm
Speed	42 rpm
Inclination	3 stages
Mesh size	10 mm


LOGISTICAL DATA

Weight net / gross	32 / 37 kg
Packaging dimensions	890 x 580 x 940 mm
Item number	1904501901
EAN	4014915089186
20 containers	48 pcs.
40 containers	104 pcs.
40 HQ containers	130 pcs.

20 mm




10 mm



3 m³/h



3 stages



250 W



42 RPM



APPLICATION EXAMPLES



Soil



Sand



Compost



The adjustable angle of inclination (0° – 8°) allows you to regulate the flow rate of the material being screened.




The standard brush strip allows reliable cleaning of the screen drum, when damp material is used in particular.



The double-sided suspension of the screen drum with V-belts means that the feed opening is completely unobstructed.



Thanks to the standard wheels and the low weight of 32 kg, the rotating sieve is mobile and can be used within a wide radius.



Sieved humus is perfect for creating new beds and for refining or loosening firm, older soil in beds.

02/2026 Technical modifications and errors reserved.

ROTATING SIEVE

RS400



PRODUCT DATA	
Dimensions L x W x H	1080 x 740 x 1400 mm
Mains voltage:	230 - 240 V~, 50 Hz
Power	360 W
Screen drum Ø	400 mm
Screen drum length	900 mm
Speed	42 rpm
Inclination	10° / 2 steps
Mesh size	10 mm

LOGISTICAL DATA	
Weight net / gross	37 / 44 kg
Packaging dimensions	1040 x 480 x 780 mm
Item number	42030000
EAN	4014915010975
20 containers	48 pcs.
40 containers	96 pcs.
40 HQ containers	144 pcs.

20 mm




10 mm

3 m³/h


2 stages

360 W

42 RPM



APPLICATION EXAMPLES



Soil



Sand



Compost



The adjustable angle of inclination (0° – 10°) allows you to regulate the flow rate of the material being screened.




The standard brush strip allows reliable cleaning of the screen drum, when damp material is used in particular.



The double-sided suspension of the screen drum with V-belts means that the feed opening is completely unobstructed.



Thanks to the standard wheels and the low weight of 37 kg, the rotating sieve is mobile and can be used within a wide radius.



Sieved humus is perfect for creating new beds and for refining or loosening firm, older soil in beds.

02/2026 Technical modifications and errors reserved.

ROTATING SIEVE

RS500



PRODUCT DATA

Dimensions L x W x H	1040 x 580 x 1290 mm
Mains voltage:	230 - 240 V~, 50 Hz
Power	350 W
Screen drum Ø	400 mm
Screen drum length	775 mm
Speed	42 rpm
Inclination	0°, 4°, 8° / 3 steps
Mesh size	10.5 x 9.5 mm

LOGISTICAL DATA

Weight net / gross	24 / 27.5 kg
Packaging dimensions	820 x 460 x 610 mm
Item number	5904503901
EAN	4046664269151
20 containers	130 pcs.
40 containers	268 pcs.
40 HQ containers	288 pcs.

10.5 x 9.5 mm


10.5 x 9.5 mm

3 m³/h


3 stages

350 W

42 rpm



APPLICATION EXAMPLES



Soil



Sand



Compost



Practical brush strip ensures reliable cleaning of the screen drum – especially with damp material.



Depending on the material, the output is up to 3 m³/h and depends on moisture, soil conditions, etc.



Wheels ensure easy transport, on uneven ground as well.



Drum can be adjusted to 3 angles (0° / 4° / 8°), thus controlling the throughput speed of the screening material.

PETROL SWEEPER

SC2200PE

5in1

- Sweeping
- Collecting
- Snow clearing
- Electric start
- Wheel drive



PRODUCT DATA

Dimensions L x W x H	1430 x 1060 x 1245 mm
Engine	4-stroke
Power	3.6 kW / 4.9 PS
Fuel type	Petrol
Sweeping brush width	1000 mm
Brush speed	180 – 350 rpm
Brush angle	-25° to -12,5°; 0°; +12,5° to +25°
Area covered	4000 m ² /h
Sweeping system	Brushing roller
Wheel drive	4-gear transmission
Start system	Electric starter and pull starter
Incline	20°
CO ² output	744 g/kWh

LOGISTICAL DATA

Weight net / gross	84 / 114 kg
Packaging dimensions	Sweeper: 1150 x 835 x 850 mm Snow blade: 1070 x 420 x 80 mm Collection container: 1100 x 510 x 330 mm
Item number	5908703903
EAN	4046664069317
20 containers	28 pcs.
40 containers	56 pcs.
40 HQ containers	66 pcs.

1000 mm



4000 m²/h



3.6 kW / 4.9 PS



4-gear transmission



Elektro
Start



-25° to -12,5°; 0°;
+12,5° to +25°





Separately switchable wheel drive.




Sweeping brush can be switched on and off separately.



Gear selector lever:
3 forward gears 2.5–4.3 km/h;
1 reverse gear 2.5 km/h



Angle and height of sweeping brush can be adjusted.





105 cm long snow blade.



Additional 50-litre collection bucket can be fitted.

SUITABLE FOR



+ INCLUDING

- Snow blade
- Collection bucket



WASTE WATER COMBINATION PUMP 400 W

DWP400



PRODUCT DATA

Dimensions L x W x H	300 x 150 x 420 mm
Mains voltage	230 V / ~50 Hz
Power	400 W
Max. flow rate	9000 L/h
Max. pressure delivered	0.6 bar
Max. delivery height	6 m
Max. immersion depth	7 m
Max. water temperature	35°C
Max. particle size	30 mm
Pressure connection	G1½" = 47.8 mm
Quick coupling	Yes
Rotatable base plate	No
Cable length	10 m

LOGISTICAL DATA

Weight net / gross	3.6 / 4 kg
Packaging dimensions	220 x 160 x 340 mm
Item number	5909513901
EAN	4046664255604
20 containers	2040 pcs.
40 containers	4080 pcs.
40 HQ containers	4760 pcs.

Max. flow rate
9000 L/h



Max. delivery height 6 m



Max. water temperature
35°C



Max. submersion depth
7 m



400 Watts



Max. particle size

30 mm



AREAS OF APPLICATION



Garden watering



Ponds



Pools



Float switch switches off automatically and protects against dry running.



Connection (G1 1/2' and G1') is made via a quick coupling.



Robust, impact-resistant housing.



Base plate allows dirt particles up to 30 mm.

WASTE WATER COMBINATION PUMP 750 W

DWP750



PRODUCT DATA

Dimensions L x W x H	180 x 170 x 350 mm
Mains voltage	230 V / ~50 Hz
Power	750 W
Max. flow rate	20000 L/h
Max. pressure delivered	0.8 bar
Max. delivery height	8 m
Max. immersion depth	7 m
Max. water temperature	35°C
Max. particle size	30 mm
Pressure connection	G1½" = 47.8 mm
Quick coupling	Yes
Rotatable base plate	Yes
Cable length	10 m

LOGISTICAL DATA

Weight net / gross	4.5 / 5.1 kg
Packaging dimensions	220 x 160 x 380 mm
Item number	5909511901
EAN	4046664223023
20 containers	1740 pcs.
40 containers	3520 pcs.
40 HQ containers	4128 pcs.

Max. flow rate
20000 L/h



Max. delivery height 8 m



Max. water temperature
35°C



Max. submersion depth
7 m



750 Watts



Max. particle size

30 mm



AREAS OF APPLICATION



Float switch switches off automatically and protects against dry running



Connection (G1 ½' and G1') is made via a quick coupling.



Shallow water suction function.



Rotatable base plate, adjustable without tools, for dirty and clean water.

GARDEN PUMP 1400 W

GP1400JET



PRODUCT DATA

Dimensions L x W x H	450 x 230 x 280 mm
Mains voltage	230 V~ / 50 Hz
Power	1300 W
Max. flow rate	6000 L/h
Max. pressure delivered	4.8 bar
Max. delivery height	48 m
Max. immersion depth	8 m
Max. water temperature	35°C
Max. particle size	1 mm
Pressure connection	G1"
Cable length	1 m

LOGISTICAL DATA

Weight net / gross	9.85 / 11 kg
Packaging dimensions	460 x 250 x 355 mm
Item number	5909407901
EAN	4046664222910
20 containers	820 pcs.
40 containers	1680 pcs.
40 HQ containers	1950 pcs.

Max. flow rate
6000 L/h



Max. delivery height
48 m



Max. water temperature
35°C



Max. submersion
depth 8 m



1300 Watts



Robust



AREAS OF APPLICATION



02/2026 Technical modifications and errors reserved.

AUTOMATIC DOMESTIC WATERWORKS WITH DISPLAY 1000 W

GP 1100JET LCD



PRODUCT DATA

Dimensions L x W x H	480 x 200 x 300 mm
Mains voltage	230 V~ / 50 Hz
Power	1000 W
Max. flow rate	3800 L/h
Max. pressure delivered	3.6 bar
Max. delivery height	36 m
Max. immersion depth	8 m
Max. water temperature	35°C
Max. particle size	2 mm
Pressure connection	1 inch / 25.4 mm
Cable length	1.5 m

LOGISTICAL DATA

Weight net / gross	8.2 / 9.4 kg
Packaging dimensions	485 x 183 x 320 mm
Item number	5909410901
EAN	4046664233589
20 containers	730 pcs.
40 containers	1510 pcs.
40 HQ containers	1770 pcs.

Max. flow rate
3800 L/h



Max. delivery height
36 m



Max. water temperature
35°C



Max. submersion depth
8 m



1000 Watts



Robust



AREAS OF APPLICATION



Cistern



Water supply



Fountain



3 modes: Automatic, Timer, Continuous Operation



Practical carrying handle ensures easy transport



The pre-filter prevents damage caused by coarse dirt particles that may be in the supply pipe.



LCD monitor to check and configure all pump functions.



The connection size of G1" allows easy connection of conventional garden hoses.

DOMESTIC WATERWORKS 1000 W

HWW 1000



PRODUCT DATA

Dimensions L x W x H	445 x 270 x 500 mm
Mains voltage	230 V~ / 50 Hz
Power	1000 W
Max. flow rate	4300 L/h
Max. pressure delivered	4.4 bar
Max. delivery height	44 m
Max. immersion depth	7 m
Max. water temperature	35°C
Max. particle size	1 mm
Pressure connection	G1
Cable length	1 m

LOGISTICAL DATA

Weight net / gross	11.7 / 15.1 kg
Packaging dimensions	460 x 285 x 585 mm
Item number	5908608901
EAN	4046664217749
20 containers	390 pcs.
40 containers	780 pcs.
40 HQ containers	880 pcs.

Max. flow rate
4300 L/h



Max. delivery height
44 m



Max. water temperature
35°C



Max. delivery pressure
4.4 bar



1000 Watts



Robust



AREAS OF APPLICATION



Cistern



House



Fountain



3 modes: Automatic, Timer, Continuous Operation



Practical carrying handle ensures easy transport



The pre-filter prevents damage caused by coarse dirt particles that may be in the supply pipe.



Integrated pressure gauge 4.4 bar



The connection size of G1" allows easy connection of conventional garden hoses.

DOMESTIC WATERWORKS 1300 W

HWW1400



PRODUCT DATA

Dimensions L x W x H	500 x 290 x 570 mm
Mains voltage	230 V~ / 50 Hz
Power	1300 W
Max. flow rate	6000 L/h
Max. pressure delivered	4.8 bar
Max. delivery height	48 m
Max. immersion depth	8 m
Max. water temperature	35°C
Max. particle size	1 mm
Pressure connection	G1"
Cable length	1 m

LOGISTICAL DATA

Weight net / gross	14.8 / 16.3 kg
Packaging dimensions	540 x 290 x 620 mm
Item number	5908609901
EAN	4046664222903
20 containers	310 pcs.
40 containers	630 pcs.
40 HQ containers	720 pcs.

Max. flow rate
6000 L/h



Max. delivery height
48 m



Max. water temperature
35°C



Max. delivery pressure
4.8 bar



1300 Watts



Robust



AREAS OF APPLICATION



350 W RAIN BARREL PUMP

RBP350

2in1

- Rain barrel pump
- Submersible pump



PRODUCT DATA

Dimensions L x W x H	180 x 165 x 270 mm
Mains voltage	230 V / ~50 Hz
Power	350 W
Max. flow rate	5500 L/h
Max. pressure delivered	1.1 bar
Max. delivery height	11 m
Max. immersion depth	7 m
Max. water temperature	35°C
Max. particle size	5 mm
Pressure connection	2-in-1 connection
Quick coupling	Yes
Cable length	10 m

LOGISTICAL DATA

Weight net / gross	3.8 / 4.5 kg
Packaging dimensions	220 x 180 x 340 mm
Item number	5909408901
EAN	4046664223054
20 containers	1816 pcs.
40 containers	3636 pcs.
40 HQ containers	4260 pcs.

Max. flow rate
5500 L/h



Max. delivery height
11 m



Max. water temperature
35°C



Max. submersion depth
7 m




350 Watts



Pump pressure 1.1 bar



AREAS OF APPLICATION



02/2026 Technical modifications and errors reserved.

PETROL WATER PUMP

PWP32

Click here for
optional accessories



PRODUCT DATA

Dimensions L x W x H	450 x 230 x 280 mm
Engine	4-stroke
Power	3.9 kW / 5.3 PS
Max. flow rate	32000 L/h
Max. pressure delivered	3 bar
Max. delivery height	30 m
Max. water temperature	35°C
Max. particle size	1 mm
Pressure connection	2" (50 mm)
Quick coupling	2" (50 mm)

LOGISTICAL DATA

Weight net / gross	20 / 22 kg
Packaging dimensions	480 x 395 x 425 mm
Item number	5914602903
EAN	4046664268987
20 containers	330 pcs.
40 containers	690 pcs.
40 HQ containers	828 pcs.

Max. flow rate
32000 L/h



Max. delivery height
30 m



Max. water temperature
35°C



Max. intake height 7 m



3.9 kW / 5.3 PS



Max. delivery pressure
3 bar



AREAS OF APPLICATION



Cistern



Cellars



Fountain



Pump pressure 3 bar.



Practical filler opening makes priming with water easier before use.



Sturdy, durable steel frame, also ideal for demanding situations.



Water release valve allows easy maintenance.

02/2026 Technical modifications and errors reserved.

PETROL WATER PUMP

PWP60

Click here for
optional accessories



PRODUCT DATA

Dimensions L x W x H	450 x 230 x 280 mm mm
Engine	4-stroke
Power	3.9 kW / 5.3 PS
Max. flow rate	60000 L/h
Max. pressure delivered	2.8 bar
Max. delivery height	28 m
Max. water temperature	35°C
Max. particle size	1 mm
Pressure connection	3" (80 mm)
Quick coupling	3" (80 mm)

LOGISTICAL DATA

Weight net / gross	21 / 23 kg
Packaging dimensions	480 x 395 x 425 mm
Item number	5914601903
EAN	4046664268994
20 containers	151 pcs.
40 containers	366 pcs.
40 HQ containers	366 pcs.

Max. flow rate
60000 L/h



Max. delivery height
28 m



Max. water temperature
35°C



Max. intake height 7 m



3.9 kW / 5.3 PS



Max. delivery pressure
3 bar



AREAS OF APPLICATION



02/2026 Technical modifications and errors reserved.



SCHEPPACH MADE FOR YOUR PROJECT

Scheppach GmbH
Günzburger Str. 69 | D-89335 Ichenhausen | Tel: 0049 8223 4002-99 | Fax: 0049 8223 4002-153
bestelleingang@scheppach.com | www.scheppach.com