

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**schepach**

**Germany**

# IXES 20 Volt

## Workshop Tools

## Garden Tools



**Your battery  
for everything**





**10-year**

**warranty**



We want to make sure that you can implement all the projects in your workshop and garden without any concern.

That is why we don't just ensure ideal value for money with our products but also reliable quality and maximum safety.

So you don't have to worry in the future, we're giving you our Scheppach Guarantee Promise - 10 years' guarantee with all tools.

\* Find the warranty conditions here. Register your purchase and benefit from our warranty promise.





# For all your projects

Discover our battery range now!





## Discover the future of cordless work with Scheppach!

Whether screwing, drilling, sawing, mowing or hedge trimming - only a single battery is needed to supply all your devices with power. In this way, the Scheppach IXES 20 Volt series (Intelligent Exchange Series) doesn't just allow easy switching between different tools but also flexible working, completely without cables getting tangled up.

More than

70

tools





## Advantages of our 20 V system



Suitable for all kinds of work around the house, garden, yard and in the workshop.



1 battery for more than 50 tools - saving resources and promoting sustainability.



Flexible working without cables getting tangled up  
No extension leads,  
no emissions - just insert the battery and get started.



Powerful tools, also suitable for extensive and demanding projects.



Top quality and maximum safety so you can always implement all your projects reliably.





One battery for all devices

ensures maximum freedom of movement



## LONG-LASTING BATTERIES FOR ALL REQUIREMENTS

Our powerful next-generation Lithium-ion batteries ensure **reliability and a long service life**. Innovative individual cell management also guarantees efficient use and **maximum battery run time**. Whether small tasks around the house and workshop or major, complex work - thanks to the compact design and low weight, practically all projects can be implemented.



## BATTERY MANAGEMENT SYSTEM - SMART CONTROL ELECTRONICS

Our Battery Management System (BMS) **continuously monitors and regulates all safety-related processes** as well as device performance. Additionally, individual cell management ensures equal charging and discharging of the battery cells, thus reliably protecting from overheating as well as excess voltage.



- + EXTENDED SERVICE LIFE
- + MAXIMUM DEVICE POWER
- + MAXIMUM SAFETY
- + LONGER BATTERY RUN TIMES



Double the power  
for demanding work



## TWICE THE BATTERY POWER - FOR PARTICULAR CHALLENGES

Particularly high-performance devices, such as some lawn mowers, chain saws or hedge trimmers, need more power than one battery can provide. If this is the case, just add another battery, thus generating **20 V + 20 V = 40 V**. Not only does this increase voltage (V) but also power (W) - so you can tackle all your challenges!

$$20\text{ V} + 20\text{ V} = 40\text{ V}$$







**Battery technology  
that thinks for you**



## SMART TECHNOLOGY - MAXIMUM PERFORMANCE FOR YOUR PROJECTS

In addition to battery run times, the provided output is critical for tougher tasks in particular. The permanent communication between battery and device as well as smart control in our tools therefore ensure maximum performance as well as long service life and run times. Furthermore, our batteries feature state-of-the-art RFID and other technologies.



Thanks to **Cell Balancing**, all the battery's safety-related parameters are checked at all times and the equal use of each cell is controlled - this guarantees efficient use and maximum battery run times.




Without Cell Balancing



With Cell Balancing



## Brushless drive technology ensures maximum efficiency



### MAINTENANCE-FREE BRUSHLESS MOTORS ENSURE MORE POWER



Many of our Scheppach 20 Volt tools are equipped with innovative brushless **motor technology**. The brushless motors are maintenance-free and ensure a significantly higher device performance as well as longer service life and run times. Ideal also for major projects - thanks to low heat development, the brushless tools can be operated for extended periods even at high performance without overheating.

- + SERVICE LIFE UP TO 10 TIMES LONGER
- + LOWER THERMAL MOTOR LOAD
- + MAXIMUM EFFICIENCY, THANKS TO IDEAL POWER TRANSFER
- + LONGER BATTERY RUN TIMES, THANKS TO LOWER POWER CONSUMPTION








# Workshop Tools










# Garden Tools









MOBILE WORKSHOP  
CORDLESS SCREW DRIVER WITH  
BATTERY, BATTERY CHARGER &  
74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated screw driver and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels as well as 1 drilling level allow operation to suit the material and application
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case – for mobile use and space-saving storage
- Includes 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact



1.7 kg

Mobile



74 piece tool set



All in One



Part of the battery platform  
**20 V IXES**  
ONE BATTERY FOR ALL DEVICES



74 high-quality tools

Cordless drill

2.0 Ah  
Lithium-ion battery

LOGISTICAL DATA

Weight net / gross	5.2 / 5.6 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909315900
Barcode	4046664216742
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A

**2.0 Ah**



**4.0 Ah**



Softwood screwing: 4 x 35 mm

**450 pieces**

**900 pieces**

Holes drilled in brick: 6 x 50 mm

**60 pieces**

**120 pieces**

Specification for each battery charge  
Run time and performance may vary depending on external conditions



Practical LED work light ensures perfect lighting even in poor lighting conditions.



Speed configuration using powerful 2-gear drive.



25 torque levels and 1 drilling level allow operation to suit the material and application.



Practical belt clip – ideal for working on a ladder.

## ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x** cutter knife
- 1x** carpenter's pencil
- 1x** pencil lead
- 1x** tape measure (5 m)
- 1x** centre punch
- 1x** wood countersink
- 8x** socket adapters 1/4"
- 5x** wood drills
- 14x** metal drills
- 10x** bit inserts 50 mm long
- 10x** bit inserts 75 mm long
- 20x** bit inserts 25 mm long
- 1x** bit holder 1/4"



- 1x** Cordless drill
- 1x** 2.4 A battery charger
- 1x** 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck – capacity 1.5 – 13 mm
- Idle speed:
  - 1st gear: 0 – 400 rpm
  - 2nd gear 0 – 1550 rpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case

**74  
PCS**





MOBILE WORKSHOP  
CORDLESS SCREW DRIVER WITH  
TWO BATTERIES, BATTERY CHARGER &  
74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated screw driver and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels as well as 1 drilling level allow operation to suit the material and application
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case – for mobile use and space-saving storage
- Includes 2x 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact




1.7 kg

Mobile



74 piece tool set



All in One



Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES



74 high-quality tools

Cordless drill

2x 2.0 Ah  
Lithium-ion battery

LOGISTICAL DATA

Weight net / gross	5.8 / 6.1 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909316900
Barcode	4046664216759
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A

25 torque levels and 1 drilling level allow operation to suit the material and application.



**Speed configuration**  
using powerful  
2-gear drive



Practical LED work light  
ensures perfect lighting even  
in poor lighting conditions.



**Practical belt clip**  
– ideal for working  
on a ladder



**2.0 Ah**



**4.0 Ah**



Softwood screwing: 4 x 35 mm

**450 pieces**

**900 pieces**

Holes drilled in brick: 6 x 50 mm

**60 pieces**

**120 pieces**

Specification for each battery charge

Run time and performance may vary depending on external conditions

## ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x** cutter knife
- 1x** carpenter's pencil
- 1x** pencil lead
- 1x** tape measure (5 m)
- 1x** centre punch
- 1x** wood countersink
- 8x** socket adapters 1/4"
- 5x** wood drills
- 14x** metal drills
- 10x** bit inserts 50 mm long
- 10x** bit inserts 75 mm long
- 20x** bit inserts 25 mm long
- 1x** bit holder 1/4"



- 1x** Cordless drill
- 1x** 2.4 A battery charger
- 2x** 20 V / 2.0 Ah battery

- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck – capacity 1.5 – 13 mm
- Idle speed:  
1st gear: 0 – 400 rpm  
2nd gear 0 – 1550 rpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case

**74  
PCS**





MOBILE WORKSHOP  
CORDLESS IMPACT DRILL WITH  
BATTERY, BATTERY CHARGER &  
74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated impact drill and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case – for mobile use and space-saving storage
- Includes 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact




1.7 kg

Mobile



74 piece tool set




All in One



Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES





LOGISTICAL DATA

Weight net / gross	5.4 / 5.8 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909317900
Barcode	4046664216766
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Impact rating	1st gear: 0 – 6000 bpm 2nd gear: 0 – 22,500 bpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A

2.0 Ah	4.0 Ah
	
Softwood screwing: 4 x 35 mm	
<b>450 pieces</b>	<b>900 pieces</b>
Holes drilled in brick: 6 x 50 mm	
<b>60 pieces</b>	<b>120 pieces</b>
Specification for each battery charge Run time and performance may vary depending on external conditions	



## ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x** cutter knife
- 1x** carpenter's pencil
- 1x** pencil lead
- 1x** tape measure (5 m)
- 1x** centre punch
- 1x** wood countersink
- 8x** socket adapters 1/4"
- 5x** wood drills
- 14x** metal drills
- 10x** bit inserts 50 mm long
- 10x** bit inserts 75 mm long
- 20x** bit inserts 25 mm long
- 1x** bit holder 1/4"

- 1x** cordless impact drill
- 1x** 2.4 A battery charger
- 1x** 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck – capacity 1.5 – 13 mm
- Idle speed:
  - 1st gear: 0 – 400 rpm
  - 2nd gear: 0 – 1550 rpm
- Impact rating:
  - 1st gear: 0 – 6000 bpm
  - 2nd gear: 0 – 22,500 bpm

- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case

**74  
PCS**



## UNIVERSAL USE





MOBILE WORKSHOP  
CORDLESS IMPACT DRILL WITH  
TWO BATTERIES, BATTERY CHARGER &  
74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated impact drill and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case – for mobile use and space-saving storage
- Includes 2x 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact



1.7 kg

Mobile



74 piece tool set



All in One



Part of the battery platform

20V IXES

ONE BATTERY FOR ALL DEVICES





LOGISTICAL DATA

Weight net / gross	5.7 / 6.3 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909318900
Barcode	4046664216773
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Impact rating	1st gear: 0 – 6000 bpm 2nd gear: 0 – 22,500 bpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A

2.0 Ah	4.0 Ah
	
Softwood screwing: 4 x 35 mm	
<b>450 pieces</b>	<b>900 pieces</b>
Holes drilled in brick: 6 x 50 mm	
<b>60 pieces</b>	<b>120 pieces</b>
Specification for each battery charge Run time and performance may vary depending on external conditions	



## ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x** cutter knife
- 1x** carpenter's pencil
- 1x** pencil lead
- 1x** tape measure (5 m)
- 1x** centre punch
- 1x** wood countersink
- 8x** socket adapters 1/4"
- 5x** wood drills
- 14x** metal drills
- 10x** bit inserts 50 mm long
- 10x** bit inserts 75 mm long
- 20x** bit inserts 25 mm long
- 1x** bit holder 1/4"

- 1x** cordless impact drill
- 1x** 2.4 A battery charger
- 2x** 20 V / 2.0 Ah battery
  - 50 Nm torque for all work around the house, garden and construction site
  - High-quality metal chuck – capacity 1.5 – 13 mm
  - Idle speed:
    - 1st gear: 0 – 400 rpm
    - 2nd gear: 0 – 1550 rpm
  - Impact rating:
    - 1st gear: 0 – 6000 bpm
    - 2nd gear: 0 – 22,500 bpm

- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case

**74  
PCS**



## UNIVERSAL USE





## CORDLESS DRILL

- Powerful cordless drill with 2-in-1 function for screwing and drilling – ideal for the home, garden, construction site or mobile use
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless drill
- High output, thanks to a max. 45 Nm torque
- 25 torque levels and 1 drilling level allow operation to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- With clockwise and anti-clockwise function
- Quick switching between functions without the need for tools
- The high-quality and robust quick-release metal chuck has a capacity of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip – ideal when working on a ladder
- Battery and charger available separately

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES

**2in1**

- ✓ Screw function
- ✓ Drill function

Ergonomic, compact design with soft-grip handle ensures high operating comfort

LED

2-gear drive

High-quality and robust quick-release metal chuck



Battery and charger available separately

### LOGISTICAL DATA

Weight net / gross	1.3 / 1.7 kg
Packaging dimensions	265 x 265 x 85 mm
Article number	5909238900
Barcode	4046664216582
20 Container	3870 pcs
40 Container	8125 pcs
40 HQ Container	9575 pcs

### SPECIFICATIONS

Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brush motor
Max. torque	45 Nm
Torque levels	25 + 1
Nominal and idle speed	1st: 0 – 420 min <sup>-1</sup> 2nd: 0 – 1500 min <sup>-1</sup>
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V

2.0 Ah



4.0 Ah



Softwood screwing: 4 x 35 mm

450 pieces

900 pieces

Holes drilled in brick: 6 x 50 mm

60 pieces

120 pieces

Specification for each battery charge

Run time and performance may vary depending on external conditions

25 torque levels and 1 drilling level allow operation to suit the material and application.



Quick switching between drilling and screwing functions without the need for tools.

## UNIVERSAL USE



Thanks to its 2-in-1 function, the C-DD45-X can be used for screwing and drilling work around the house, garden or construction site.



Speed configuration using powerful 2-gear drive.



Practical belt clip – ideal for working on a ladder.

## PRODUCT DETAILS

45 Nm torque



Chuck Ø  
1.5 mm – 13 mm



1st gear: 0 – 420 rpm  
2nd: 0 – 1500 rpm



20 V



LED work light



Belt clip



Steplessly adjustable speed using the On/Off switch

Practical LED work light ensures perfect lighting even in poor lighting conditions



## CORDLESS DRILL

- **Powerful cordless drill** – ideal for the home, garden, construction site or mobile use
- **Maintenance-free, particularly efficient, brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless drill
- High output, thanks to a max. 60 Nm torque
- **25 torque levels und 1 drilling level** allow operation to suit the material and application
- **Steplessly adjustable speed** using the On/Off switch
- **With clockwise and anti-clockwise function**
- Quick switching between functions without the need for tools
- **The high-quality and robust quick-release metal chuck** has a capacity of 1.5 to 13 mm with automatic spindle locking
- **Speed configuration using powerful 2-gear drive** and impact mechanism that can be selected
- **Practical LED work light** with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- **Practical belt clip** – ideal when working on a ladder
- **Battery and charger available separately**

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

Scheppach BC-DD60-X

Entry level 1,4

**Heimwerker Praxis** 3/25

Price/performance: good – very good

**2in1**

- ✓ Screw function
- ✓ Drill function

Ergonomic, compact design with soft-grip handle ensures high operating comfort

2-gear drive

LED

High-quality and robust quick-release metal chuck



**Battery and charger available separately**



Product features

### BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

**360°**



### LOGISTICAL DATA

Weight net / gross	1.2 / 1.5 kg
Packaging dimensions	245 x 255 x 85 mm
Article number	5909239900
Barcode	4046664216728
20 Container	4225 pcs
40 Container	8925 pcs
40 HQ Container	10,500 pcs

### SPECIFICATIONS

Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Max. torque	60 Nm
Torque levels	25 + 1
Nominal and idle speed	1st: 0 – 450 rpm 2nd: 0 – 1600 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V

**Softwood screwing:**  
4 x 35 mm

**2.0 Ah**



**585 pieces**

**4.0 Ah**



**1170 pieces**

Specification for each battery charge  
Run time and performance may vary depending on external conditions

**25 torque levels and 1 drilling level** allow operation to suit the material and application.



Quick switching between functions without the need for tools.

Speed configuration using powerful 2-gear drive.



## PRODUCT DETAILS

60 Nm torque



Chuck Ø  
1.5 mm – 13 mm



1st gear: 0 – 450 rpm  
2nd: 0 – 1600 rpm



20 V



LED work light



Belt clip



## UNIVERSAL USE



Thanks to its 2-in-1 function, the BC-DD60-X can be used for screwing and drilling work around the house, garden or construction site.



High output, thanks to a max. 60 Nm torque.



**Steplessly adjustable speed**  
using the On/Off switch

**Practical LED work light**  
ensures perfect lighting even in poor lighting conditions



Practical belt clip – ideal for working on a ladder.



## CORDLESS IMPACT DRILL

- Powerful cordless impact drill with 3-in-1 function: drilling, impact drilling, screwing
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless drill
- High output, thanks to a max. 45 Nm torque
- 19 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- Quick switching between the functions without the need for tools
- High-quality and robust quick-release metal chuck has a capacity of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip – ideal when working on a ladder
- Battery and charger available separately



Battery and charger available separately

### LOGISTICAL DATA

Weight net / gross	1.4 / 1.8 kg
Packaging dimensions	385 x 260 x 90 mm
Article number	5909236900
Barcode	4046664216711
20 Container	3650 pcs
40 Container	7750 pcs
40 HQ Container	9100 pcs

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**360°**



**3in1**

- ✓ Screw function
- ✓ Drill function
- ✓ Impact drill function

2-gear drive

Ergonomic, compact design with soft-grip handle ensures high operating comfort

LED

### SPECIFICATIONS

Dimensions L x W x H	230 x 220 x 100 mm
Motor type	Brush motor
Max. torque	45 Nm
Torque levels	19 + 1 + 1
Nominal and idle speed	1st: 0 – 420 rpm 2nd: 0 – 1500 rpm
Nominal speed	0 – 6300 / 0 – 22,500 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V

2.0 Ah



4.0 Ah



Softwood screwing: 4 x 35 mm

450 pieces

900 pieces

Holes drilled in brick: 6 x 50 mm

60 pieces

120 pieces

Specification for each battery charge

Run time and performance may vary depending on external conditions



Quick switching between the functions 'drilling', 'screwing' and 'impact drilling' without the need for tools.

## PRODUCT DETAILS

45 Nm torque



Chuck Ø  
1.5 mm – 13 mm



1st gear: 0 – 420 rpm  
2nd: 0 – 1500 rpm



20 V



LED work light



Belt clip



Practical LED work light ensures perfect lighting even in poor lighting conditions.



19 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.



Steplessly adjustable speed using the On/Off switch




Practical belt clip – ideal for working on a ladder.

## UNIVERSAL USE



SCREWING



DRILLING



IMPACT DRILLING



## CORDLESS IMPACT DRILL

- Powerful cordless impact drill with 3-in-1 function: drilling, impact drilling, screwing
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless impact drill
- High output, thanks to a max. 60 Nm torque
- 19 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- With clockwise and anti-clockwise function
- Quick switching between functions without the need for tools
- The high-quality and robust quick-release metal chuck has a capacity of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip – ideal when working on a ladder
- Battery and charger available separately

360°



Part of the battery platform

20V IXES

ONE BATTERY FOR ALL DEVICES



**Battery and charger  
available separately**



- ✓ Screw function
- ✓ Drill function
- ✓ Impact drill function



Product features

## BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

2-gear drive

High-quality  
and robust  
quick-release  
metal chuck

Ergonomic, compact  
design with soft-grip handle  
ensures high operating comfort

LED

## SPECIFICATIONS

Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Max. torque	60 Nm
Torque levels	19 + 1 + 1
Nominal and idle speed	1st: 0 – 450 rpm 2nd: 0 – 1600 rpm
Nominal speed	0 – 6750 / 0 – 24,000 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V

## LOGISTICAL DATA

Weight net / gross	1.3 / 1.6 kg
Packaging dimensions	250 x 260 x 85 mm
Article number	5909237900
Barcode	4046664218043
20 Container	4000 pcs
40 Container	8450 pcs
40 HQ Container	9925 pcs

2.0 Ah



4.0 Ah



Softwood screwing: 4 x 35 mm

850 pieces

1700 pieces

Holes drilled in brick: 6 x 50 mm

80 pieces

60 pieces

Specification for each battery charge  
Run time and performance may vary depending on external conditions



Quick switching between the functions 'drilling', 'screwing' and 'impact drilling' without the need for tools.



Steplessly adjustable speed using the On/Off switch



19 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.



Practical belt clip – ideal for working on a ladder.

## PRODUCT DETAILS

60 Nm torque



Chuck Ø  
1.5 mm – 13 mm



1st gear: 0 – 450 rpm  
2nd: 0 – 1600 rpm



20 V



LED work light



Belt clip




Practical LED work light ensures perfect lighting even in poor lighting conditions.

## UNIVERSAL USE



SCREWING



DRILLING



IMPACT DRILLING



1/4 INCH CORDLESS IMPACT SCREWDRIVER

- **Powerful cordless impact screwdriver** – a practical all-rounder for the home, garden, construction site or mobile use
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless impact screwdriver
- **Easy bit replacement, thanks to 1/4 inch hex socket holder with locking sleeve**
- **Powerful motor, up to 180 Nm torque**
- **Steplessly adjustable speed from 0 – 2800 rpm** using the On/Off switch
- **High impact rate of 3,600 bpm** – suitable also for more demanding tasks
- **With clockwise and anti-clockwise function**
- **Integrated LED light with additional 10 seconds of light after switching off the device** ensures perfect illumination of the working environment
- **Practical belt clip** – ideal when working on a ladder
- **Ergonomic and compact design with soft-grip handle** ensures comfortable operation
- **Battery and charger available separately**



Product features  
**CORDLESS IMPACT SCREWDRIVER**

- **Significantly higher torque** compared with cordless screwdrivers without impact function
- **Ideal for more demanding tasks**, such as inserting screws into metal
- **Axial impact** reliably loosens even stubborn screws or nuts
- **Work is particularly gentle on the joints**

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES



**Battery and charger available separately**



LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

1/4" hex socket holder

360°



LOGISTICAL DATA

Weight net / gross	1.3 / 1.7 kg
Packaging dimensions	240 x 240 x 90 mm
Article number	5909245900
Barcode	4046664217848
20 Container	4225 pcs
40 Container	8925 pcs
40 HQ Container	10,500 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 185 x 80 mm
Motor type	Brush motor
Max. torque	180 Nm
Nominal and idle speed	0 – 2800 rpm
Impact rate	0 – 3600 bpm
Holder	1/4" hex socket holder
Battery voltage	20 V

**Softwood screwing:**  
4 x 35 mm

**2.0 Ah**



**325 pieces**

**4.0 Ah**



**650 pieces**

Specification for each battery charge

Run time and performance may vary depending on external conditions

### PRODUKT-DETAILS

180 Nm torque



1/4" hex socket holder



Impact rate  
3600 bpm



Speed  
0 – 2800 rpm



LED work light



20 V



### UNIVERSAL USE





1/2 INCH CORDLESS IMPACT SCREWDRIVER

- **Powerful cordless impact screwdriver** – a practical all-rounder for the home, garden, construction site or mobile use
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless impact screwdriver
- **1/2 inch holder with friction ring**, ensuring secure positioning and easy replacement of the attachments
- Wide range of uses, thanks to two torque levels: **180 Nm and 350 Nm** and a maximum breakaway torque of **370 Nm** in anti-clockwise operation
- **High impact rate of 0 to 3600 bpm** – also suitable for greater challenges
- **With clockwise and anti-clockwise function**
- **Integrated LED work light** with additional 10 seconds of light after switching off the device ensures perfect lighting of the working environment
- **Steplessly adjustable speed and practical quick-stop function** in anti-clockwise operation – the device turns off as soon as the screw has become loose to prevent it from falling down
- **Practical belt clip** – ideal when working on a ladder
- **Ergonomic and compact design with soft-grip handle** ensures comfortable operation
- **Battery and charger** available separately
- **Includes 3x socket wrenches** (17 mm, 19 mm, 21 mm)



Product features  
**CORDLESS IMPACT SCREWDRIVER**

- **Significantly higher torque** compared with cordless screwdrivers without impact function
- **Ideal for more demanding tasks**, such as inserting screws into metal
- **Axial impact** reliably loosens even stubborn screws or nuts
- **Work is particularly gentle** on the joints

**BRUSHLESS MOTOR**



**360°**



Part of the battery platform  
**20 V IXES**  
ONE BATTERY FOR ALL DEVICES

1/2" holder  
LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

INCLUDED



Battery and charger available separately

**selber machen**

**KRAFT PAKET**

★★★★★  
**SEHR GUT**

AUSGABE 11/2024

LOGISTICAL DATA

Weight net / gross	1.7 / 2 kg
Packaging dimensions	235 x 210 x 90 mm
Article number	5909246900
Barcode	4046664217831
20 Container	4700 pcs
40 Container	9900 pcs
40 HQ Container	11,625 pcs

SPECIFICATIONS

Dimensions L x W x H	205 x 150 x 60 mm
Motor type	Brushless motor
Max. torque	350 Nm / 370 Nm Anti-clockwise operation
Nominal and idle speed	0 – 1800 rpm 0 – 2800 rpm
Impact rate	0 – 3600 bpm
Holder	1/2"
Battery voltage	20 V

Loosening bolts:  
17 mm box spanner

2.0 Ah



500 pieces

4.0 Ah



1000 pieces

Specification for each battery charge  
Run time and performance may vary depending on external conditions

## UNIVERSAL USE




Practical quick-stop function in anti-clockwise operation – the device turns off as soon as the screw has become loose to prevent it from falling down.



Maximum breakaway torque of 370 Nm in anti-clockwise operation.



Easy bit replacement,  
thanks to 1/2" holder  
with friction ring



LED work light  
with additional 10 seconds of light  
after the device has been turned off



High output, thanks to  
a max. 350 Nm torque.

## PRODUCT DETAILS

Clockwise operation:  
0 – 1800 rpm / 0 – 2800 rpm  
Anti-clockwise operation:  
0 – 2400 rpm



Clockwise operation:  
180 / 350 Nm  
Anti-clockwise operation:  
370 Nm



Impact rate  
0 – 3600 bpm



1/2" holder



Quick-stop function



Belt clip



LED work light



20 V



Wide range of uses, thanks to two  
torque levels: 180 Nm and 350 Nm.



## CORDLESS ANGLE GRINDER

- Powerful cordless angle grinder for cutting, deburring or polishing
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless angle grinder
- Slim housing design with soft-grip and aluminium front allows working in narrow areas
- Integrated soft-start and protection against overload ensure a long service life
- Protective shatter-proof cover can be adjusted without the need for tools
- Speed adjustment from 2500 to 10,000 rpm in 6 steps using a setting wheel – for operation to suit the material and application
- 3-position front handle with storage compartment for assembly key and non-slip soft-grip ensures increased comfort and safety
- Easy tool replacement, thanks to spindle lock
- M14 tool holder and 125 mm disc diameter
- Battery and charger available separately
- Includes 1x 125 mm cutting wheel, 1x two-hole assembly key, 1x 3-position front handle

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES



**Battery and charger  
available separately**

### LOGISTICAL DATA

Weight net / gross	1.7 / 2.3 kg
Packaging dimensions	410 x 175 x 115 mm
Article number	5909234900
Barcode	4046664216476
20 Container	2680 pcs
40 Container	5600 pcs
40 HQ Container	6600 pcs

### SPECIFICATIONS

Dimensions L x W x H	395 x 240 x 115 mm
Motor type	Brush motor
Nominal speed	2500 – 10,000 rpm
Grinding disc Ø	125 mm
Tool holder	M14
Locking function	Spindle lock
Battery voltage	20 V

**Cutting performance:**  
Round tube Ø 12 mm

**2.0 Ah**



**65 cuts**

**4.0 Ah**



**130 cuts**

Specification for each battery charge  
Run time and performance may vary depending on external conditions



Slim housing design with soft-grip and aluminium front allows working in narrow areas.



Protective shatter-proof cover can be adjusted without the need for tools.



Easy tool replacement, thanks to spindle lock.



**Speed adjustment in 6 steps**  
using a setting wheel


**Storage compartment**  
for a two-hole assembly key

## PRODUCT DETAILS

Protection against overload



Ø 125 mm



Speed  
2500 – 10,000 rpm



20 V



3-position front handle with non-slip soft-grip.




## UNIVERSAL USE



**CUTTING**



**GRINDING**



**DEBURRING**



## CORDLESS ANGLE GRINDER

- Powerful cordless angle grinder for cutting, deburring or polishing
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless angle grinder
- Slim housing design with soft-grip and aluminium front allows working in narrow areas
- Integrated soft-start and protection against overload ensure a long service life
- Protective shatter-proof cover can be adjusted without the need for tools
- Speed adjustment from 3000 to 10,000 rpm in 6 steps using convenient buttons – for operation to suit the material and application
- 3-position front handle with storage compartment for assembly key and non-slip soft-grip ensures increased comfort and safety
- Easy tool replacement, thanks to spindle lock
- M14 tool holder and 125 mm disc diameter
- Battery and charger available separately
- Includes 1x 125 mm cutting wheel, 1x two-hole assembly key, 1x 3-position front handle



Part of the battery platform

20V IXES

ONE BATTERY FOR ALL DEVICES



Product features

## BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

3-position front handle  
with non-slip soft-grip

Spindle lock

Speed  
adjustmentErgonomic compact design  
with rubberised housing  
ensures comfortable  
operationSOFT  
STARTBattery and charger  
available separately

## LOGISTICAL DATA

Weight net / gross	1.6 / 2.3 kg
Packaging dimensions	410 x 175 x 115 mm
Article number	5909235900
Barcode	4046664216575
20 Container	2880 pcs
40 Container	6080 pcs
40 HQ Container	7140 pcs

## SPECIFICATIONS

Dimensions L x W x H	395 x 240 x 115 mm
Motor type	Brushless motor
Nominal speed	3000 – 10,000 rpm
Grinding disc Ø	125 mm
Tool holder	M14
Locking function	Spindle lock
Battery voltage	20 V

**Cutting performance:**  
Round tube Ø 12 mm

**2.0 Ah**



**95 cuts**

**4.0 Ah**



**190 cuts**

Specification for each battery charge  
Run time and performance may vary depending on external conditions

Easy tool replacement,  
thanks to spindle lock.




Slim housing design with soft-grip and aluminium front allows working in narrow areas.

## PRODUCT DETAILS

Protection against overload



Ø 125 mm



Speed  
3000 – 10,000 rpm



20 V



**3-position  
front handle**  
with non-slip  
soft-grip



**Speed adjustment in 6 steps**  
using convenient buttons



**Protective  
shatter-proof  
cover**  
can be adjusted  
without the need  
for tools




**Storage  
compartment**  
for a two-hole  
assembly key




## UNIVERSAL USE



**CUTTING**



**GRINDING**



**DEBURRING**



CORDLESS JIGSAW

- Cordless jigsaw for precise cuts in different materials, such as timber, metal, aluminium, brass, plastic etc. (when using a suitable saw blade)
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless jigsaw
- Quick sawing progress, thanks to **pendulum stroke adjustable in 3 steps and fine-cut adjustment**
- **7 adjustable cutting angles** (-45°, -30°, -15°, 0°, +15°, +30°, +45°)
- **Safety switch with steplessly adjustable stroke**, 0 – 2400 strokes per minute
- Foldable, removable, transparent **saw blade guard** allows safe work
- **Guard** prevents breakout
- **Sliding shoe** prevents the workpiece being scratched, allowing processing of delicate surfaces
- **Quick-release chuck** ensures easy saw blade replacement
- Ergonomic and compact design with soft-grip surface
- **Practical LED work light** ensures perfect illumination even in poor lighting conditions
- **Battery and charger available separately**
- Includes 1 parallel stop, 1 Allen key, 1 connection to external dust extraction, 1 extraction adapter, 1 breakout guard including line guidance, 1 protective cover

Part of the battery platform

20VIXES

ONE BATTERY FOR ALL DEVICES

360°



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	240 x 220 x 75 mm
Motor type	Brush motor
Stroke rate	0 – 2400 rpm
Stroke length	19 mm
Pendulum stroke levels	1 – 3 and fine cut setting
Cutting angle	7 adjustable -45° / -30° / -15° / 0° / +15° / +30° / +45°
Cutting depth max.	100 mm (timber), 6 mm (metal) 8 mm (plastic)
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	1.5 / 1.9 kg
Packaging dimensions	280 x 245 x 90 mm
Article number	5901817900
Barcode	4046664217787
20 Container	3640 pcs
40 Container	7680 pcs
40 HQ Container	9040 pcs

**Cutting performance:**  
19 mm chipboard

2.0 Ah



16 m

4.0 Ah



32 m

Specification for each battery charge

Run time and performance may vary depending on external conditions



Practical LED work light ensures perfect illumination even in poor lighting conditions.

**Pendulum stroke adjustable in 3 steps**  
and fine cut setting



**Quick-release chuck**  
ensures easy saw blade replacement



Parallel stop



Sliding shoe prevents the workpiece being scratched, allowing processing of delicate surfaces.



Guard prevents breakout.

## PRODUCT DETAILS

Saw blade length  
145 mm



7 cutting angles  
-45° / -30° / -15° / 0°  
/ +15° / +30° / +45°



Stroke rate  
0 – 2400 rpm



Stroke length  
19 mm




LED work light




20 V



## UNIVERSAL USE




ALUMINIUM



TIMBER



PLASTIC



CURVED CUTS



CORDLESS JIGSAW

- Cordless jigsaw for precise cuts in different materials, such as timber, metal, aluminium, brass, plastic etc. (when using a suitable saw blade)
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless jigsaw
- Quick sawing progress, thanks to pendulum stroke adjustable in 3 steps and fine-cut adjustment
- 5 cutting angles that can be adjusted without the need for tools (-45°, -22.5°, 0°, +22.5°, +45°)
- 6 speed level from 1000 – 3000 strokes per minute
- Foldable, removable, transparent saw blade guard allows safe work
- Guard prevents breakout
- Sliding shoe prevents the workpiece being scratched, allowing processing of delicate surfaces
- Blowing function ensures cutting line is free from shavings
- Quick-release chuck ensures easy saw blade replacement
- Ergonomic and compact design with soft-grip surface
- Practical LED work light with additional 10 seconds of light after switching off the device ensures perfect illumination even in poor lighting conditions
- Battery and charger available separately
- Includes saw blade for timber, parallel stop, connection to external dust extraction, 1 extraction adapter, 1 breakout guard including line guidance, protective cover



Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

360°



High-quality  
and robust  
quick-release  
chuck

Pendulum  
stroke

Sliding shoe

Battery and charger  
available separately

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

SPECIFICATIONS

Dimensions L x W x H	285 x 200 x 75 mm
Motor type	Brushless motor
Stroke rate	1000 – 3000 rpm
Stroke length	25.4 mm
Pendulum stroke levels	1 – 3 and fine cut setting
Cutting angle	5 adjustable -45° / -22.5° / 0° / +22.5° / +45°
Cutting depth max.	100 mm (timber), 10 mm (metal) 15 mm (aluminium)
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	1.8 / 2.4 kg
Packaging dimensions	310 x 240 x 80 mm
Article number	5901818900
Barcode	4046664217794
20 Container	2840 pcs
40 Container	6000 pcs
40 HQ Container	7000 pcs

**Cutting performance:**  
19 mm chipboard

**2.0 Ah**



**20 m**

**4.0 Ah**



**40 m**

Specification for each battery charge

Run time and performance may vary depending on external conditions

## UNIVERSAL USE



**ALUMINIUM**



**TIMBER**



**PLASTIC**



**CURVED CUTS**



**Quick-release chuck**  
ensures easy saw blade  
replacement

**Parallel  
stop**



**6 speeds**  
adjustable via  
setting wheel



**Pendulum stroke**  
adjustable in 3 steps  
and fine cut setting



## PRODUCT DETAILS

Saw blade length  
152 mm



Stroke length  
25.4 mm



Stroke rate  
1000 – 3000 rpm



5 cutting angles  
-45° / -22.5° / 0°  
/ +22.5° / +45°



Blowing function



20 V



Sliding shoe prevents the workpiece being scratched,  
allowing processing of delicate surfaces.



Practical LED work light ensures  
perfect illumination even in poor  
lighting conditions.



Integrated guard  
prevents breakout.



CORDLESS RECIPROCATING SAW

- Powerful cordless reciprocating sabre saw for cutting timber, plastic, non-ferrous metals and building materials (when using the appropriate saw blade)
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless reciprocating sabre saw
- Steplessly adjustable stroke rate of 0 to 2800 rpm and a stroke length of 20 mm
- Fast saw blade replacement without the need for tools, thanks to quick-release chuck
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Extendable footplate allows an adjustable cutting depth
- Integrated LED work light ensures perfect illumination of the cutting line
- Battery and charger available separately
- Includes 1x saw blade for timber, 1x Allen key



High-quality and robust quick-release chuck

LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

Extendable footplate

Product features

**RECIPROCATING SAWS**

- Ideal for demanding tasks, such as sawing timber with nails/ screws
- All-rounder for universal use
- Particularly large cutting capacity

360°

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	370 x 180 x 75 mm
Motor type	Brush motor
Stroke rate	0 – 2800 rpm
Stroke length	20 mm
Saw blade holder	1/2" (12.7 mm)
Max. cutting depth	115 mm (timber), 6 mm (lightly alloyed steel, with the appropriate saw blade)
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	1.7 / 2.2 kg
Packaging dimensions	450 x 200 x 80 mm
Article number	5909243900
Barcode	4046664217800
20 Container	2720 pcs
40 Container	5800 pcs
40 HQ Container	6800 pcs

### Cutting performance: Round timber Ø 30 mm

2.0 Ah



315 cuts

4.0 Ah



630 cuts

Specification for each battery charge

Run time and performance may vary depending on external conditions

## UNIVERSAL USE




TIMBER



METAL




PLASTIC



PALLET



### Extendable footplate

allows an adjustable  
cutting depth

### LED work light

can be used for perfect  
illumination of the cutting line

### Quick saw blade replacement without the need for tools

thanks to quick-release chuck



## PRODUCT DETAILS

Saw blade length  
150 mm

Replacement without tools

Stroke rate  
0 – 2800 rpmStroke length  
20 mm

LED work light



20 V





CORDLESS RECIPROCATING SAW

- Powerful cordless reciprocating sabre saw for cutting timber, plastic, non-ferrous metals and building materials (when using the appropriate saw blade)
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless reciprocating sabre saw
- Fast saw blade replacement without the need for tools, thanks to quick-release chuck
- Adjustable stroke rate of 0 to 3000 rpm and a stroke length of 28 mm
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Footplate extendable without the need for tools, allows an adjustable cutting depth
- Integrated LED work light with additional 10 seconds of light after switching off the device ensures perfect illumination of the cutting line
- Battery and charger available separately
- Includes 1x saw blade for timber and 1x saw blade for metal



Product features  
**RECIPROCATING  
SAWS**

- Ideal for demanding tasks, such as sawing timber with nails/ screws
- All-rounder for universal use
- Particularly large cutting capacity



INCLUDED



Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



SPECIFICATIONS

Dimensions L x W x H	390 x 160 x 80 mm
Motor type	Brushless motor
Stroke rate	0 – 3000 rpm
Stroke length	28 mm
Saw blade holder	1/2" (12.7 mm)
Max. cutting depth	115 mm (timber), 20 mm (plastic), 90 mm (PVC piping)
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	1.8 / 2.3 kg
Packaging dimensions	460 x 180 x 90 mm
Article number	5909242900
Barcode	4046664217824
20 Container	2440 pcs
40 Container	5140 pcs
40 HQ Container	6060 pcs

### Cutting performance: Round timber Ø 30 mm

2.0 Ah



450 cuts

4.0 Ah



900 cuts

Specification for each battery charge

Run time and performance may vary depending on external conditions

### UNIVERSAL USE



TIMBER




METAL



PLASTIC



PALLETS



#### LED work light

can be used for perfect illumination of the cutting line



Quick saw blade replacement without the need for tools, thanks to quick-release chuck.



Footplate can be extended without the need for tools to vary the cutting depth.

### PRODUCT DETAILS

Saw blade length  
150 mm



Replacement without tools



Stroke rate  
0 – 3000 rpm



Stroke length  
28 mm



LED work light



20 V





Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**SOFT  
START****Ergonomic  
soft-grip handle****CORDLESS HAND-HELD CIRCULAR SAW**

- Powerful cordless hand-held circular saw for the precise cutting of wood
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hand-held circular saw
- Suitable for conventional **saw blades with a diameter of 165 mm x 20 mm**
- **Saw blade speed 4300 rpm**
- **The blade guard with retraction lever** ensures increased safety during sawing
- Ergonomic and compact design with **soft-grip surface**
- **Parallel stop** allows particularly precise cuts
- Maximum **cutting depth 53 mm at 90° / 39 mm at 45°**
- On/Off switch with **quick-stop** ensures immediate braking of the saw blade
- Easy saw blade replacement, thanks to **spindle lock**
- **Safety switch** that can be operated from both sides, with **safety lock**
- Cutting depth and cutting angle can be adjusted steplessly
- **Practical laser and LED work light** ensure perfect illumination of the cutting line
- Integrated **soft-start and protection against overload** ensure a long service life
- Low-dust working, thanks to **connection to sawdust extraction**
- Battery and charger available separately
- Includes Ø 165 mm saw blade with 24 teeth, Allen key, parallel stop, connection to external dust extraction, extraction adapter

**Laser und LED****Connection for  
sawdust extraction****Saw blade with 24 teeth****Battery and charger  
available separately****360°****SPECIFICATIONS**

Dimensions L x W x H	295 x 180 x 200 mm
Saw blade diameter	165 mm
Cutting height at 90° max.	53 mm
Cutting height at 45° max.	39 mm
Angular range max.	45°
Number of saw blade teeth	24
Saw blade speed	4300 rpm
Engine type	Brushed motor
Battery voltage	20 V

**LOGISTICAL DATA**

Weight net / gross	2.5 / 3.0 kg
Packaging dimensions	310 x 218 x 192 mm
Article number	5901815900
Barcode	4046664216834
20 Container	1670 pcs
40 Container	3520 pcs
40 HQ Container	4140 pcs

Cutting performance:  
15 mm timber composite board

2.0 Ah



32 mm


4.0 Ah



64 mm

Specification for each battery charge

Run time and performance may vary depending on external conditions



Saw head can be varied from 0 - 45° with a steplessly adjustable cutting depth from 0 - 53 mm.



**Ergonomic handle**  
with soft-grip surface




**Easy saw blade replacement**  
thanks to spindle lock



**Safety switch**  
can be operated from both sides



Parallel stop ensures precise cuts.



LED work light and laser ensure perfect illumination of the cutting line.

## PRODUCT DETAILS

Cutting height at 90°



53 mm

Cutting height at 45°



39 mm

165 / 20 mm  
saw blade diameter



20 V



Speed  
4300 rpm



LED work light & laser







### Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



### CORDLESS HAND-HELD CIRCULAR SAW

- Powerful cordless hand-held circular saw for the precise cutting of wood
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hand-held circular saw
- Suitable for conventional saw blades with a diameter of 165 mm x 20 mm
- Saw blade speed 4500 rpm
- The blade guard with retraction lever ensures increased safety during sawing
- Ergonomic and compact design with **soft-grip surface**
- **Parallel stop** allows particularly precise cuts
- Integrated **soft-start** and **protection against overload** ensure a long service life
- Easy saw blade replacement, thanks to **spindle lock**
- **Safety switch** that can be operated from both sides, with safety lock
- Maximum cutting depth 55 mm at 90° / 40 mm at 45°
- Cutting depth and cutting angle can be adjusted steplessly
- **LED work light with additional 10 seconds of light** after switching off the tool ensures perfect lighting of the cutting line
- Low-dust working, thanks to **connection to sawdust extraction**
- Battery and charger available separately
- Includes Ø 165 mm saw blade with 24 teeth, Allen key, parallel stop, connection to external dust extraction, extraction adapter

Connection for  
sawdust extraction

Ergonomic  
soft-grip handle

Safety switch



LED

Part of the battery platform

**20 V IXES**

ONE BATTERY FOR ALL DEVICES

#### SPECIFICATIONS

Dimensions L x W x H	295 x 180 x 195 mm
Saw blade diameter	165 mm
Cutting height at 90° max.	55 mm
Cutting height at 45° max.	40 mm
Angular range max.	45°
Number of saw blade teeth	24
Saw blade speed	4500 rpm
Engine type	Brushless motor
Battery voltage	20 V

#### LOGISTICAL DATA

Weight net / gross	2.8 / 3.5 kg
Packaging dimensions	320 x 200 x 195 mm
Article number	5901816900
Barcode	4046664216841
20 Container	1600 pcs
40 Container	3380 pcs
40 HQ Container	3970 pcs

Battery and charger  
available separately

Cutting performance:  
19 mm chipboard

2.0 Ah



42 mm

4.0 Ah



84 mm

Specification for each battery charge

Run time and performance may vary depending on external conditions

## PRODUCT DETAILS

Cutting height at 90°



55 mm

Cutting height at 45°



40 mm

165 / 20 mm  
saw blade diameter



20 V



Speed  
4500 rpm




LED work light



**Ergonomic handle**  
with soft-grip surface


**Spindle lock**  
allows easy replacement  
of the saw blade



Parallel stop ensures precise cuts.

**SOFT  
START**

Saw head can be varied from 0 - 45° with a  
steplessly adjustable cutting depth from 0 - 55 mm.



LED work light for perfect illumination.



The background of the page is a deep blue gradient. It features several glowing, curved light trails in a lighter blue hue, resembling arcs of light or energy. These trails are punctuated by small, bright white dots at their ends, giving the impression of sparks or distant stars. The overall effect is dynamic and futuristic.

# COMING


The background is a dark blue gradient with several bright, glowing light trails that curve across the frame, resembling comet streaks or particle paths. The word "SOON" is centered at the bottom in a large, white, outlined, sans-serif font.

**SOON**



CORDLESS METAL BAND SAW

- Powerful battery-operated metal band saw for safe and spark-free cutting of iron, steel, stainless steel, aluminium, copper and plastic
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless metal band saw
- Integrated soft-start and protection against overload ensure a long service life
- Maximum cutting diameter 63.5 cm
- Quick-release lever allows removal of the saw band without the need for tools
- Guides with ball bearings ensure smooth running of the saw band
- Workpiece stop for safe working
- 6-step speed adjustment from 330 to 630 rpm with an adjustable saw speed from 1.4 to 2.7 m/s
- LED light will perfectly illuminate the cutting area
- Suitable both for right-handed and left-handed users, thanks to handle that can be attached on either side
- Compact, ergonomic design with soft-grip and additional handle
- Battery and charger available separately



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	342 x 245 x 170 mm
Saw blade length	733 x 12.7 x 0.4 mm
Cutting speed	1.4 – 2.7 m/s
Cutting-Ø max.	63.5 mm
Motor type	Brushed motor
Battery Voltage	20 V

LOGISTICAL DATA

Weight net / gross	3 / 3.9 kg
Packaging dimensions	355 x 258 x 192 mm
Article number	5901516900
Barcode	4046664245759
20 Container	920 pcs
40 Container	1840 pcs
40 HQ Container	2236 pcs

### PRODUCT DETAILS

Saw blade length



733 x 12.7 x 0.4 mm

Cutting-Ø




Max. 63,5 mm

Variable  
saw band speed



1.4 – 2.75 m/s

Soft-start & protection  
against overload



LED light



20 V



6-step speed adjustment with  
an adjustable saw speed.



Suitable both for right-handed and  
left-handed users, thanks to handle  
that can be attached on either side.



**LED light**  
will perfectly  
illuminate the  
cutting area




**Quick-release lever**  
allows removal of the saw band  
without the need for tools



**Guides with  
ball bearings**  
ensure smooth running  
of the saw band



**Workpiece stop**  
for safe working




### UNIVERSAL USE




**ALUMINIUM**



**PLASTIC**



**STAINLESS  
STEEL**



**COPPER**



**IRON**



**STEEL**



Part of the battery platform

**20V IXES**  
ONE BATTERY FOR ALL DEVICES

CORDLESS MULTIFUNCTIONAL TOOL

- Compact cordless multifunctional tool with versatile oscillation technology for sawing, cutting, scraping, sanding and grinding
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless multifunctional tool
- Oscillation speed adjustable in 6 steps from 10,000 to 40,000 rpm
- Attachments can be installed in different operating directions – ideal adjustment to the relevant work conditions; even areas that are difficult to access can be reached easily
- Robust, durable gear housing made of metal – also suitable for demanding work
- 3.2° oscillation angle – ideal for many uses with timber, metal or plastic
- Tool-free replacement of accessories using practical quick-release lever
- Ergonomic, compact design with **soft-grip handle** ensures comfortable operation
- **Adapter for external dust extraction** allows work in low-dust conditions
- **LED work piece illumination** with additional 10 seconds of light after the device has been turned off
- Battery and charger available separately
- Includes 1x saw blade for plunge cuts, 1x diamond saw blade, 1x scraper, 1x delta sanding plate, 1x adapter for external dust extraction, 9x abrasive discs for timber, 1x angle adapter



Soft-grip handle

LED worlpiece illumination

Adapter for external dust extraction

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	270 x 70 x 105 mm
Motor type	Brush motor
Oscillation speed	10,000 – 40,000 rpm
Oscillation angle	3.2°
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	1.0 / 1.4 kg
Packaging dimensions	300 x 175 x 110 mm
Article number	5909248900
Barcode	4046664218074
20 Container	2352 pcs
40 Container	4700 pcs
40 HQ Container	5376 pcs



INCLUDED



## EXAMPLES OF USE SUITABLE FOR

Workshop



Construction site




House



Garden



## UNIVERSAL USE



CUTTING



SAWING



SCRAPING



GRINDING

### LED workpiece illumination

with additional 10 seconds  
of light



Tool-free replacement  
of accessories using  
practical quick-release  
lever.




Oscillation speed adjustable in 6  
steps from 10,000 to 40,000 rpm.



Attachments can be installed in different operating directions –  
ideal adjustment to the relevant work conditions; even areas  
that are difficult to access can be reached easily.

## PRODUCT DETAILS

Oscillation angle 3.2°



LED



Speed  
10,000 – 40,000 rpm



20 V





CORDLESS ORBITAL SANDER

- Cordless orbital sander for precise sanded surfaces
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless orbital sander
- Suitable for conventional abrasive discs with a diameter of 125 mm
- Adjustable speed from 6000 to 24,000 rpm to suit the application, adjustable using a rotary wheel
- Soft-start ensures gentle, smooth start-up of the tool
- Dust-free working, thanks to dust extraction with dust bag or via extraction system
- Compact, lightweight design with soft-grip handle ensures comfortable operation
- Low height allows particularly precise and close-to-the-edge sanding
- Quick replacement of abrasive discs, thanks to Velcro fastener
- Dustproof switch to protect from dust and guarantee a long service life
- Battery and charger available separately
- Includes 4 abrasive discs (K60, K80, K120, K240), extraction adapter, dust bag



Compact, lightweight design with soft-grip handle

Dust collector

Ø 125 mm

INCLUDED



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	125 x 185 x 170 mm
Motor type	Brush motor
Idle speed	3000 – 12,000 rpm
Oscillating speed	6000 – 24,000 rpm
Sanding plate diameter	125 mm
Oscillating movement	2 mm
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	1 / 1.1 kg
Packaging dimensions	150 x 130 x 175 mm
Article number	5909240900
Barcode	4046664216810
20 Container	6080 pcs
40 Container	12,928 pcs
40 HQ Container	14,112 pcs

Idle run time:

2.0 Ah



25 min

4.0 Ah



50 min

Specification for each battery charge

Run time and performance may vary depending on external conditions



Adjustable speed from 6000 to 24,000 rpm to suit the application, adjustable using a rotary wheel.



Dust-free working, thanks to dust extraction with dust bag or via extraction system.



Dustproof switch to protect from dust and guarantee a long service life.



Quick replacement of abrasive discs, thanks to Velcro fastener.

## PRODUCT DETAILS

Velcro fastener




Oscillating movement  
2 mm



Softstart



Ø 125 mm



Speed  
6000 – 24,000 rpm



20 V





**3in1**

- ✓ Hammer drilling
- ✓ Drilling
- ✓ Screwing

Attachable quick-release chuck

SDS-Plus chuck

Metal gear box

Selector switch

LED

Ergonomic design with soft-grip handle

## CORDLESS HAMMER DRILL

- Powerful cordless hammer drill for drilling, hammer drilling and screwing – ideal for the workshop, house or construction site
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hammer drill
- Powerful 1.3 J impact, up to 6000 bpm
- Attachable quick-release chuck with SDS-Plus mount
- The **SDS-Plus chuck** allows tool-free switching of drills
- Central selection switch for quick changing between functions without the need for tools
- Clockwise and anti-clockwise operation to allow easy insertion and removal of screws
- High-quality, durable metal gear box
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Integrated LED work light ensures perfect illumination of the working environment
- Battery and charger available separately
- Includes convenient transport case, 1 quick-release chuck, 8 bits, 3 SDS-Plus twist drills (6, 8, 10 mm), 3 HSS twist drills (5, 6, 8 mm), 1 magnetic bit holder, 50 g drill grease

**INCLUDED**

Battery and charger available separately

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**360°**





### SPECIFICATIONS


Dimensions L x W x H	244 x 228 x 74 mm
Motor type	Brush motor
Impact force	1.3 J
Impact rating	6000 bpm
Max. idle speed	0 – 1100 rpm
Max. drill hole diameter	10 mm (concrete and stone), 8 mm (metal), 16 mm (timber)
Battery voltage	20 V

### LOGISTICAL DATA

Weight net / gross	2.9 / 3.5 kg
Packaging dimensions	365 x 125 x 300 mm
Article number	5909249900
Barcode	4046664226789
20 Container	1660 pcs
40 Container	3500 pcs
40 HQ Container	4100 pcs

2.0 Ah	4.0 Ah
	
Softwood screwing: 4 x 50 mm	
<b>300 pieces</b>	<b>600 pieces</b>
Holes drilled in brick: 6 x 50 mm	
<b>75 pieces</b>	<b>150 pieces</b>

Specification for each battery charge  
Run time and performance may vary depending on external conditions



## PRODUCT DETAILS

Speed  
0 – 1100 rpm



1.3 J impact  
6000 bpm



SDS-Plus



20 V



LED work light



Attachable  
quick-release chuck




## ONE CASE – MANY USES

- 1x quick-release chuck
- 8x bits
- 3x SDS-Plus twist drills (6, 8, 10 mm)
- 3x HSS twist drills (5, 6, 8 mm)
- 1x magnetic bit holder
- 1x cordless hammer drill
- 1x 50 g drill grease
- 1x transport case  
provides space for 2 batteries and 1 battery charger  
(Battery and charger available separately)



## UNIVERSAL USE





CORDLESS HAMMER DRILL

- Powerful cordless hammer drill with 4-in-1 function: Drilling, hammer drilling, chiseling and chisel position adjustment
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hammer drill
- Additional handle that can be rotated by 360° allows safe drilling and guidance of the tool
- Powerful 2.2 J impact, up to 5500 bpm
- Depth stop made of robust metal for targeted drill holes that can be reproduced
- The SDS-Plus chuck allows tool-free switching of drills
- Central selection switch for quick changing between functions without the need for tools
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Integrated LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting
- Battery and charger available separately
- Includes additional handle and metal depth stop



Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

**4in1**

- ✓ Drilling
- ✓ Hammer drilling
- ✓ Chiseling
- ✓ Chisel orientation

Scheppach BC-RHD230-X

Entry level 1,5

**Heimwerker Praxis** 3/25

Price/performance: good – very good

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES



SPECIFICATIONS

Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Impact force	2.2 J
Impact rating	5500 bpm
Max. idle speed	1400 rpm
Max. drill hole diameter	24 mm (concrete and stone), 13 (metal), 27 mm (timber)
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	2.5 / 3.1 kg
Packaging dimensions	355 x 250 x 105 mm
Article number	5909241900
Barcode	4046664216858
20 Container	2360 pcs
40 Container	4980 pcs
40 HQ Container	5860 pcs

2.0 Ah



4.0 Ah



Softwood screwing: 4 x 50 mm

**390 pieces**

**780 pieces**

Holes drilled in brick: 6 x 50 mm

**200 pieces**

**400 pieces**

Specification for each battery charge  
Run time and performance may vary depending on external conditions



LED work light ensures perfect illumination even in poor lighting conditions.



Tool switch for quick changing between functions without the need for tools.



Additional handle that can be rotated by 360° allows safe drilling and guidance of the tool.



The SDS-Plus chuck allows tool-free switching of drills.

### PRODUCT DETAILS

Speed  
0 – 1400 rpm



2.2 J impact  
5500 bpm



SDS-Plus

**SDS**



20 V



LED work light




Brushless motor




### UNIVERSAL USE



**CHISELING**



**HAMMER  
DRILLING**



**DRILLING**



CORDLESS HAND-HELD COMPRESSOR

- Compact, powerful, battery-operated hand-held compressor allows cordless freedom on-the-go – ideal for inflating bicycle tyres as well as toys and sporting equipment
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hand-held compressor
- Maximum 7 bar operating pressure
- LCD display shows the current as well as the pre-set operating pressure either in bar or PSI
- Automatic shut-off when the specified pressure has been reached
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Large diameter piston allows particularly quick inflation
- The LED light allows work even in adverse lighting conditions
- Battery and charger available separately
- Includes 1x compressed air hose, 1x ball needle, 2x universal valve adapters, 1x valve adapter for Dunlop/Express valves, 1x valve adapter for Sclaverand valves

Part of the battery platform

20VIXES

ONE BATTERY FOR ALL DEVICES

360°



INCLUDED



Battery and charger available separately

LCD display

Ergonomic, compact design with soft-grip handle ensures high operating comfort

LED

LOGISTICAL DATA

Weight net / gross	0.6 / 0.8 kg
Packaging dimensions	215 x 245 x 80 mm
Article number	5909247900
Barcode	4046664218593
20 Container	4400 pcs
40 Container	9300 pcs
40 HQ Container	10,950 pcs

SPECIFICATIONS

Dimensions L x W x H	220 x 70 x 160 mm
Operating pressure max.	7 bar
Speed max.	3500 rpm
Battery voltage	20 V

Idle run time:

2.0 Ah



50 min

4.0 Ah



100 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

LCD display shows the current as well as the pre-set operating pressure either in bar or PSI.



Automatic shut-off when the specified pressure has been reached.

## PRODUCT DETAILS

Max. 7 bar operating pressure




LCD display



Automatic shut-off



Includes 6-piece accessories set



LED work light



20 V



Practical storage of the compressed air hose



Practical LED work light ensures perfect illumination even in poor lighting conditions.



Easy to change the different attachments



## UNIVERSAL USE



BICYCLE TYRES



SPORTING EQUIPMENT



AIR MATTRESS



Part of the battery platform

**20V IXES**  
 ONE BATTERY FOR ALL DEVICES

## HYBRID COMPRESSOR

- **Compact mobile compressor** – perfect for on-the-go, the car or for inflating balls, tyres or air mattresses
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the Hybrid - Kompressor
- **10,3 bar maximum working pressure**
- **Hybrid function with 3 power sources** ensures maximum flexibility – can be used with a power cable (230 V), battery (20 V) or cigarette lighter in the car
- Practical **air-release/high-volume/low-pressure function** e.g. for inflating air mattresses
- 2 integrated **USB ports (1x USB-A, 1x USB-C)**, perfect for charging smartphones, tablets etc.
- Easy adjustment of the working pressure via the clear operating panel
- **Digital display** shows the current working pressure
- Cable and accessories can be stowed securely in the device to save space
- Compact design for space-saving storage and a practical carrying handle to ensure easy transport
- With **automatic shut-off function** when the specified pressure has been reached
- Units of pressure that can be selected: Bar, PSI and kPa
- **LED work light** makes working in poor lighting conditions easier
- **Oil-free compressor** therefore low-maintenance
- Battery and charger available separately
- Includes valve adapter, ball needle, conical adapter (for swimming accessories), high-pressure hose 75 cm, air-release/high-volume/low-pressure hose 44 cm



LED light

Integrated storage



**Battery and charger  
available separately**



### LOGISTICAL DATA

Weight net / gross	2.3 / 2.5 kg
Packaging dimensions	365 x 153 x 223 mm
Article number	5906159901
EAN	4046664216803
20 Container	2268 pcs
40 Container	4662 pcs
40 HQ Container	5698 pcs

### SPECIFICATIONS

Dimensions L x W x H	292 x 147 x 212 mm
Max. working pressure	10.3 bar
Max. air output	21 L/min
AC cable length	1.8 m
DC cable length	3 m
Hose length	Compressed air hose 75 cm Air-release/high-volume/ low-pressure hose 44 cm
Battery voltage	20 V

Run time low pressure and high pressure:

2.0 Ah

4.0 Ah



2,5 h



5 h

Specification for each battery charge

Run time and performance may vary depending on external conditions

## HYBRID FUNCTION WITH 3 POWER SOURCES



230 V power cable



20 V battery



Cigarette lighter

## PORTS



1x USB-A



1x USB-C

Perfect for charging smartphones, tablets etc.

## Storage compartment

for valve adapter, ball needle, conical adapter



## The LED light

allows work even in adverse lighting conditions

## PRODUCT DETAILS

10.3 bar maximum working pressure



Max. air output 21 L/min



Auto-Shut-Off



Portable



Digital display



Low-maintenance



Integrated storage space for 230 V and 12 V cable, 75 cm compressed air hose and 44 cm air-release/high-volume/low-pressure hose.



Digital display shows the measured and pre-set pressure Automatic shut-off when the specified pressure has been reached.





CORDLESS COMPRESSOR

- Powerful cordless compressor – ideal for mobile use and work around the house, workshop or garage
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless compressor
- Tank capacity 6 litres
- Powerful 2x 20 V (40 V)
- Pressure regulator and 2 pressure gauges for perfect control of the operating pressure
- Quick-coupling for rapid tool replacement
- Maximum operating pressure 8 bar
- Oil-free compressor ensures a long, low-maintenance service life
- 130 L/min intake
- Vibration-absorbing rubber feet ensure non-slip positioning and quiet, low-vibration working
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Battery and charger available separately
- Includes 11-piece accessory set



Soft-grip handle ensures comfortable operation

2 pressure gauges

Pressure regulator

Quick-coupling

INCLUDED



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	410 x 333 x 325 mm
Operating pressure max.	8 bar
Tank capacity	6 L
Intake capacity	130 L/min
Hose length	2.5 m
Sound level	96 dB (A)
Motor type	Brushed motor
Battery voltage	2x 20 V (40 V)

LOGISTICAL DATA


Weight net / gross	10 / 12 kg
Packaging dimensions	440 x 365 x 375 mm
Article number	5906175900
Barcode	4046664247241
20 Container	504 pcs
40 Container	1032 pcs
40 HQ Container	1204 pcs

### PRODUCT DETAILS

Max. 8 bar operating pressure



130 L/min Intake capacity



6 L Tank capacity



2x pressure gauges and 1x Pressure regulator



Oilfree



Low-maintenance



Incl. 11-piece accessories set and 2.5 m braided hose



2x 20 V (40 V)



**Vibration-absorbing rubber feet**

for non-slip positioning and quiet, low-vibration working



Pressure regulator and 2 pressure gauges for perfect control of the operating pressure



Easy to change the different attachments




**Handle**  
for easy transport



### UNIVERSAL USE



**CAR TYRES**




**NAILING/  
STAPLING**



**AIR-BLOW  
FUNCTION**



**BICYCLE TYRES**



**SPORTING  
EQUIPMENT**



**AIR MATTRESS**



## CORDLESS WORK LIGHT

- High-performance cordless work light, providing bright and even illumination of the work environment
- Practical 2-in-1 function – flood light and front light
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless work light
- Up to 300 lumen luminous flux
- Lamp head can be rotated 270° and adjusted 180° in 6 steps – for perfect lighting
- Up to 16 hours of lighting
- Integrated hanging hook so the light can be hung up easily – ideal for mobile use in the workshop, when camping or working on cars
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Battery and charger available separately

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**2in1**

- ✓ Flood light
- ✓ Front light

Ergonomic and compact design  
with soft-grip handle ensures  
comfortable operation

Up to approximately  
16 hours of light

Integrated  
hanging hook

**360°**


Battery and charger  
available separately

### PRODUCT DATA

Dimensions L x W x H	269 x 108 x 110 mm
LED output	5 W
Luminous flux max.	300 lumen
Colour temperature	approx. 6200 K
Lighting duration 2.0 Ah / 4.0 Ah	8 h / 16 h
Battery voltage	20 V

### LOGISTICAL DATA

Weight net / gross	0.39 / 0.53 kg
Packaging dimensions	110 x 75 x 185 mm
Article number	5909244900
Barcode	4046664217855
20 Container	11,512 pcs
40 Container	24,472 pcs
40 HQ Container	26,928 pcs

Run time (flood light and front light):

2.0 Ah



7,5 h

4.0 Ah



15 h

Specification for each battery charge

Run time and performance may vary depending on external conditions

### PRODUCT DETAILS

270°



0° – 180°



Lighting duration  
up to 16 h (4.0 Ah)



20 V



6200 K



Luminous flux  
max. 300 lm



Integrated hanging hook so the light can be hung up easily – ideal for mobile use in the workshop, when camping or working on cars.



Lamp head can be rotated 270°



Lamp head can be adjusted 180° in 6 steps



300 lumens ensure bright and even lighting of the work environment.



Practical belt clip – ideal when working on a ladder.





**CORDLESS HAND-HELD  
VACUUM CLEANER**

- Hand-held vacuum cleaner for mobile use, 10 kPa for fast and efficient cleaning even of more major dirt
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hand-held vacuum cleaner
- Space-saving storage, thanks to integrated recess for wall bracket
- Large dust collector with a capacity of 560 ml
- Compact design allows space-saving storage
- Convenient floor cleaning, thanks to 3 additional plastic extension tubes and floor nozzle
- Practical handle with soft-grip allows an ergonomic working posture
- F9 class folded filter also filters minute dust particles
- Filter can be cleaned under running water
- Battery and charger available separately
- Includes crevice nozzle, upholstery nozzle, floor nozzle, 3 plastic extension tubes



- ✓ Hand-held vacuum cleaner
- ✓ Floor vacuum cleaner

Soft-grip handle



Folded filter

10 kPa suction capacity

560 ml dust collector

Upholstery nozzle

**CYCLONE  
TECHNOLOGY**



Battery and charger available separately

**INCLUDED**

**SPECIFICATIONS**

Dimensions L x W x H	415 x 115 x 135 mm
Suction capacity max.	10 kPa
Tank volume	560 ml
Battery voltage	20 V
Motor type	Brushed motor

**LOGISTICAL DATA**

Weight net / gross	1.4 / 1.8 kg
Packaging dimensions	430 x 190 x 150 mm
Article number	5909251900
Barcode	4046664234371
20 Container	2130 pcs
40 Container	4320 pcs
40 HQ Container	5070 pcs

### PRODUCT DETAILS

560 ml tank volume

Suction capacity 10 kPa



20 V

Compact design



Filter can be cleaned under running water.



Easy switch between hard floors and carpet.



Large on/off switch for easy use.



**Space-saving storage**

thanks to integrated recess for wall bracket




**560 ml dust collector**  
easy to empty



**Wide range of accessories**

Crevice nozzle, upholstery nozzle, floor nozzle, 3 plastic extension tubes

### UNIVERSAL USE



**CARPET**



**DRY VACUUM  
CLEANING**



**UPHOLSTERY**



**CAR**



**HIGH CEILINGS**



**TEXTILES**



12 L CORDLESS WET / DRY VACUUM  
CLEANER

- Compact wet/dry vacuum cleaner, 10 kPa for wet vacuum cleaning and dry vacuum cleaning, with air-blow function
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless wet/dry vacuum cleaner
- Sturdy, shatterproof collector with a capacity of 12 litres and quick-release lock that allows easy replacement of the bag
- Washable folded filter also filters minute dust particles
- Large working radius, thanks to 1.5 m hose length and 3 additional plastic extension tubes
- Practical accessories bracket to ensure neat stowage and tidy working
- Handle and 4 smooth 360° castors allow easy transport
- Battery and charger available separately
- Includes 3 plastic extension tubes, folded filter, paper bag (FSC-certified), foam filter, floor nozzle, crevice nozzle, vacuum hose

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES

**3in1**

- ✓ Wet vacuum cleaning
- ✓ Dry vacuum cleaning
- ✓ Air-blow function



SPECIFICATIONS

Dimensions L x W x H	310 x 290 x 400 mm
Suction capacity max.	10 kPa
Tank volume	12 L
Hose length	1.5 m
Particle size	min. 0.3 µm
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA

Weight net / gross	3.2 / 4 kg
Packaging dimensions	300 x 300 x 400 mm
Article number	5907738900
Barcode	4046664234340
20 Container	985 pcs
40 Container	2100 pcs
40 HQ Container	2350 pcs

Idle run time:

2.0 Ah



20 min

4.0 Ah



40 min


Specification for each battery charge

Run time and performance may vary depending on external conditions

**Maximum freedom of movement**  
thanks to cordless working

## PRODUCT DETAILS

12 L tank volume



Particle size



20 V



1.5 m hose length



Compact design



Suction capacity 10 kPa



## UNIVERSAL USE



**WET VACUUM CLEANING**



**DRY VACUUM CLEANING**



**CAR**



**CARPET**



**SAWDUST**



20 L CORDLESS WET / DRY VACUUM  
CLEANER

- Compact wet/dry vacuum cleaner, 10 kPa for wet vacuum cleaning and dry vacuum cleaning, with air-blow function
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless wet/dry vacuum cleaner
- Sturdy, shatterproof collector with a capacity of 12 litres and quick-release lock that allows easy replacement of the bag
- Washable folded filter also filters minute dust particles
- Large working radius, thanks to 1.5 m hose length and 3 additional plastic extension tubes
- Practical accessories bracket to ensure neat stowage and tidy working
- Handle and 4 smooth 360° castors allow easy transport
- Battery and charger available separately
- Includes 3 plastic extension tubes, folded filter, paper bag (FSC-certified), foam filter, floor nozzle, crevice nozzle, vacuum hose



- ✓ Wet vacuum cleaning
- ✓ Dry vacuum cleaning
- ✓ Air-blow function



INCLUDED

Battery and charger  
available separately

SPECIFICATIONS

Dimensions L x W x H	335 x 335 x 500 mm
Suction capacity max.	10 kPa
Tank volume	20 L
Hose length	1.5 m
Particle size	min. 0.3 µm
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA

Weight net / gross	4.1 / 5.2 kg
Packaging dimensions	345 x 345 x 465 mm
Article number	5907739900
Barcode	4046664234357
20 Container	595 pcs
40 Container	1210 pcs
40 HQ Container	1225 pcs

Idle run time:

2.0 Ah



20 min

4.0 Ah



40 min


Specification for each battery charge

Run time and performance may vary depending on external conditions


Practical accessories bracket for neat storage and tidy working.



Washable folded filter even filters minute dust particles.



Maximum freedom of movement thanks to cordless working.




Quick-release lock for easy bag replacement.



## PRODUCT DETAILS

20 L tank volume



Particle size

Min. 0.3  $\mu\text{m}$



20 V



1.5 m hose length





Compact design



Suction capacity 10 kPa



## UNIVERSAL USE





15 L CORDLESS ASH VACUUM CLEANER

- Compact ash vacuum cleaner, 10 kPa vacuuming capacity, ensures a clean wood burner or barbecue
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless ash vacuum cleaner
- Robust metal collector with 15 L capacity
- Large working radius, thanks to 230 mm fireproof aluminium tube and 1000 m suction hose
- Air-blow connection for blowing areas that are difficult to access
- Folded filter for coarse dirt and ashes
- Quick-release lock allows easy emptying of the collector
- Practical carrying handle ensures easy transport
- Battery and charger available separately

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES

**3in1**

- ✓ Ash vacuuming
- ✓ Vacuuming
- ✓ Air-blow function



INCLUDED

SPECIFICATIONS

Dimensions L x W x H	290 x 290 x 350 mm
Suction capacity max.	10 kPa
Tank volume	15 L
Hose length	100 cm
Particle size	min. 0.3 µm
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA

Weight net / gross	2.4 / 3.4 kg
Packaging dimensions	300 x 300 x 370 mm
Article number	5906405900
Barcode	4046664234364
20 Container	1060 pcs
40 Container	2180 pcs
40 HQ Container	2515 pcs



Idle run time:

2,0 Ah

4,0 Ah



20 min

40 min

Specification for each battery charge


Run time and performance may vary depending on external conditions

Practical carrying handle ensures easy transport.



## PRODUCT DETAILS

15 L tank volume



Easy maintenance



20 V



1000 mm fireproof hose



Compact design



Suction capacity 10 kPa




**Folded filter**

for coarse dirt and ashes



**230 mm aluminium tube**  
is perfect for vacuuming ash



**Air-blow connection**

for blowing areas that are difficult to access



**Quick-release lock**  
on the housing cover



## UNIVERSAL USE



**ASH VACUUMING**



**VACUUMING**



**AIR-BLOW FUNCTION**





**CORDLESS PRESSURE CLEANER**

- Compact pressure cleaner for occasional mobile cleaning work and for garden irrigation
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless pressure cleaner
- 35 bar maximum pressure and 25 bar operating pressure
- Compact, lightweight design
- Quick and effective cleaning, thanks to a flow rate of 180 L/h
- Quick-Connect system allows rapid replacement of the attachments
- Practical self-priming function
- Nozzle with 5 settings: 0°, 15°, 25°, 40°, irrigation function
- Suitable for conventional garden hoses
- Wide work radius, thanks to 6 m intake hose
- Integrated hose filter – protects the pressure washer from contamination from unclean water
- Battery and charger available separately
- Includes 5-in-1 nozzle, 6 m intake hose, extension



- ✓ Mobile cleaning work
- ✓ Garden irrigation

**INCLUDED**



**Battery and charger available separately**

**Quick-Connect system**

**5-in-1 nozzle**



**SPECIFICATIONS**

Dimensions L x W x H	890 x 220 x 65 mm
Operating pressure	25 bar
Maximum pressure	35 bar
Suction height	0.6 m
Intake hose	6 m
Flow rate	180 L/h
Motor type	Brushed motor
Battery voltage	20 V

**LOGISTICAL DATA**

Weight net / gross	1.5 / 2.7 kg
Packaging dimensions	387 x 243 x 127 mm
Article number	5907740900
Barcode	4046664236054
20 Container	1680 pcs
40 Container	3360 pcs
40 HQ Container	4200 pcs

Nozzle with 5 settings:  
0°, 15°, 25°, 40°,  
irrigation function



### Quick-Connect system

allows rapid replacement of the attachments




Suitable for  
**conventional garden hoses**



**Integrated hose filter**  
protects the pressure washer from  
contamination from unclean water

## PRODUCT DETAILS


35 bar maximum pressure,  
25 bar operating pressure



Intake hose 6 m




Flow rate 180 L/h



Suction height 0.6 m



5-way adjustable nozzle



Self-priming function



Quick-Connect system



20 V



Click

## UNIVERSAL USE



**BICYCLE**



**FURNITURE**



**GARDEN IRRIGATION**



**PAVING STONES**



**CAR TYRE**



**MACHINES**



CORDLESS PAINT AND MORTAR STIRRER

- Powerful paint and mortar stirrer for mixing paints or varnish as well as adhesive, mortar, concrete or plaster
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the paint and mortar stirrer
- Speed adjustment in 6 steps with a maximum speed of 650 rpm for operation to suit the material and application
- Quick-release fastener allows attachment replacement without the need for tools
- Stirrer diameter 100 mm
- Soft-start ensures gentle, smooth start-up of the tool
- Ergonomic, compact design with soft-grip
- Battery and charger available separately



Product features  
BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



Ergonomic, compact design with soft-grip

Stirrer diameter 100 mm

Soft-start



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	306 (1100) x 180 x 185 mm
Max. stirrer speed	650 rpm
Stirrer diameter	100 mm
Stirrer length	790 mm
Stirrer mounting	M14
Motor type	Brushless motor
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	2.5 / 3.2 kg
Packaging dimensions	415 x 191 x 190 mm
Article number	5907806900
Barcode	4046664245766
20 Container	1688 pcs
40 Container	3500 pcs
40 HQ Container	3938 pcs

### UNIVERSAL USE



### PRODUCT DETAILS

Speed adjustment  
in 6 steps



Max. stirrer speed  
650 rpm



Stirrer Ø 100 mm



Stirrer length



Quick-release fastener




Stirrer mounting M14



Soft-start





20 V





# Garden Tools









22 CM BATTERY LAWN MOWER

- Compact cordless lawn mower with a cutting width of 21.5 cm and mulch function for small lawns up to 120 m<sup>2</sup>
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Cutting height adjustment in 3 steps from 30 to 50 mm
- Ergonomic comfort handle absorbs vibrations
- Polished blade made of special steel – particularly robust and durable
- Shaft can be separated to allow for space-saving storage
- Large wheels ensure a secure grip even in steep terrain
- Practical LED light on the machine housing shows the current battery charge
- Includes scraper to conveniently clean the mowing unit
- Battery and charger available separately

Part of the battery platform

**20V IXES**  
ONE BATTERY FOR ALL DEVICES

**2in1**

- ✓ Mowing
- ✓ Mulching

Ergonomic comfort handle

Shaft can be separated

Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

LED battery charge display

Large wheels

43 cm

Battery and charger available separately



SPECIFICATIONS

Dimensions L x W x H	1410 x 350 x 155 mm
Engine type	Brushless motor
Battery voltage	20 V
Cutting width max.	21.5 cm
Cutting heights	30 – 50 mm
Deck	Plastic

LOGISTICAL DATA

Weight net / gross	4.4 / 5.5 kg
Packaging dimensions	520 x 370 x 210 mm
Article number	5911416900
Barcode	4046664236429
20 Container	600 pcs
40 Container	1200 pcs
40 HQ Container	1500 pcs

Idle run time:

2.0 Ah



15 min

4.0 Ah



30 min

Specification for each battery charge

Run time and performance may vary depending on external conditions



Cutting height adjustment  
in 3 steps from 30 to 50 mm



Includes scraper to conveniently  
clean the mowing unit

## PRODUCT DETAILS

Lawn




20 V




Cutting width



Cutting height



Can be stored without  
needing much space



Brushless Motor



Electric starter



Shaft can be separated  
for space-saving storage



Three-wheeled design  
ensures easy manoeuvring



Handle can be rotated  
for easy mowing under  
bushes or garden furniture





32 CM BATTERY LAWN MOWER

- **High-performance cordless lawn mower** with a cutting width of 38 cm and 3-in-1 function: mowing, collecting, drawing in grass at the edge for cutting
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- **Suitable for gardens measuring 250 – 300 m²**
- **Powerful 20 V**
- **Axial cutting height adjustment in 3 steps** from 20 to 60 mm
- **Large 30 L collection box** with filling level indicator
- Robust housing with integrated carrying handle to ensure easy transport
- Battery compartment with safety key and foldable protective hood
- **Cut-to-edge design on both sides** for clean mowing, even close to the edge where the grass is drawn in for cutting
- Polished blade made of special steel – particularly robust and durable
- **Foldable bow handle** for space-saving storage

Part of the battery platform

20V

IXES

ONE BATTERY FOR ALL DEVICES

3in1

- ✓ Mowing
- ✓ Collecting
- ✓ Grass at edge is drawn in for cutting



Product features

BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Foldable handle

Comfort grip handle

Large collection box: 30 L

32 cm

Battery and charger available separately

+

X

PLUS X AWARD

2024 | Achieved for:

- High Quality
- Design
- Ease of Use
- Functionality

www.plusxaward.com

SPECIFICATIONS

Dimensions L x W x H	1110 x 380 x 1010 mm
Engine type	Brushless motor
Battery voltage	20 V
Cutting width max.	32 cm
Cutting heights	Axial, 20 – 60 mm
Deck	Plastic
Collection box capacity	30 L

LOGISTICAL DATA

Weight net / gross	8.5 / 10.1 kg
Packaging dimensions	620 x 400 x 330 mm
Article number	5911413900
Barcode	4046664217572
20 Container	400 pcs
40 Container	800 pcs
40 HQ Container	950 pcs



Idle run time:

2.0 Ah



15 min

4.0 Ah



30 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

Battery compartment with safety key and hinged protective hood.



Foldable handle ensures easy transport and space-saving storage.



Axial cutting height adjustment in 3 steps from 20 to 60 mm.



## PRODUCT DETAILS


Lawn



20 V




Cutting width



32 cm

Cutting height



20 - 60 mm

30 L collection box



Brushless motor



Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting.



38 CM BATTERY LAWN MOWER

- **High-performance cordless lawn mower** with a cutting width of 38 cm and 4-in-1 function: mowing, collecting, mulching, drawing in grass at the edge for cutting
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- **Suitable for gardens measuring 450 – 500 m²**
- **Powerful 2x 20 V (40 V)**
- Adjustable 6-steps cutting height (25 – 75 mm)
- Ergonomic comfort handle absorbs vibrations
- **Large 45 L collection box with filling level indicator**
- Robust housing with integrated carrying handle to ensure easy transport
- Battery compartment with safety key and foldable protective hood
- **Cut-to-edge design on both sides** for clean mowing, even close to the edge where the grass is drawn in for cutting
- Polished blade made of special steel – particularly robust and durable
- **High-wheeler** – large wheels that are gentle on the lawn ensure a secure grip even in steep terrain
- **Foldable and height-adjustable bow handle** for space-saving storage and an ergonomic working posture
- **Includes mulch insert** so the cut grass can be effectively re-used as fertiliser

Part of the battery platform



- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Grass at edge is drawn in for cutting

Comfort grip handle

Foldable handle

Height-adjustable bow handle

Large collection box: 45 L

Large wheels (Highwheeler)



Product features  
BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	1178 x 432 x 1030 mm
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)
Cutting width max.	38 cm
Cutting heights	25 – 75 mm
Deck	Plastic
Collection box capacity	45 L

LOGISTICAL DATA

Weight net / gross	13 / 17.9 kg
Packaging dimensions	725 x 430 x 375 mm
Article number	5911414900
Barcode	4046664217565
20 Container	258 pcs
40 Container	516 pcs
40 HQ Container	611 pcs



Idle run time:

2.0 Ah



25 min

4.0 Ah



50 min


Specification for each battery charge

Run time and performance may vary depending on external conditions

Height-adjustable bow handle ensures an ergonomic working posture.



Foldable handle ensures easy transport and space-saving storage.



Adjustable 6-steps cutting height (25 – 75 mm).

**Includes mulch insert**

so the cut grass can be re-used as fertiliser



## PRODUCT DETAILS


Lawn




2x 20 V (40 V)



Cutting width



Cutting height



45 L collection box



Brushless motor



Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting.



## 43 CM BATTERY LAWN MOWER

- **High-performance cordless lawn mower** with a cutting width of 43 cm and 4-in-1 function: mowing, collecting, mulching, drawing in grass at the edge for cutting
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- **Suitable for gardens measuring 600 – 700 m<sup>2</sup>**
- **Powerful 2x 20 V (40 V)**
- Practical operating panel allows selection of "Eco" or "Auto" mode
- **Eco mode** – low speed ensures maximum battery run time
- **Auto mode** – the speed is adjusted to demand
- Adjustable 6-steps cutting height (25 – 75 mm)
- Ergonomic comfort handle absorbs vibrations
- **Large 50 L collection box with filling level indicator**
- Robust housing with integrated carrying handle to ensure easy transport
- Battery compartment with safety key and foldable protective hood
- **Cut-to-edge design on both sides** for clean mowing, even close to the edge where the grass is drawn in for cutting
- Polished blade made of special steel – particularly robust and durable
- **High-wheeler** – large wheels that are gentle on the lawn ensure a secure grip even in steep terrain
- **Foldable and height-adjustable bow handle** for space-saving storage and an ergonomic working posture
- **Includes mulch insert** so the cut grass can be effectively re-used as fertiliser


 Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

**4in1**

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Grass at edge is drawn in for cutting

Comfort grip handle

Foldable handle

Height-adjustable bow handle

Large collection box: 50 L

Large wheels (Highwheeler)

43 cm

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES


**Battery and charger available separately**

## SPECIFICATIONS

Dimensions L x W x H	1350 x 470 x 1150 mm
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)
Cutting width max.	43 cm
Cutting heights	25 – 75 mm
Deck	Plastic
Collection box capacity	50 L

## LOGISTICAL DATA

Weight net / gross	14.4 / 16.7 kg
Packaging dimensions	805 x 470 x 385 mm
Article number	5911415900
Barcode	4046664217558
20 Container	210 pcs
40 Container	420 pcs
40 HQ Container	504 pcs



Idle run time:

2.0 Ah



30 min

4.0 Ah



60 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

User-friendly operating panel with the option to switch between "Eco" and "Auto" mode.



Adjustable 6-steps cutting height (27 – 75 mm).

Foldable handle ensures easy transport and space-saving storage.



**Includes mulch insert**

so the cut grass can be re-used as fertiliser



**Height-adjustable**

bow handle ensures an ergonomic working posture

## PRODUCT DETAILS


Lawn




2x 20 V (40 V)



Cutting width



Cutting height



50 L collection box



Brushless motor



Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting.



47 CM BATTERY LAWN MOWER

- **High-performance cordless lawn mower** with a cutting width of 47 cm, suitable for gardens measuring 800 – 900 m²
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- **Powerful 2x 20 V for operation and battery extension for 2 additional batteries**
- **Central cutting height adjustment**
- Ergonomic comfort handle absorbs vibrations
- **Vario drive** – rear wheel drive with adjustable speed from 2.5 to 4.5 km/h makes mowing easier on rough terrain
- **Large 75 L collection box with filling level indicator**
- **LED headlights** allow working at twilight or in poor lighting conditions
- **Robust steel housing** with integrated carrying handle to ensure easy transport
- **Battery compartment** with foldable protective hood
- **Polished blade made of special steel** – particularly robust and durable
- **High-wheeler** – large wheels that are gentle on the lawn ensure a secure grip even in steep terrain
- **Foldable and height-adjustable bow handle** for space-saving storage and an ergonomic working posture
- Integrated ejection on the side and at the back as well as mulch function for a professional result
- Battery and charger available separately

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

Vario drive

Height-adjustable  
bow handle

Large  
collection  
box: 75 L

LED spotlight

47 cm

Steel housing

Large wheels  
(Highwheeler)

**6in1**

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Vario drive
- ✓ Deck washout port
- ✓ Side discharge



Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

**Battery and charger  
available separately**

PRODUKTDATEN

Dimensions L x W x H	1650 x 560 x 1100 mm
Engine type	Brushless Motor
Battery voltage	2x 20V (40V) + 2x battery extension
Cutting width max.	47 cm
Cutting heights	26 – 80 mm
Deck	Plastic
Collection box capacity	75 L
Vario speed	2.5 – 4.5 km/h

LOGISTICAL DATA

Weight net / gross	31 / 34 kg
Packaging dimensions	930 x 580 x 460 mm
Article number	5911417900
Barcode	4046664235101
20 Container	105 pcs
40 Container	220 pcs
40 HQ Container	260 pcs



Idle run time:

2.0 Ah



35 min

4.0 Ah



70 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

Vario drive – rear wheel drive with adjustable speed (2.5 to 4.5 km/h)



Central cutting height adjustment in 7 steps from 26 to 80 mm

Foldable and height-adjustable bow handle



**Includes mulch insert**

so the cut grass can be re-used as fertiliser




**Side discharge**

can be easily attached/detached if needed



## PRODUCT DETAILS


Lawn



2x 20 V



Cutting height and width



Vario speed



2.5 – 4.5 km/h

75 L collection box



Brushless Motor



Powerful 2x 20 V for operation and battery extension for 2 additional batteries





20 CM CORDLESS CHAINSAW

- **Powerful cordless chain saw** for cutting firewood, pruning shrubs, branch trimming or garden care
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- **7 m/s cutting speed** ensures rapid sawing progress
- **Premium-quality 8"/20 cm ProCut blade and chain**, 17.5 cm cutting length
- **Tool-free chain replacement and chain tensioning**
- **Circumferential handle with soft-grip** allows ergonomic work and many uses
- **Anti-kickback** – chain brake stops the chain within just a few milliseconds in cases of kickback
- **Robust metal claw stop** protects the material to be cut from slipping
- **Automatic chain lubrication**
- Battery and charger available separately

\*This chain saw has been exclusively designed for use by trained arborists

Part of the battery platform

**20VIXES**

ONE BATTERY FOR ALL DEVICES



Product features

**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

SPECIFICATIONS	
Dimensions L x W x H	540 x 230 x 230 mm
Chain bar length	20 cm / 8"
Cutting length	17.5 cm
Cutting speed	7 m/sec
Chain tension adjustment	Tool-free
Chain brake	Yes
Oil tank capacity	0.11 L
Engine type	Brushless motor
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	2.5 / 3.3 kg
Packaging dimensions	270 x 230 x 230 mm
Article number	5910311900
Barcode	4046664233879
20 Container	2000 pcs
40 Container	4000 pcs
40 HQ Container	4780 pcs

**Cutting performance:**  
60 x 60 mm timber beam

**2.0 Ah**



**85 cuts**

**4.0 Ah**



**170 cuts**

Specification for each battery charge  
Run time and performance may vary depending on external conditions



Circumferential handle with soft-grip allows ergonomic work and many uses.



Anti-kickback – chain brake stops the chain within just a few milliseconds in cases of kickback



**On/off switch**  
guarantees additional safety




## PRODUCT DETAILS

Max. cutting diameter 17.5 cm



Cutting speed 7 m/s



20 V




8" blade & chain



Circumferential handle



Auto lubrication system



The saw chain can be tensioned quickly and easily using the setting wheel.





25,4 CM CORDLESS CHAINSAW

- **Powerful cordless chain saw** for cutting firewood, pruning shrubs, branch trimming or garden care
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- **6 m/s cutting speed** ensures rapid sawing progress
- Premium-quality **10" / 25.4 cm ProCut blade and chain**, 20 cm cutting length
- **Tool-free chain replacement and chain tensioning**
- **Circumferential handle with soft-grip** allows ergonomic work and many uses
- **Anti-kickback – chain brake** stops the chain within just a few milliseconds in cases of kickback
- Hand guard ensures increased safety
- Robust **metal claw stop** protects the material to be cut from slipping
- Auto lubrication system
- Perfect for sustained work, thanks to low weight
- Integrated overload protection
- Battery and charger available separately



SPECIFICATIONS

Dimensions L x W x H	653 x 220 x 224 mm
Chain bar length	10" / 25.4 cm
Cutting length	20 cm
Cutting speed	6 m/sec
Chain tension adjustment	werkzeuglos
Chain brake	Yes
Oil tank capacity	0.125 L
Engine type	Brush motor
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	2.7 / 4 kg
Packaging dimensions	450 x 230 x 230 mm
Article number	5910308900
Barcode	4046664216902
20 Container	1200 pcs
40 Container	2600 pcs
40 HQ Container	2860 pcs

Cutting performance:  
60 x 60 mm timber beam

2.0 Ah



85 cuts

4.0 Ah



170 cuts

Specification for each battery charge

Run time and performance may vary depending on external conditions

“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback  
Hand guard guarantees additional safety.



**Soft-grip**

allows a secure and firm hold during operation

Robust metal claw stop protects the material to be cut from slipping.



## PRODUCT DETAILS

Max. cutting diameter  
20 cm




Cutting speed  
6 m/s



20 V




10" ProCut blade & chain



Circumferential handle



Auto lubrication system



360°



The saw chain can be tensioned quickly and easily using the setting wheel.



Circumferential handle with soft-grip allows ergonomic work and many uses.



35,6 CM CORDLESS CHAINSAW

- **Powerful cordless chain saw** for cutting firewood, pruning shrubs, branch trimming or garden care
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- **15 m/s cutting speed** ensures rapid sawing progress
- **Premium-quality 14" / 35.6 cm ProCut blade and chain**, 33.5 cm cutting length
- **Powerful 2x 20 V (40 V)**
- **Tool-free chain replacement and chain tensioning**
- **Circumferential handle with soft-grip** allows ergonomic work and many uses
- **Anti-kickback** – the chain brake stops the saw chain within milliseconds in case of kickback
- **2-hand safety switch** ensures the immediate braking of the chain in less than 0.12 sec.
- **Soft-start is gentle on the motor** and ensures a smooth start-up of the chain
- Robust **metal claw stop** protects the material to be cut from slipping
- Automatic chain lubrication, integrated protection against overload and oil level display
- Battery and charger available separately

Part of the battery platform

20

V

IXES

ONE BATTERY FOR ALL DEVICES

Scheppach BCHS350-ProS DUO

Premium Class

1,6

Heimwerker

Praxis

5/23

Value for money: good – very good

Best Buy

Heimwerker

Praxis

5/23

Scheppach cordless chainsaw  
BC-CS355Duo-X  
Identical with  
BCHS350-ProS DUO  
Category: Cordless chainsaw

Circumferential handle

Chain brake

14" ProCut blade & chain

Tool-free chain replacement and chain tensioning

Product features

BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

SOFT START

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	800 x 220 x 235 mm
Chain bar length	35.6 cm / 14"
Cutting length	33.5 cm
Cutting speed	15 m/sec
Chain tension adjustment	Tool-free
Chain brake	Yes
Oil tank capacity	0.26 L
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)

LOGISTICAL DATA

Weight net / gross	3.3 / 5 kg
Packaging dimensions	480 x 240 x 240 mm
Article number	5910309900
Barcode	4046664216889
20 Container	1080 pcs
40 Container	2250 pcs
40 HQ Container	2475 pcs



**Cutting performance:**  
60 x 60 mm timber beam

**2.0 Ah**



**175 cuts**

**4.0 Ah**



**350 cuts**

Specification for each battery charge

Run time and performance may vary depending on external conditions

“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand guard guarantees additional safety.



**The on/off switch**  
guarantees additional safety



Robust metal claw stop protects the material to be cut from slipping.




## PRODUCT DETAILS

Max. cutting diameter  
33.5 cm




Cutting speed 15 m/s



2x 20 V (40 V)




14" ProCut blade & chain



Circumferential handle



Auto lubrication system



**360°**



The saw chain can be tensioned quickly and easily using the setting wheel.



Circumferential handle with soft-grip allows ergonomic work and many uses.





CORDLESS PRUNING SAW

- **Compact and lightweight pruning saw** for cutting trees and shrubs as well as reducing green waste to small pieces
- Also suitable for cutting planks, square and round timber as well as for DIY projects
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless pruning saw
- **Large 5" ProCut blade & chain**
- Cutting speed of up to 4.8 m/s ensures rapid progress
- The compact design allows work in areas that are hard to access
- **Smooth chain, low in vibrations**
- **127 mm maximum cutting thickness**
- **Soft-grip handle with safety switch**
- Hand protection and chain guard for secure handling of the device
- **Chain tension adjustment**
- **Practical storage of the oil bottle on the device**
- Battery and charger available separately



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	385 x 85 x 180 mm
Cutting speed max.	4.8 m/s
Cutting length max.	127 mm
Chain pitch	0,3"
Chain bar length	5"
Chain tension adjustment	Yes
Battery voltage	20 V
Engine type	Brushless motor

LOGISTICAL DATA

Weight net / gross	1.03 / 1.65 kg
Packaging dimensions	400 x 90 x 185 mm
Article number	5904204900
Barcode	4046664246091
20 Container	3252 pcs
40 Container	6504 pcs
40 HQ Container	7898 pcs

Cutting performance:  
Round timber Ø 45 mm

2.0 Ah



200 cuts

4.0 Ah



400 cuts

Specification for each battery charge

Run time and performance may vary depending on external conditions


## UNIVERSAL USE



JOIST TIMBER




KINDLING



BRANCHES



Hand protection and chain guard ensure secure handling of the device.




Easy lubrication of the chain and blade

## PRODUCT DETAILS


20 V



Cutting length max. 127 mm



Chain pitch: 1/4"



Cutting speed 4.8 m/s



Quick and easy  
automatic chain  
tensioning using a  
spring compressor



Practical storage of the oil bottle on the device



CORDLESS PRUNING SAW

- Compact and lightweight pruning saw for cutting trees and shrubs as well as reducing green waste to small pieces
- Also suitable for cutting planks, square and round timber as well as for DIY projects
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless pruning saw
- Large 6" ProCut blade & chain
- Cutting speed of up to 6.8 m/s ensures rapid progress
- The compact design allows work in areas that are hard to access
- Smooth chain, low in vibrations
- 150 mm maximum cutting thickness
- Soft-grip handle with safety switch
- Automatic chain lubrication for uninterrupted work
- Hand protection and chain guard for secure handling of the device
- Chain tension adjustment
- Battery and charger available separately

Best Of 2024

Heimwerker Praxis 1/24

Scheppach cordless pruning saw BC-PS150-X  
Identical with PCS6-20ProS  
Category: Cordless pruning saw

Part of the battery platform

20V IXES

ONE BATTERY FOR ALL DEVICES

360°

Soft-grip handle with safety switch

Automatic lubrication system

6" ProCut blade & chain

Chain tension adjustment

Extensive hand protection

Battery and charger available separately

Product features  
BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

SPECIFICATIONS

Dimensions L x W x H	425 x 110 x 170 mm
Reserve for chain lubricant	30 cm³ (30 ml)
Cutting speed max.	6.8 m/s
Cutting length max.	150 mm
Chain pitch	1/4"
Chain bar length	6"
Chain tension adjustment	Yes
Battery voltage	20 V
Engine type	Brushless motor

LOGISTICAL DATA

Weight net / gross	1.3 / 2.1 kg
Packaging dimensions	440 x 230 x 120 mm
Article number	5910310900
Barcode	4046664216926
20 Container	1900 pcs
40 Container	3800 pcs
40 HQ Container	4900 pcs

**Cutting performance:**  
Round timber Ø 45 mm

**2.0 Ah**



**250 cuts**

**4.0 Ah**



**500 cuts**

Specification for each battery charge  
Run time and performance may vary depending on external conditions


## UNIVERSAL USE



**JOIST TIMBER**



**KINDLING**



**BRANCHES**



Automatic chain lubrication  
for uninterrupted work.




The on/off switch  
guarantees additional safety.

## PRODUCT DETAILS


20 V



Cutting length  
max. 150 mm



Chain pitch: 1/4"



Cutting speed 6.8 m/s



Automatic lubrication  
system



Brushless motor



**Quick and easy  
automatic chain  
tensioning using a  
spring compressor**

Hand protection and chain  
guard ensure secure handling  
of the device.





CORDLESS GRASS AND HEDGE TRIMMER

- Compact 2-in-1 grass and hedge trimmer for all sorts of uses in the garden
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless grass and hedge trimmer
- Comfortable work, thanks to practical design, ergonomic soft-grip handle and low weight
- 2-in-1 function – ideal for neat lawn edges and shaping hedges
- Tool-free click system for easy blade replacement
- The ergonomic design ensures comfortable handling
- Safety switch with safety lock
- High-quality, robust gears for a long service life
- Grass cutting blades with a width of 90 mm – perfect for maintaining lawn edges
- Shrub cutting blades with a cutting length of 200 mm – ideal for hedge and shrub care
- Hardened precision blades ensure an ideal cutting result
- Battery and charger available separately
- Includes shrub cutting blades, grass cutting blades as well as 2 protective covers



- ✓ Lawn edges
- ✓ Cordless grass and hedge trimmer

Part of the battery platform



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	260 x 80 x 120 mm
Cutting width (grass cutting blades)	90 mm
Cutting length (shrub cutting blades)	200 mm
Idle speed	1200 rpm
Battery voltage	20 V
Engine type	Brush motor

LOGISTICAL DATA

Weight net / gross	1 / 1.5 kg
Packaging dimensions	360 x 120 x 120 mm
Article number	5912205900
Barcode	4046664216872
20 Container	4860 pcs
40 Container	10,260 pcs
40 HQ Container	11,400 pcs



Idle run time:

2.0 Ah

4.0 Ah



3.5 h

7 h

Specification for each battery charge

Run time and performance may vary depending on external conditions



Hardened precision blades ensure an ideal cutting result.

## PRODUCT DETAILS

Shrub cutting blades:  
200 mm cutting length

20 V




Grass cutting blades:  
90 mm width

Hardened precision blades



## UNIVERSAL USE



HEDGE AND SHRUB CUTTING



LAWN EDGES

### Shrub cutting

blades ideal for hedge and shrub care

# 2in1

360°



**Grass cutting**  
blades perfect for  
maintaining lawn edges



Safety switch with safety lock.

Tool-free click system for  
easy blade replacement.





CORDLESS PRUNING SHEARS

- Practical cordless pruning shears for reliable cutting of branches with a maximum thickness of 28 mm – e.g. for fruit tree pruning, hedge trimming or other work
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the Cordless pruning shears
- Premium-quality anvil steel blades for precise cutting work that is gentle on plants
- 2 adjustable cutting diameters of 15 mm & 28 mm
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Front hand guard and automatic deactivation after 3 minutes ensure maximum safety during working
- Robust and durable plastic housing
- Low weight and compact design
- Battery and charger available separately



Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES



Hand protection

Soft-grip handle

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	335 x 230 x 126 mm
Cutting capacity	max. 28 mm
6-steps	15 mm & 28 mm
Battery voltage	20 V
Motor type	Brushless motor

LOGISTICAL DATA

Weight net / gross	0.9 / 1.2 kg
Packaging dimensions	330 x 120 x 140 mm
Article number	5911606900
Barcode	4046664243502
20 Container	5747 pcs
40 Container	11700 pcs
40 HQ Container	13957 pcs



**Cutting performance:**  
Round timber Ø 12 mm

**2.0 Ah**



**3500 cuts**

**4.0 Ah**



**7000 cuts**

Specification for each battery charge  
Run time and performance may vary depending on external conditions

## PRODUCT DETAILS

20 V



Cutting capacity  
max. 28 mm



Low weight



Brushless motor



Safe storage, thanks to protective cover.



### Premium-quality anvil steel blade

ensures precise cutting work that  
is gentle on plants



**Ergonomic design with  
soft-grip surface**  
ensures comfortable operation



Front hand guard for maximum safety.



2 adjustable cutting diameters  
of 15 mm & 28 mm.





2IN1

Part of the battery platform

**20V** **IXES**  
 ONE BATTERY FOR ALL DEVICES

- ✓ Trimming
- ✓ Lawn edges

Non-slip soft-grip handle

Additional adjustable handle

Telescopic shaft

Aluminium guide rod

Spacer wheel

Individual nylon line system with fully automatic feed

## 2IN1 CORDLESS STRIMMER

- Powerful cordless lawn trimmer for narrow areas or for cutting lawn edges
- Practical 2-in-1 function: lawn trimming and edge cutting
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless lawn trimmer
- Individual line system with fully automatic feed
- Cutting head can be rotated and adjusted by 90° – ideal for vertical areas and lawn edges
- Telescopic shaft can be extended by 270 mm – ensuring an ergonomic working posture
- Easy spool replacement without the need for tools
- Non-slip soft-grip handle with safety switch
- 1.6 mm individual nylon line with 300 mm cutting width
- Spacer wheel ensures clean cutting of the lawn edge
- Additional adjustable handle
- Fold-out plant protection bracket protects flowers, plants and other sensitive objects from damage
- Battery and charger available separately
- Includes 2x line spool (1x pre-assembled)

Battery & charger available separately

INCLUDED

360°



### SPECIFICATIONS

Dimensions L x W x H	1235 x 335 x 356 mm
Motor-Type	Brush motor
Battery voltage	20 V
Cutting width max.	300 mm
Thread length	3 m
Height adjustment	Up to 270 mm
Angle adjustment	0° – 90°
Cutting head	Rotating

### LOGISTICAL DATA

Weight net / gross	2.2 / 3 kg
Packaging dimensions	1020 x 200 x 140 mm
Article number	5910904900
Barcode	4046664216735
20 Container	1000 pcs
40 Container	2000 pcs
40 HQ Container	2300 pcs



Idle run time:

2.0 Ah

4.0 Ah



40 min

80 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

## UNIVERSAL USE



Trimming



Lawn edges

**Additional adjustable handle**  
for adapting to local conditions and  
the relevant application



### Cutting head

can be adjusted without  
the need for tools



**Fold-out plant  
protection bracket**  
protects flowers,  
plants etc. from damage



## PRODUCT DETAILS

Cutting width  
max. 300 mm



20 V




Telescopic shaft



Automatic line feed



Telescopic shaft can be adapted  
to the user's body height – can be  
steplessly adjusted in length up to  
270 mm.



Thanks to its adjustment options,  
the C-LT300-X is perfect for slopes.



Thanks to the rotatable cutting head, even  
areas with difficult access can be processed.



2IN1

- ✓ Grass trimmer
- ✓ Brush cutter

Part of the battery platform

20V IXES

ONE BATTERY FOR ALL DEVICES




Product features

## BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

TAP'N'GO



Tip automatic spool

## CORDLESS BRUSH CUTTER

- Powerful cordless brush cutter – grass trimmer and line trimmer in one
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless brush cutter
- Cutting width grass trimmer 330 mm / Cutting width brush cutter 255 mm
- Easy replacement of the cutting equipment, thanks to spindle lock
- Premium-quality 3-toothed line trimmer for particularly dense undergrowth
- Anti-vibration technology allows ergonomic work with low vibrations
- 3 speed levels for the perfect adjustment to local conditions (4000 / 4700 / 5500 rpm)
- Dual-line coil with touch control and 1.6 mm line extension (Tap'n'Go function)
- Easy tool-free assembly/disassembly for space-saving storage
- Adjustable bike handle with two-hand operation and non-slip surface allows ergonomic, extended working
- Battery and charger available separately

Adjustable  
bike handleShaft can  
be separated

INCLUDED

Battery and charger  
available separately

## SPECIFICATIONS

Dimensions L x W x H	1780 x 350 x 245 mm
Engine type	Brushless motor
Battery voltage	20 V
Cutting width (line head)	max. 330 mm
Thread grass trimmer	4 m / 1.6 mm
Line feed	Tip automatic
Cutting width (blade)	max. 255 mm

## LOGISTICAL DATA

Weight net / gross	4.5 / 6 kg
Packaging dimensions	1020 x 135 x 230 mm
Article number	5910906900
Barcode	4046664233893
20 Container	900 pcs
40 Container	1800 pcs
40 HQ Container	2200 pcs



Idle run time:

2.0 Ah

4.0 Ah



40 min

80 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

## UNIVERSAL USE



BRUSH CUTTER



GRASS TRIMMER

## PRODUCT DETAILS

Cutting width brush cutter  
max. 330 mm

Cutting width grass trimmer  
max. 255 mm



1.6 mm  
Nylon double line

3 stage  
speed control



20 V

Brushless motor



### Adjustable bike handle

without the need for tools,  
allowing ergonomic work



### Shoulder strap

allows fatigue-free work



### Shaft can be separated

for easy transport or  
space-saving storage



Operating panel for setting the speed in 3 steps



2IN1

- ✓ Grass trimmer
- ✓ Brush cutter

Part of the battery platform

20V IXES

ONE BATTERY FOR ALL DEVICES

Adjustable  
bike handle

## CORDLESS BRUSH CUTTER

- Powerful cordless brush cutter – grass trimmer and line trimmer in one
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless brush cutter
- Kraftvolle 2x 20 V (40 V)
- Cutting width grass trimmer 380 mm / Cutting width brush cutter 255 mm
- Easy replacement of the cutting equipment, thanks to spindle lock
- Premium-quality 3-toothed line trimmer for particularly dense undergrowth
- Anti-vibration technology allows ergonomic work with low vibrations
- 3 speed levels for the perfect adjustment to local conditions (4000 / 5000 / 6200 rpm)
- Dual-line coil with touch control and 1.6 mm line extension (Tap'n'Go function)
- Easy tool-free assembly/disassembly for space-saving storage
- Adjustable bike handle with two-hand operation and non-slip surface allows ergonomic, extended working
- Battery and charger available separately

Product features  
BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Shaft can  
be separated

INCLUDED

Battery and charger  
available separately

## SPECIFICATIONS

Dimensions L x W x H	1920 x 550 x 490 mm
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)
Cutting width (line head)	max. 380 mm
Thread grass trimmer	4 m / 1.6 mm
Line feed	Tip automatic
Cutting width (blade)	max. 255 mm

## LOGISTICAL DATA

Weight net / gross	5.5 / 7 kg
Packaging dimensions	1120 x 160 x 230 mm
Article number	5910907900
Barcode	4046664233909
20 Container	900 pcs
40 Container	1800 pcs
40 HQ Container	2200 pcs

Idle run time:

**2.0 Ah**



**45 min**

**4.0 Ah**



**90 min**

Specification for each battery charge

Run time and performance may vary depending on external conditions

## UNIVERSAL USE



**BRUSH CUTTER**



**GRASS TRIMMER**

## PRODUCT DETAILS

Cutting width brush cutter  
max. 380 mm



Cutting width grass trimmer  
max. 255 mm



1.6 mm  
Nylon double line



3 stage  
speed control



2x 20 V (40 V)



Brushless motor




**Shoulder strap**  
allows fatigue-free work



**Shaft can be separated**  
for easy transport or  
space-saving storage



### TAP'N'GO



Tip automatic spool



**Adjustable bike handle**  
without the need for tools,  
allowing ergonomic work



Operating panel for setting the speed in 3 steps



## CORDLESS MULTIFUNCTION DEVICE

- Powerful cordless multi-function device with 2-in-1 function for cutting hedges or higher branches
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless multi-function device
- Hedge trimmer attachment can be locked at **11 different angles** (90° – 240°), allowing the perfect adjustment to the relevant application
- Pole-mounted pruner can be locked in **4 different positions** (135° – 180°), allowing excellent adaptability with different uses
- **Steplessly lockable aluminium telescopic shaft** allows easy and quick adjustment for areas that are hard to access
- Hedge trimmer – cutting length 410 mm – overall reach 2.6 m
- Pole-mounted pruner – cutting speed 4.5 m/s – cutting length 180 mm – overall reach 2.35 m
- **Shoulder strap** ensures additional support and fatigue-free work
- **Non-slip soft-grip handle with safety switch**
- **Metal gears** ensure a long service life
- **Tool-free chain tensioning and chain replacement with automatic chain lubrication**
- Durable blades made of laser-cut and diamond-ground steel
- Battery and charger available separately

2in1

- ✓ Pole-mounted pruner
- ✓ Hedge trimmer

360°



ProCut blade &amp; chain



Soft-grip handle

Shoulder strap

Part of the battery platform

**20V IXES**  
 ONE BATTERY FOR ALL DEVICES

 Scheppach C-PHTS410-X  
**Entry Level 1,5**  
**Heimwerker Praxis** 6/24  
 Value for money: good – very good

INCLUDED



Battery and charger available separately

## SPECIFICATIONS

Dimensions L x W x H	1220 x 224 x 218 mm
Battery voltage	20 V
Motor type	Brush motor
Pole-mounted pruner	
Cutting length	180 mm
Cutting speed	max. 4.5 m/s
Pole-mounted pruner length	2.35 m
Hedge trimmer	
Cutting length	410 mm
Branch diameter	max. 16 mm
Blade length	203 mm
Cutting speed	1200 rpm
Hedge trimmer length	2.6 m

## LOGISTICAL DATA


Weight net / gross	4.85 / 5.9 kg
Packaging dimensions	1235 x 142 x 145 mm
Article number	5912404900
Barcode	4046664217602
20 Container	982 pcs
40 Container	2105 pcs
40 HQ Container	2524 pcs

2.0 Ah	4.0 Ah
	
Pole-mounted pruner cutting capacity: Round timber Ø 45 mm	
<b>150 cuts</b>	<b>300 cuts</b>
Hedge trimmer idle run time:	
<b>60 min</b>	<b>120 min</b>
Specification for each battery charge Run time and performance may vary depending on external conditions	




## PRODUCT DETAILS

Pole-mounted pruner with  
180 mm cutting length




Hedge trimmer with  
410 mm cutting length



Cutting speed  
Pole-mounted pruner max.  
4.5 m/s



Cutting speed  
Hedge trimmer 1200 rpm



20 V



Steplessly lockable



**Soft-grip handle**  
with safety switch



**11 positions**  
can be selected



**4 positions**  
can be selected

## UNIVERSAL USE





## CORDLESS MULTIFUNCTION DEVICE

- Adaptable cordless multi-function device combines **4 functions in one tool**: grass trimmer, brush cutter, hedge trimmer, pole-mounted pruner
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless multi-function device
- **Powerful 2x 20 V (40 V)**
- **Grass trimmer**: 1.6 mm dual nylon line, touch control, 380 mm working width
- **Brush cutter**: 3-toothed blade made of special steel, 255 mm working width
- **Hedge trimmer**: 390 mm cutting length, angle adjustment in 11 steps, 24 mm maximum branch diameter, durable quality blade made of laser-cut steel
- **Pole-mounted pruner**: 254 cutting length, max. 18 m/s cutting speed, 3 cutting speed levels: 1st gear – 12 m/s, 2nd gear – 15 m/s, 3rd gear – 18 m/s
- **Automatic chain lubrication**, ProCut blade & chain
- **Tool-free replacement** of individual attachments
- Easy **speed adjustment** using the **operating panel** to suit the work
- **Shoulder strap** with quick-release function to allow extended and fatigue-free work
- Battery and charger available separately
- Includes carrying strap, blade guard, assembly tools

Part of the battery platform

**20V IXES**  
 ONE BATTERY FOR ALL DEVICES


Product features

## BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

**4in1**

- ✓ Grass trimmer
- ✓ Hedge trimmer
- ✓ Brush cutter
- ✓ Pole-mounted pruner

**INCLUDED**

 Battery and charger  
 available separately

## SPECIFICATIONS

Battery voltage	2x 20 V (40 V)
Motor type	Brushless motor
Grass trimmer	
Nylon line	1.6 mm
Working width	380 mm
Dimensions L x W x H	1940 x 480 x 230 mm
Brush cutter	
Working width	255 mm
Dimensions L x W x H	1940 x 480 x 230 mm
Hedge trimmer	
Cutting length	390 mm
Branch diameter	max. 24 mm
Dimensions L x W x H	2380 x 330 x 200 mm
Pole-mounted pruner	
Cutting length	254 mm
Cutting speed	max. 18 m/s
Dimensions L x W x H	2170 x 130 x 200 mm

## LOGISTICAL DATA

Weight net / gross	9.2 / 11 kg
Packaging dimensions	1120 x 260 x 260 mm
Article number	5904820900
Barcode	4046664216865
20 Container	630 pcs
40 Container	1260 pcs
40 HQ Container	1500 pcs



2,0 Ah	4,0 Ah
	
Pole-mounted pruner cutting capacity: Round timber Ø 50 mm	
<b>225 cuts</b>	<b>450 cuts</b>
Hedge trimmer idle run time:	
<b>50 min</b>	<b>100 min</b>
Grass trimmer idle run time:	
<b>30 min</b>	<b>60 min</b>
Brush cutter idle run time:	
<b>45 min</b>	<b>90 min</b>

Specification for each battery charge  
Run time and performance may vary depending on external conditions

Cutter head can be adjusted by 165°.




## PRODUCT DETAILS

2x 20 V (40 V)



Pole-mounted pruner with  
254 mm cutting length



Hedge trimmer with  
390 mm cutting length



Grass trimmer with  
380 mm working width



Brush cutter with max.  
255 mm working width



Brushless motor



**Operating panel**  
for speed adjustment in  
3 steps



**Tool-free  
replacement**  
of individual  
attachments



**Shoulder strap**  
allows fatigue-free work

## UNIVERSAL USE



GRASS TRIMMER



HEDGE TRIMMER



BRUSH CUTTER



POLE-MOUNTED PRUNER



## BATTERY-POWERED HEDGE TRIMMER

- Powerful cordless hedge trimmer for easy, reliable cutting of hedges and shrubs
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the Cordless hedge trimmer
- High-performance 560 mm blade with 2400 cuts per minute and a cutting length of 510 mm
- Suitable for a maximum branch diameter of 16 mm
- Laser-cut dual action blade with aluminium guide bar and metal impact protector as well as integrated wall mount for space-saving storage
- 2-hand safety switch with quick-stop guarantees maximum safety during operation
- Ergonomic soft-grip handles
- Battery and charger available separately
- Includes blade guard

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

Laser-cut dual action blade

Hand guard

Circumferential handle

Ergonomic soft-grip handles

Battery and charger available separately



## SPECIFICATIONS

Dimensions L x W x H	930 x 200 x 160 mm
Bar length	560 mm
Cutting length	510 mm
Cutting capacity	16 mm
Cutting speed	2400 rpm
Battery voltage	20 V
Motor type	Brush motor

## LOGISTICAL DATA

Weight net / gross	2.1 / 2.45 kg
Packaging dimensions	1170 x 275 x 245 mm
Article number	5910607900
Barcode	4046664217503
20 Container	1216 pcs
40 Container	2432 pcs
40 HQ Container	2952 pcs



Idle run time:

2.0 Ah

4.0 Ah



80 min

160 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

Laser-cut dual action blade for perfect cutting results.



2-hand safety switch with quick-stop guarantees maximum safety during operation.



## PRODUCT DETAILS

Cutting length 510 mm



Cutting capacity 16 mm



Wall mount



Hand guard for maximum safety



Cutting speed 2400 rpm



20 V



Hand guard for maximum safety.



An impact protector prevents kickback when coming in contact with walls, fences etc.



510 mm

Blade guard for safe storage



High-performance 560 mm blade with 2400 cuts per minute and a cutting length of 510 mm





BATTERY-POWERED HEDGE TRIMMER

- **Powerful cordless hedge trimmer** for easy, reliable cutting of hedges and shrubs
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the Akku-Heckenschere
- **High-performance 720 mm blade** with 2700 cuts per minute and a cutting length of 650 mm
- Suitable for a maximum **branch diameter of 30 mm**
- **Powerful 2x 20 V (40 V)**
- **Handle can be rotated** within the range of -90° / 0° / +90°
- **Laser-cut dual action blade with aluminium guide bar** and metal impact protector as well as integrated wall mount for space-saving storage
- **2-hand safety switch with quick-stop** guarantees maximum safety during operation
- Practical **collector for cut material** allows convenient removal of branch waste
- **Ergonomic soft-grip handles**
- Easy storage, thanks to wall mount
- Battery and charger available separately
- Includes protective blade sleeve and collector for cut material



Product features  
**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES



**Battery and charger available separately**

SPECIFICATIONS

Dimensions L x W x H	1220 x 224 x 218 mm
Bar length	720 mm
Cutting length	650 mm
Cutting capacity max.	30 mm
Cutting speed	2700 rpm
Battery voltage	2x 20 V (40 V)
Motor type	Brushless motor

LOGISTICAL DATA

Weight net / gross	4.0 / 5.4 kg
Packaging dimensions	1245 x 235 x 230/190 mm
Article number	5910606900
Barcode	4046664217220
20 Container	592 pcs
40 Container	1330 pcs
40 HQ Container	1500 pcs



Idle run time:

2.0 Ah

4.0 Ah



105 min

210 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

Ergonomic soft-grip handle.



Handle can be rotated within the range of  $-90^{\circ}$  /  $0^{\circ}$  /  $+90^{\circ}$ .



Collector for cut material allows convenient removal of branch waste.



## PRODUCT DETAILS

Cutting length 650 mm



Cutting capacity 30 mm



Handle can be rotated from  $-90^{\circ}$  /  $0^{\circ}$  /  $+90^{\circ}$



Hand guard for maximum safety



Cutting speed  
2700 rpm



2x 20 V (40 V)



**2-hand safety switch with quick-stop**

guarantees maximum safety during operation



**Wall mount**  
for space-saving storage





**CORDLESS TELESCOPIC HEDGE TRIMMER**

- **Powerful telescopic hedge trimmer** with a cutting length of 410 mm for cutting high hedges
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless multi-function device
- Hedge trimmer attachment can be locked at **11 different angles (90° – 240°)**, allowing the perfect adjustment to the relevant application
- **Steplessly lockable aluminium telescopic shaft** with an overall reach of 2.6 m allows easy and quick adjustment for areas that are hard to access
- **Shoulder strap** ensures additional support and fatigue-free work
- **Non-slip soft-grip handle with safety switch**
- **Metal gears** ensure a long service life
- Durable blades made of laser-cut and diamond-ground steel
- Battery and charger available separately

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**Durable blades**

**Aluminium telescopic shaft**

**INCLUDED**

Battery and charger available separately

**360°**

SPECIFICATIONS

Dimensions L x W x H	1970 x 80 x 135 mm
Battery voltage	20 V
Motor type	Brush motor
Cutting length	410 mm
Branch diameter	max. 16 mm
Cutting speed	1200 rpm
Hedge trimmer length	2.6 m

LOGISTICAL DATA

Weight net / gross	2.95 / 3.7 kg
Packaging dimensions	1250 x 142 x 145 mm
Article number	5910608900
Barcode	4046664239147
20 Container	612 pcs
40 Container	1340 pcs
40 HQ Container	1552 pcs



Idle run time:

2.0 Ah

4.0 Ah



60 min

120 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

Motor head can be locked at 11 different angles (90° to 240°).



## PRODUCT DETAILS

Cutting speed  
1200 rpm



410 mm cutting length



20 V



Steplessly lockable



**Soft-grip handle**  
with safety switch



**Durable blades**  
made of laser-cut and  
diamond-ground steel



**11 positions**  
can be selected



**Shoulder strap**  
allows fatigue-free work





Part of the battery platform

**20V** **IXES**  
 ONE BATTERY FOR ALL DEVICES

## AXIAL CORDLESS LEAF BLOWER

- Powerful cordless leaf blower for blowing leaves, cut grass or other garden detritus
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless leaf vac/blower
- High air speed of 155 km/h and an air flow rate of 516 m³/h
- Two air speed levels 115 km/h (1st gear) and 155 km/h (2nd gear) ensure clean results
- Axial fan ensures a higher air flow rate
- Blowing pipe can be separated and easily removed to ensure space-saving storage – pipe attachment with tool-free quick-release fastener
- Soft-grip balance handle ensures ergonomic work
- Low weight and easy handling
- Battery and charger available separately

2 air speeds

Compact design

Pipe mounting with quick-release

Axial fan



### ADVANTAGES OF AN AXIAL FAN

- ✓ Higher air flow rate
- ✓ Simple and durable design
- ✓ Compact design

360°


**Battery and charger available separately**

### SPECIFICATIONS

Dimensions L x W x H	1260 x 550 x 370 mm
Engine type	Brush motor
Air power	1st gear: 390 m³/h 2nd gear: 516 m³/h
Air speed	1st gear: 115 km/h 2nd gear: 155 km/h
Battery voltage	20 V

### LOGISTICAL DATA

Weight net / gross	1.8 / 2.4 kg
Packaging dimensions	485 x 285 x 160 mm
Article number	5912104900
Barcode	4046664216827
20 Container	1072 pcs
40 Container	2260 pcs
40 HQ Container	2640 pcs

Idle run time:

2.0 Ah

4.0 Ah



15 min

30 min

Specification for each battery charge

Run time and performance may vary depending on external conditions


## EXAMPLES OF USE



Leaves



Sand



Rubbish

**Soft-grip  
balance handle**

**Pipe mounting with  
quick-release**

fastener ensures easy attachment  
and space-saving storage

**The compact design**

ensures a high level of user  
comfort and easy handling

**Axial fan**

ensures a higher  
air flow rate

## PRODUCT DETAILS

Air speed max.



1. 115 km/h  
2. 155 km/h

Air power max.



1. 390 m³/h  
2. 516 m³/h

20 V




Ultra lightweight



Axial fan



Quick-release fastener



Axial fan ensures a higher air flow rate.



Two air speed levels 115 km/h (1st gear) and 155 km/h (2nd gear) ensure clean results.





### Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

### Additional adjustable handle

### Ergonomic handle

### Large 45 litre collecting bag with window

INCLUDED



Battery and charger available separately

### Large guide wheels

### BATTERY LEAF VACUUM/BLOWER

- **Powerful cordless leaf blower** with 4-in-1 function: vacuuming, blowing and shredding function, plus integrated collecting bag
- **Maintenance-free, particularly efficient brushless motor** with longer run time and service life as well as low wear
- **Cordless work with the Scheppach IXES 20 Volt series** – all batteries and chargers belonging to this system series can be combined with the cordless leaf vac/blower
- **Powerful 2x 20 V (40 V)**
- **Tool-free speed adjustment** from 9,000 to 14,000 rpm using a setting wheel – for the perfect adjustment to requirements
- **High air speed of 210 km/h and an air flow rate of 720 m³/h**
- **Large 45 litre collecting bag with window** to check on capacity
- **10:1 mulch ratio** reduces garden waste to easy-to-handle mulch
- **No tools required when switching from blowing to vacuuming / shredding mode**
- The additional **adjustable handle** and a **carrying strap** allow an ergonomic working posture
- Large guide wheels ensure easy handling
- **Ergonomic handle** with non-slip soft-grip surface
- Battery and charger available separately

4in1

- ✓ Vacuum function
- ✓ Blower function
- ✓ Mulching function
- ✓ Integrated collecting bag

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

### SPECIFICATIONS

Dimensions L x W x H	1430 x 330 x 440 mm
Engine type	Brushless motor
Air flow rate	720 m³/h
Air speed max.	210 km/h
Battery voltage	2x 20 V (40 V)
Mulch ratio	10:1

### LOGISTICAL DATA

Weight net / gross	3.8 / 4.8 kg
Packaging dimensions	370 x 305 x 445 mm
Article number	5912105900
Barcode	4046664216919
20 Container	590 pcs
40 Container	1190 pcs
40 HQ Container	1396 pcs

Idle run time:

2.0 Ah



40 min

4.0 Ah



80 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

## EXAMPLES OF USE



Leaves



Sand



Rubbish


## PRODUCT DETAILS

Air speed max.



210 km/h

Air power max.



720 m³/h

45L Collection bag size



Mulch ratio 10:1



Brushless motor



2x 20 V (40 V)



360°



The additional adjustable handle and a carrying strap allow an ergonomic working posture

### No tools required

when switching from blowing to vacuuming / shredding mode



Window to check capacity





**CORDLESS HAND-HELD SPREADER**

- Compact cordless hand-held spreader for fertilising, sowing or targeted spreading of salt
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless hand-held spreader
- Even distribution of spreading material on all types of surfaces, e.g. grass, snow or soil
- Covers up to 800 m<sup>2</sup>
- Spreading quantity adjustment in 8 steps
- Individually adjustable spreading width up to a maximum of 5 m
- Large spreading container capacity: 3.5 litres
- Easy spreading angle adjustment using lever
- Electronic speed adjustment in 6 steps
- Ergonomic handle with non-slip soft-grip surface
- Battery and charger available separately

Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES

**SPECIFICATIONS**

Dimensions L x W x H	290 x 220 x 280 mm
Spreading width	max. 5 m
Capacity	3.5 L
Speed	1000 – 2200 rpm
Area output	800 m <sup>2</sup>
Battery voltage	20 V
Engine type	Brush motor

**LOGISTICAL DATA**

Weight net / gross	1.1 / 1.7 kg
Packaging dimensions	295 x 235 x 310 mm
Article number	5911502900
Barcode	4046664216940
20 Container	1330 pcs
40 Container	2800 pcs
40 HQ Container	3360 pcs

Idle run time:

2.0 Ah

4.0 Ah



7.5 h

15 h

Specification for each battery charge

Run time and performance may vary depending on external conditions



Sand



Seeds



Salt

Spreading quantity adjustment in 8 steps.



Large spreading container capacity: 3.5 litres.



Ergonomic handle with non-slip soft-grip surface.




## PRODUCT DETAILS

Spreading width



Area output



800 m<sup>2</sup>

Capacity 3.5 litres



Soft-grip



SOFT GRIP

Speed  
1000 – 2200 rpm



20 V



Electronic speed adjustment in 6 steps.



Easy spreading angle adjustment using lever.



CORDLESS EARTH AUGER

- Powerful earth auger, 125 rpm, for drilling of fence post, foundation or plant holes
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless earth auger
- Rapid, tool-free auger replacement!
- 100 mm auger diameter, 800 mm length
- 3 operating modes – Eco, Power Mode, Anti-clockwise Operation
- Dual handle with soft-grip allows ergonomic work and many uses
- Battery and charger available separately

Part of the battery platform

20V

IXES

ONE BATTERY FOR ALL DEVICES



Product features

**BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

SPECIFICATIONS	
Dimensions L x W x H	1100 x 200 x 400 mm
Drilling speed	125 rpm
Auger diameter	100 mm
Auger length	800 mm
Engine type	Brushless motor
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	3.4 / 5.8 kg
Packaging dimensions	890 x 397 x 202 / 115 mm
Article number	5904705900
Barcode	4046664235309
20 Container	750 pcs
40 Container	1500 pcs
40 HQ Container	1800 pcs

Idle run time:

2.0 Ah



15 min

4.0 Ah



30 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

TREES



FOUNDATIONS



SEEDLINGS



FENCE POSTS



## PRODUCT DETAILS

100 mm  
Auger diameter



800 mm  
Auger length



20 V



Speed 125 rpm



3 operating modes



Brushless motor



**Metal frame**

Provides maximum stability



**Drill Depth**  
Max. 800 mm



**Dual handle with soft-grip**  
allows ergonomic working



Rapid, tool-free auger replacement



3 operating modes – Eco, Boost,  
Anti-clockwise Operation



CORDLESS SWEEPER

- Extensive cleaning, thanks to 610 mm working width and 2000 m²/h area covered
- Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless sweeper
- Brush speed can be adjusted in 3 steps (160/190/220 rpm)
- Thanks to brushes on the sides, any edges can be reliably reached
- Foldable and height-adjustable bow handle
- On/off switch on the handle allows convenient use
- 2 large disc brushes with a diameter of 325 mm and a speed of 220 rpm enable rapid progress
- Smooth soft-profile tyres and two 360° castors allow easy handling on all surfaces
- Collector made of impact-resistant plastic with a capacity of 20 litres
- Ergonomic soft-grip handle
- Includes brushes and dirt collector
- Battery and charger available separately

Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES



Battery and charger available separately

PRODUKTDATEN

Dimensions L x B x H	990 x 610 x 1060 mm
Motor type	Brush motor
Battery voltage	20 V
Sweeping width	610 mm
Waste container	20 L
Brushes	Ø 325 mm
Brush speed	220 rpm
Cleaning capacity (4,0 Ah)	2000 m²

LOGISTICAL DATA

Weight net / gross	10.2 / 12.2 kg
Packaging dimensions	690 x 520 x 310 mm
Article number	5908705900
Barcode	4046664235118
20 Container	345 pcs
40 Container	720 pcs
40 HQ Container	840 pcs

Idle run time:

2.0 Ah



4.0 Ah



highest speed

35 min

70 min

lowest speed

75 min

150 min

Specification for each battery charge

Run time and performance may vary depending on external conditions




Rapid progress, thanks to 2 large disc brushes and 360° castors

## SUITABLE FOR



Effective cleaning performance with each battery charge, thanks to efficient battery management system



## Brushes positioned on the sides

allow sweeping close to the edge



## PRODUCT DETAILS

Sweeping width




Cleaning area (4,0 Ah)



Waste container size



2 disc brushes  
Ø 325 mm



3 brush speeds



Soft-profile wheels



Brush speed can be adjusted in 3 steps

160/190/220 rpm



## Space-saving storage

thanks to foldable, height-adjustable handle



## 20 L on-board waste container

with fill level window





BATTERY

- Powerful 20 V / 2.0 Ah (SBP2.0) or 20 V / 4.0 Ah (SBP4.0) Lithium-ion battery
- Universal use – one battery for the entire Scheppach IXES 20 Volt series
- The remaining battery capacity can be read conveniently on the 3-level LED display
- Individual cell management protects from overheating as well as excess voltage and ensures uniform charging and discharging of the cells
- Extended battery life and run time, thanks to the minimised risk of excessive charging and deep discharge
- Work protecting resources by using just one battery system
- Charging time approx. 35 to 60 mins (SBP2.0) / 60 to 120 mins (SBP4.0) (depending on charger)
- Low weight ensures comfortable operation
- High impact resistance and pleasant haptics, thanks to rubberised housing
- Housing protected from dust and corrosion

Part of the battery platform

20V

IXES

ONE BATTERY FOR ALL DEVICES

PRODUCT DETAILS

Charging time  
approx. 35 – 60 mins (SBP2.0)  
approx. 60 – 120 mins (SBP4.0)

Long service life



LED indicator light



20 V



SBP2.0

Rubberised housing

Housing protected from dust and corrosion



SBP4.0

LED indicator light

High impact resistance

Charger available separately

SPECIFICATIONS

	SBP2.0	SBP4.0
Dimensions L x W x H	125 x 80 x 50 mm	125 x 80 x 70 mm
Battery capacity	2.0 Ah	4.0 Ah
Battery tension	20 V	20 V

LOGISTICAL DATA

	SBP2.0	SBP4.0
Weight net / gross	0.4 / 0.5 kg	0.7 / 0.8 kg
Packaging dimensions	138 x 85 x 62 mm	140 x 85 x 82 mm
Article number	7909201708	7909201709
Barcode	4014915236481	4014915236504
20 Container	20,700 pcs	16,260 pcs

## CHARGER / TWINCHARGER

- Compact 2.4 A charger for Li-ion batteries (SBC2.4A) / 2.4 A dual charger for charging two Li-ion batteries at the same time – even with different capacities (SDBC2.4A)
- Suitable for all batteries belonging to the Scheppach IXES 20 Volt series
- Charges batteries quickly – 2.0 Ah battery: about 60 mins charging time / 4.0 Ah battery about 120 mins charging time
- LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket

### Charging time (SBC2.4A):

2.0 Ah



60 min

4.0 Ah



120 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

## PRODUCT DETAILS

Charging time  
approx. 60 mins (2.0 Ah)  
approx. 120 mins (4.0 Ah)



Long service life



LED indicator light



20 V



Part of the battery platform

**20V IXES**

ONE BATTERY FOR ALL DEVICES



SBC2.4A



LED  
indicator light

Battery available separately

### SPECIFICATIONS CHARGER

	SBC2.4A	
Dimensions L x W x H	125 x 83 x 73 mm	
	Input	Output
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V
Rated current		2.4 A
Rated input	65 W	

### SPECIFICATIONS CHARGER

	SDBC2.4A	
Dimensions L x W x H	205 x 125 x 75 mm	
	Input	Output
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V
Rated current		2.4 A
Rated input	130 W	

### LOGISTICAL DATA

	SBC2.4A	SDBC2.4A
Weight net / gross	0.35 / 0.4 kg	0.7 / 0.9 kg
Packaging dimensions	165 x 115 x 92 mm	165 x 225 x 90 mm
Article number	7909201710	7909201712
Barcode	4014915236511	4014915236528
20 Container	11,328 pcs	5664 pcs
40 Container	24,180 pcs	12,060 pcs
40 HQ Container	27,636 pcs	13,800 pcs



## CHARGER / TWINCHARGER

- Compact 4.5 A charger for Li-ion batteries (SBC4.5A) / dual charger for charging two Li-ion batteries at the same time – even with different capacities (SDBC4.5A)
- Suitable for all batteries belonging to the Scheppach IXES 20 Volt series
- Charges batteries quickly – 2.0 Ah battery: about 35 mins charging time / 4.0 Ah battery about 60 mins charging time
- Practical quick-charge function ensures up to 40% quicker charging
- LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket



SBC4.5A



SDBC4.5A

Battery available separately

## SPECIFICATIONS CHARGER

	SBC4.5A	
Dimensions L x W x H	145 x 100 x 85 mm	
	<b>Input</b>	<b>Output</b>
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V
Rated current		4.5 A
Rated input	120 W	

## SPECIFICATIONS CHARGER

	SDBC4.5A	
Dimensions L x W x H	240 x 145 x 85 mm	
	<b>Eingang</b>	<b>Ausgang</b>
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V
Rated current		4.5 A
Rated input	240 W	

## PRODUCT DETAILS

Charging time  
approx. 35 mins (2.0 Ah)  
approx. 60 mins (4.0 Ah)

Long service life



LED indicator light



20 V



## Charging time (SBC4.5A):

2,0 Ah

4,0 Ah



35 min

60 min

Specification for each battery charge

Run time and performance may vary depending on external conditions

LED indicator light



Practical  
**QUICK-CHARGE  
FUNCTION**

ensures up to 40%  
quicker charging

## LOGISTICAL DATA

	SBC4.5A	SDBC4.5A
Weight net / gross	0.4 / 0.6 kg	1.0 / 1.2 kg
Packaging dimensions	187 x 125 x 97 mm	260 x 190 x 92 mm
Article number	7909201711	7909201713
Barcode	4014915236542	4014915236535
20 Container	9000 pcs	4320 pcs
40 Container	18,120 pcs	9360 pcs
40 HQ Container	20,700 pcs	10,740 pcs

### STARTER-KIT 2.0 / STARTER-KIT 4.0

- Practical starter kit consisting of one 20 V / 2.0 Ah battery and one 2.4 A charger (SBSK2.0) or one 20 V / 4.0 Ah battery and one 2.4 A charger (SBSK4.0)
- Suitable for all devices belonging to the Scheppach IXES 20 Volt series
- Cordless work for maximum flexibility
- Work protecting resources by using just one battery system
- Individual cell management protects from overheating as well as excess voltage and ensures uniform charging and discharging of the cells
- Extended battery life and run time, thanks to the minimised risk of excessive charging and deep discharge
- The remaining battery capacity can be read conveniently on the 3-level LED display
- High impact resistance and pleasant haptics, thanks to rubberised housing
- Housing protected from dust and corrosion
- Compact 2.4 A charger for 20 V Li-ion batteries
- Charges batteries quickly – 2.0 Ah battery: about 60 mins charging time / 4.0 Ah battery about 120 mins charging time
- LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket

### PRODUCT DETAILS

Charging time  
approx. 60 mins (2.0 Ah)  
approx. 120 mins (4.0 Ah)

Long service life



LED indicator light



20 V



Part of the battery platform  
**20V IXES**  
ONE BATTERY FOR ALL DEVICES



Rubberised housing

**SBSK2.0**



LED indicator light

**SBSK4.0**



High impact resistance



Housing protected from dust and corrosion

#### SPECIFICATIONS BATTERY

	SBSK2.0	SBSK4.0
Dimensions L x W x H	125 x 80 x 50 mm	125 x 80 x 70 mm
Battery capacity	2.0 Ah	4.0 Ah
Battery tension	20 V	20 V

#### SPECIFICATIONS CHARGER

	SBSK2.0 / SBSK4.0	
Dimensions L x W x H	125 x 83 x 73 mm	
	Input	Output
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V
Rated current		2.4 A
Rated input	65 W	

#### LOGISTICAL DATA

	SBSK2.0	SBSK4.0
Weight net / gross	0.77 / 0.85 kg	1.0 / 1.1 kg
Packaging dimensions	177 x 150 x 90 mm	177 x 150 x 90 mm
Article number	7909201720	7909201721
Barcode	4014915236726	4014915236733
20 Container	7800 pcs	7800 pcs
40 Container	15,660 pcs	15,660 pcs
40 HQ Container	17,928 pcs	17,928 pcs



More than 70 tools and a  
host of new developments

ensure that there are no limits  
when it comes to your projects!



**scheppach**  
Germany

Scheppach GmbH  
Günzburger Str. 69 | D-89335 Ichenhausen | Fon 00 49/82 23/40 02-99  
[www.scheppach.com](http://www.scheppach.com)

Edition 03/2024 | Subject to technical change without notice. Errors and omissions excepted