

Scheppach Germany

IXES 20 Volt

Workshop Tools

Garden Tools

stepped 20 Votes



2024 Achieved for: High Quality Design Ease of Use Functionality www.plusxaward.com

Your battery for everything

10-year

warranty

We want to make sure that you can implement all the projects in your workshop and garden without any concern.

That is why we don't just ensure ideal value for money with our products but also reliable quality and maximum safety.

So you don't have to worry in the future, we're giving you our Scheppach Guarantee Promise - 10 years' guarantee with all tools.

* Find the warranty conditions here. Register your purchase and benefit from our warranty promise.



YEARS

For all your

projects

Discover our battery range now!

Discover the future

of cordless work with Scheppach!

Whether screwing, drilling, sawing, mowing or hedge trimming - only a single battery is needed to supply all your devices with power. In this way, the Scheppach IXES 20 Volt series (Intelligent Exchange Series) doesn't just allow easy switching between different tools but also flexible working, completely without cables getting tangled up.



Advantages of our 20 V system





Suitable for all kinds of work around the house, garden, yard and in the workshop.



1 battery for more than 50 tools - saving resources and promoting sustainability.



Flexible working without cables getting tangled up No extension leads, no emissions - just insert the battery and get started.





Top quality and maximum safety so you can always implement all your projects reliably.

TTT .

One battery for all devices ensures maximum freedom of movement



LONG-LASTING BATTERIES FOR ALL REQUIREMENTS

Our powerful next-generation Lithium-ion batteries ensure reliability and a long service life. Innovative individual cell management also guarantees efficient use and maximum battery run time. Whether small tasks around the house and workshop or major, complex work - thanks to the compact design and low weight, practically all projects can be implemented.



BATTERY MANAGEMENT SYSTEM -SMART CONTROL ELECTRONICS

Our Battery Management System (BMS) continuously monitors and regulates all safety-related processes as well as device performance. Additionally, individual cell management ensures equal charging and discharging of the battery cells, thus reliably protecting from overheating as well as excess voltage.



EXTENDED SERVICE LIFE
 MAXIMUM DEVICE POWER
 MAXIMUM SAFETY
 LONGER BATTERY RUN TIMES

Double the power

for demanding work



TWICE THE BATTERY POWER -FOR PARTICULAR CHALLENGES

Particularly high-performance devices, such as some lawn mowers, chain saws or hedge trimmers, need more power than one battery can provide. If this is the case, just add another battery, thus generating $20 \lor + 20 \lor = 40 \lor$. Not only does this increase voltage (\lor) but also power (\And) - so you can tackle all your challenges!

20 V + 20 V = 40 V



Battery technology that thinks for you



SMART TECHNOLOGY -MAXIMUM PERFORMANCE FOR YOUR PROJECTS

In addition to battery run times, the provided output is critical for tougher tasks in particular. The permanent communication between battery and device as well as smart control in our tools therefore ensure maximum performance as well as long service life and run times. Furthermore, our batteries feature state-of-the-art RFID and other technologies.





Thanks to **Cell Balancing**, all the battery's safety-related parameters are checked at all times and the equal use of each cell is controlled - this guarantees efficient use and maximum battery run times.






Brushless drive technology

ensures maximum efficiency



MAINTENANCE-FREE BRUSHLESS MOTORS ENSURE MORE POWER

Many of our Scheppach 20 Volt tools are equipped with innovative brushless motor technology. The brushless motors are maintenance-free and ensure a significantly higher device performance as well as longer service life and run times. Ideal also for major projects - thanks to low heat development, the brushless tools can be operated for extended periods even at high performance without overheating.



Workshop





MOBILE WORKSHOP



<u>CORDLESS DRILL</u>

26 – 29 CORDLESS IMPACT DRILL





CORDLESS ANGLE GRINDER

38 – 41 <u>cordless jigsaw</u>








50 – 51 cordless plunge saw

Garden tools from page 82







CORDLESS MULTIFUNCTIONAL TOOL



CORDLESS ORBITAL SANDER



CORDLESS HAMMER DRILL



CORDLESS COMPRESSOR





CORDLESS HAND-HELD VACUUM CLEANER



72 – 75 CORDLESS WET / DRY VACUUM CLEANER









Garden






94 - 99

94 – 99 <u>CORDLESS CHAINSAW</u> 100 – 103 CORDLESS PRUNING SAW

104 – 105 CORDLESS GRASS & HEDGE TRIMMER

106 – 107 CORDLESS PRUNING SHEARS 108 – 109 <u>cordless strimmer</u>







Workshop tools from page 14

12





128 – 129 <u>CORDLESS HAND-HELD</u> <u>SPREADER</u>

130 - 131 CORDLESS EARTH AUGER





CORDLESS SNOW BLOWER




C-DTB74/1-X

MOBILE WORKSHOP CORDLESS SCREW DRIVER WITH BATTERY, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- · All-in-one: mobile workshop with battery-operated screw driver and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- · High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels as well as 1 drilling level allow operation to suit the material and application
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS









LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container

5.2 / 5.6 kg 340 x 165 x 355 mm 5909315900 4046664216742 1078 pcs 2232 pcs 2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A



ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x cutter knife
- **1x** carpenter's pencil
- 1x pencil lead
- 1x tape measure (5 m)
- 1x centre punch
- 1x wood countersink
- 8x socket adapters 1/4"
- **5x** wood drills
- 14x metal drills
- **10x** bit inserts 50 mm long
- **10x** bit inserts 75 mm long
- **20x** bit inserts 25 mm long
- 1x bit holder 1/4"



- 1x Cordless drill
- 1x 2.4 A battery charger
- **1x** 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck capacity 1.5 – 13 mm
- Idle speed:
 1st gear: 0 400 rpm
 - 2nd gear 0 1550 rpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case



C-DTB74/2-X

MOBILE WORKSHOP CORDLESS SCREW DRIVER WITH TWO BATTERIES, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated screw driver and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- · High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels as well as 1 drilling level allow operation to suit the material and application
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 2x 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS Light & compact Mobile

74 piece tool set

1.7 kg

All in One



Part of the battery platform



LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container


5.8 / 6.1 kg 340 x 165 x 355 mm 5909316900 4046664216759 1078 pcs 2232 pcs 2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A



ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x cutter knife
- 1x carpenter's pencil
- 1x pencil lead
- 1x tape measure (5 m)
- 1x centre punch
- 1x wood countersink
- 8x socket adapters 1/4"
- 5x wood drills
- 14x metal drills
- **10x** bit inserts 50 mm long
- **10x** bit inserts 75 mm long
- **20x** bit inserts 25 mm long
- 1x bit holder 1/4"



- 1x Cordless drill
- 1x 2.4 A battery charger
- **2x** 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck capacity 1.5 – 13 mm
- Idle speed:
 1st gear: 0 400 rpm
 - 2nd gear 0 1550 rpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case




C-CDTB74/1-X


MOBILE WORKSHOP CORDLESS IMPACT DRILL WITH BATTERY, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated impact drill and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge
 or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS







LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container 5.4 / 5.8 kg 340 x 165 x 355 mm 5909317900 4046664216766 1078 pcs 2232 pcs 2232 pcs

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Impact rating	1st gear: 0 – 6000 bpm 2nd gear: 0 – 22,500 bpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A

C-CDTB74/1-X




ONE CASE CONTAINING EVERYTHING YOU NEED



- **1**x cutter knife
- 1x carpenter's pencil
- 1x pencil lead
- **1**x tape measure (5 m)
- **1**x centre punch
- **1**x wood countersink
- **8x** socket adapters 1/4"
- **5**x wood drills
- 14x metal drills
- **10x** bit inserts 50 mm long
- **10x** bit inserts 75 mm long
- 20x bit inserts 25 mm long
- **1**x bit holder 1/4"



- **1**x cordless impact drill
- 1x 2.4 A battery charger
- **1**x 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck capacity 1.5 – 13 mm
- Idle speed: 1st gear: 0 - 400 rpm 2nd gear: 0 - 1550 rpm
- Impact rating: 1st gear: 0 - 6000 bpm 2nd gear: 0 – 22,500 bpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case

74 PCS









C-CDTB74/2-X


MOBILE WORKSHOP CORDLESS IMPACT DRILL WITH TWO BATTERIES, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated impact drill and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge
 or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 2x 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS







Chuck Ø

Impact rating

Locking function

Battery voltage Power battery charger

Nominal and idle speed

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container 5.7 / 6.3 kg 340 x 165 x 355 mm 5909318900 4046664216773 1078 pcs 2232 pcs 2232 pcs

Batteries and chargers from page 136

1.5 – 13 mm

automatic

1st gear: 0 – 400 rpm

2nd gear: 0 - 1550 rpm

1st gear: 0 - 6000 bpm

20 V / 2.0 Ah Lithium

2nd gear: 0 - 22,500 bpm

230 - 240 V~ / 50 Hz / 2.4 A

C-CDTB74/2-X



level allow operation to suit the material and application.





C-DD45-X

CORDLESS DRILL

- Powerful cordless drill with 2-in-1 function for screwing and drilling
 ideal for the home, garden, construction site or mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless drill
- High output, thanks to a max. 45 Nm torque
- 25 torque levels and 1 drilling level allow operation to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- With clockwise and anti-clockwise function
- Quick switching between functions without the need for tools
- The high-quality and robust quick-release metal chuck has a capacity of
 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip ideal when working on a ladder
- Battery and charger available separately





Interpretended Print Print

Ergonomic, compact design with soft-grip handle ensures high operating comfort

LED

2-gear drive

10L--L--P---

High-quality and robust quick-release metal chuck

Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container 1.3 / 1.7 kg 265 x 265 x 85 mm 5909238900 4046664216582 3870 pcs 8125 pcs 9575 pcs

SPECIFICATIONS Dimensions L x W x H

Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brush motor
Max. torque	45 Nm
Torque levels	25 + 1
Nominal and idle speed	1st: 0 – 420 min ⁻¹ 2nd: 0 – 1500 min ⁻¹
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V



BC-DD60-X

CORDLESS DRILL

- Powerful cordless drill ideal for the home, garden, construction site or mobile use
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless drill
- High output, thanks to a max. 60 Nm torque
- 25 torque levels und 1 drilling level allow operation to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- With clockwise and anti-clockwise function
- Quick switching between functions without the need for tools
- The high-quality and robust quick-release metal chuck has a capacity of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip ideal when working on a ladder
- Battery and charger available separately





✓ Screw function✓ Drill function

Ergonomic, compact design with soft-grip handle ensures high operating comfort

> _ 2-gear drive

LED

High-quality and robust quick-release metal chuck



Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to
- ideal power transfer

 Longer battery life, thanks to lower power consumption

Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container 1.2 / 1.5 kg 245 x 255 x 85 mm 5909239900 4046664216728 4225 pcs 8925 pcs 10,500 pcs

SPECIFICATIONS

Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Max. torque	60 Nm
Torque levels	25 + 1
Nominal and idle speed	1st: 0 – 450 rpm 2nd: 0 – 1600 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V



ensures perfect lighting even in poor lighting conditions

C-CD45-X

CORDLESS IMPACT DRILL

- · Powerful cordless impact drill with 3-in-1 function: drilling, impact drilling, screwing
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless drill
- · High output, thanks to a max. 45 Nm torque
- 19 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- Quick switching between the functions without the need for tools
- · High-quality and robust quick-release metal chuck has a capacity of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- · Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- · Practical belt clip ideal when working on a ladder
- · Battery and charger available separately

3





2-gear drive

√ Screw function ✓ Drill function 🗸 Impact drill

function

BIN

High-quality and robust quick-release metal chuck

> Ergonomic, compact design with soft-grip handle ensures high operating comfort

> > LED ·

[idaped] 20 Vinco

Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container

1.4 / 1.8 kg 385 x 260 x 90 mm 5909236900 4046664216711 3650 pcs 7750 pcs 9100 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 220 x 100 mm
Motor type	Brush motor
Max. torque	45 Nm
Torque levels	19 + 1 + 1
Nominal and idle speed	1st: 0 – 420 rpm 2nd: 0 – 1500 rpm
Nominal speed	0 – 6300 / 0 – 22,500 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V



IMPACT DRILLING

27

BC-CD60-X

CORDLESS IMPACT DRILL

- Powerful cordless impact drill with 3-in-1 function: drilling, impact drilling, screwing
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wea
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless impact drill
- High output, thanks to a max. 60 Nm torque
- 19 torque levels, 1 drilling level and 1 impact drilling level allow operation
 to suit the material and application
- Steplessly adjustable speed using the On/Off switch
- With clockwise and anti-clockwise function
- Quick switching between functions without the need for tools
- The high-quality and robust quick-release metal chuck has a capacity
 of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip ideal when working on a ladder
- Battery and charger available separately





3IN1



Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

2-gear drive

High-quality and robust quick-release metal chuck

Ergonomic, compact design with soft-grip handle ensures high operating comfort

LED

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Motor type Max. torque Torque levels Nominal and idle speed Nominal speed Chuck Locking function Battery voltage

200 x 200 x 80 mm Brushless motor 60 Nm 19 + 1 + 1 1st: 0 - 450 rpm 2nd: 0 - 1600 rpm 0 - 6750 / 0 - 24,000 rpm 1.5 - 13 mm automatic 20 V

LOGISTICAL DATA

Weight net / gross	1.3 / 1.6 kg
Packaging dimensions	250 x 260 x 85 mm
Article number	5909237900
Barcode	4046664218043
20 Container	4000 pcs
40 Container	8450 pcs
40 HQ Container	9925 ncs



C-ID180-X

1/4 INCH CORDLESS IMPACT **SCREWDRIVER**

- · Powerful cordless impact screwdriver a practical all-rounder for the home, garden, construction site or mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless impact screwdriver
- Easy bit replacement, thanks to 1/4 inch hex socket holder with locking sleeve
- Powerful motor, up to 180 Nm torque
- Steplessly adjustable speed from 0 2800 rpm using the On/Off switch
- High impact rate of 3,600 bpm suitable also for more demanding tasks
- · With clockwise and anti-clockwise function
- · Integrated LED light with additional 10 seconds of light after switching off the device ensures perfect illumination of the working environment
- · Practical belt clip ideal when working on a ladder
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Battery and charger available separately

Part of the battery platform

ONE BATTERY FOR ALL DEVICES



- Significantly higher torque compared with cordless screwdrivers without impact function
- Ideal for more demanding tasks, such as inserting screws into metal
- Axial impact reliably loosens even stubborn screws or nuts
- Work is particularly gentle on the joints

LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

1/4" hex socket holder



Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container

1.3 / 1.7 kg 240 x 240 x 90 mm 5909245900 4046664217848 4225 pcs 8925 pcs 10,500 pcs

SPECIFICATIONS E

Dimensions L x W x H	230 x 185 x 80 mm
Motor type	Brush motor
Max. torque	180 Nm
Nominal and idle speed	0 – 2800 rpm
Impact rate	0 – 3600 bpm
Holder	1/4" hex socket holder
Battery voltage	20 V

C-ID180-X



a max. 180 Nm torque.

such as inserting screws into metal.

31

BC-IW350-X

1/2 INCH CORDLESS IMPACT SCREWDRIVER

- Powerful cordless impact screwdriver a practical all-rounder for the home, garden, construction site or mobile use
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless impact screwdriver
- 1/2 inch holder with friction ring, ensuring secure positioning and easy replacement of the attachments
- Wide range of uses, thanks to two torque levels: 180 Nm and 350 Nm and a maximum breakaway torque of 370 Nm in anti-clockwise operation
- High impact rate of 0 to 3600 bpm also suitable for greater challenges
- With clockwise and anti-clockwise function
- Integrated LED work light with additional 10 seconds of light after switching off the device ensures perfect lighting of the working environment
- Steplessly adjustable speed and practical quick-stop function in anti-clockwise operation – the device turns off as soon as the screw has become loose to prevent it from falling down
- Practical belt clip ideal when working on a ladder
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Battery and charger available separately
- Includes 3x socket wrenches (17 mm, 19 mm, 21 mm)



1/2" | holder LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container 1.7 / 2 kg 235 x 210 x 90 mm 5909246900 4046664217831 4700 pcs 9900 pcs 11,625 pcs

SPECIFICATIONS

SPECIFICATIONS	
Dimensions L x W x H	205 x 150 x 60 mm
Motor type	Brushless motor
Max. torque	350 Nm / 370 Nm Anti-clockwise operation
Nominal and idle speed	0 – 1800 rpm 0 – 2800 rpm
Impact rate	0 – 3600 bpm
Holder	1/2"
Battery voltage	20 V



- Significantly higher torque compared with cordless screwdrivers without impact function
- Ideal for more demanding tasks, such as inserting screws into metal
- Axial impact reliably loosens even stubborn screws or nuts
- · Work is particularly gentle on the joints

BRUSHLESS MOTOR



NCLUDE



C-AG125-X

CORDLESS ANGLE GRINDER

- Powerful cordless angle grinder for cutting, deburring or polishing
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless angle grinder
- Slim housing design with soft-grip and aluminium front allows working in narrow areas
- Integrated soft-start and protection against overload ensure a long service life
- Protective shatter-proof cover can be adjusted without the need for tools
- Speed adjustment from 2500 to 10,000 rpm in 6 steps using a setting wheel - for operation to suit the material and application
- 3-position front handle with storage compartment for assembly key and non-slip soft-grip ensures increased comfort and safety

3-position front handle with non-slip soft-grip

- Easy tool replacement, thanks to spindle lock
- M14 tool holder and 125 mm disc diameter

Spindle lock

- Battery and charger available separately
- Includes 1x 125 mm cutting wheel, 1x two-hole assembly key, 1x 3-position front handle



Ergonomic compact design with rubberised housing ensures comfortable operation

<u><360</u>5



Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container

1.7 / 2.3 kg 410 x 175 x 115 mm 5909234900 4046664216476 2680 pcs 5600 pcs 6600 pcs

SPECIFICATIONS

Dimensions L x W x H
Motor type
Nominal speed
Grinding disc Ø
Tool holder
Locking function
Battery voltage

395 x 240 x 115 mm
Brush motor
2500 – 10,000 rpm
125 mm
M14
Spindle lock
20 V



GRINDING

CUTTING

DEBURRING

BC-AG125-X

CORDLESS ANGLE GRINDER

- · Powerful cordless angle grinder for cutting, deburring or polishing
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless angle grinder
- Slim housing design with soft-grip and aluminium front allows working in narrow areas
- Integrated soft-start and protection against overload ensure a long service life
- · Protective shatter-proof cover can be adjusted without the need for tools
- Speed adjustment from 3000 to 10,000 rpm in 6 steps using convenient buttons – for operation to suit the material and application
- 3-position front handle with storage compartment for assembly key and non-slip soft-grip ensures increased comfort and safety
- · Easy tool replacement, thanks to spindle lock
- M14 tool holder and 125 mm disc diameter
- · Battery and charger available separately
- Includes 1x 125 mm cutting wheel, 1x two-hole assembly key, 1x 3-position front handle

3-position front handle – with non-slip soft-grip



Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Spindle lock

Speed adjustment

Ergonomic compact design with rubberised housing ensures comfortable operation

<u>360</u>°

Comparison Comparison



Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container

1.6 / 2.3 kg 410 x 175 x 115 mm 5909235900 4046664216575 2880 pcs 6080 pcs 7140 pcs

SPECIFICATIONS

Dimensions L x W x H Motor type Nominal speed Grinding disc Ø Tool holder Locking function Battery voltage 395 x 240 x 115 mm Brushless motor 3000 – 10,000 rpm 125 mm M14 Spindle lock 20 V



37

C-JS220-X

CORDLESS JIGSAW

- Cordless jigsaw for precise cuts in different materials, such as timber, metal, aluminium, brass, plastic etc. (when using a suitable saw blade)
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless jigsaw
- Quick sawing progress, thanks to pendulum stroke adjustable in 3 steps and fine-cut adjustment
- + 7 adjustable cutting angles (-45°, -30°, -15°, 0°, +15°, +30°, +45°)
- Safety switch with steplessly adjustable stroke, $0-2400\ strokes$ per minute
- Foldable, removable, transparent **saw blade guard** allows safe work
- Guard prevents breakout
- Sliding shoe prevents the workpiece being scratched, allowing processing of delicate surfaces
- Quick-release chuck ensures easy saw blade replacement
- Ergonomic and compact design with soft-grip surface
- Practical LED work light ensures perfect illumination even in poor lighting conditions
- Battery and charger available separately
- Includes 1 parallel stop, 1 Allen key, 1 connection to external dust extraction, 1 extraction adapter, 1 breakout guard including line guidance, 1 protective cover



Battery and charger available separately

SPECIFICATIONS

IF.

Dimensions L x W x H	240 x 220 x 75 mm
Motor type	Brush motor
Stroke rate	0 – 2400 rpm
Stroke length	19 mm
Pendulum stroke levels	1 – 3 and fine cut setting
Cutting angle	7 adjustable -45° / -30° / -15° / 0° / +15° / +30°/ +
Cutting depth max.	100 mm (timber), 6 mm (metal) 8 mm (plastic)
Battery voltage	20 V

+45°

Pendulum stroke

Sliding shoe

LOGISTICAL DATAWeight net / gross1.5 / 1.9 kgPackaging dimensions280 x 245 x 90 mmArticle number5901817900Barcode404666421778720 Container3640 pcs40 Container7680 pcs40 HQ Container9040 pcs



Part of the battery platform







C-JS220-X







BC-JS254-X

CORDLESS JIGSAW

- Cordless jigsaw for precise cuts in different materials, such as timber, metal, aluminium, brass, plastic etc. (when using a suitable saw blade)
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless jigsaw
- Quick sawing progress, thanks to pendulum stroke adjustable in 3 steps and fine-cut adjustment
- 5 cutting angles that can be adjusted without the need for tools $(-45^\circ,\,-22.5^\circ,\,0^\circ,\,+22.5^\circ,\,+45^\circ)$
- 6 speed level from 1000 3000 strokes per minute
- · Foldable, removable, transparent saw blade guard allows safe work
- · Guard prevents breakout
- Sliding shoe prevents the workpiece being scratched, allowing processing of delicate surfaces
- Blowing function ensures cutting line is free from shavings
- Quick-release chuck ensures easy saw blade replacement
- · Ergonomic and compact design with soft-grip surface
- Practical LED work light with additional 10 seconds of light after switching off the device ensures perfect illumination even in poor lighting conditions
- Battery and charger available separately
- Includes saw blade for timber, parallel stop, connection to external dust extraction, 1 extraction adapter, 1 breakout guard including line guidance, protective cover

High-quality and robust quick-release chuck

Sliding shoe

Pendulum

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Motor type Stroke rate Stroke length Pendulum stroke levels Cutting angle

Cutting depth max.

Battery voltage

285 x 200 x 75 mm Brushless motor 1000 – 3000 rpm 25.4 mm 1 – 3 and fine cut setting 5 adjustable -45° / -22.5 / 0° / +22.5° / +45° 100 mm (timber), 10 mm (metal) 15 mm (aluminium) 20 V

LOGISTICAL DATA

٧

F

2

Weight net / gross	1.8 / 2.4 kg
Packaging dimensions	310 x 240 x 80 mm
Article number	5901818900
Barcode	4046664217794
20 Container	2840 pcs
40 Container	6000 pcs
40 HQ Container	7000 pcs

Part of the battery platform

BATTERY FOR ALL DEVICE

Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load

peddad

- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption





BC-JS254-X

C-RS100-X

CORDLESS RECIPROCATING SAW

- Powerful cordless reciprocating sabre saw for cutting timber, plastic, non-ferrous metals and building materials (when using the appropriate saw blade)
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless reciprocating sabre saw
- Steplessly adjustable stroke rate of 0 to 2800 rpm and a stroke length of 20 mm
- Fast saw blade replacement without the need for tools, thanks to quick-release chuck
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Extendable footplate allows an adjustable cutting depth
- Integrated LED work light ensures perfect illumination of the cutting line
- Battery and charger available separately
- Includes 1x saw blade for timber, 1x Allen key



High-quality and robust quick-release chuck

LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

Extendable footplate

Product features RECIPROCATING SAWS

- Ideal for demanding tasks, such as sawing timber with nails/ screws
- All-rounder for universal use
- Particularly large cutting capacity



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Motor type Stroke rate Stroke length Saw blade holder

Max. cutting depth

Battery voltage

370 x 180 x 75 mm Brush motor 0 – 2800 rpm 20 mm 1/2" (12.7 mm) 115 mm (timber), 6 mm (lightly alloyed steel, with the appropriate saw blade)

20 V

Weight net / gross	1.7 / 2.2 kg
Packaging dimensions	450 x 200 x 80 mm
Article number	5909243900
Barcode	4046664217800
20 Container	2720 pcs
40 Container	5800 pcs
40 HQ Container	6800 pcs

C-RS100-X



PLASTIC

METAL

TIMBER

43

BC-RS250-X

CORDLESS RECIPROCATING SAW

- Powerful cordless reciprocating sabre saw for cutting timber, plastic, non-ferrous metals and building materials (when using the appropriate saw blade)
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless reciprocating sabre saw
- Fast saw blade replacement without the need for tools, thanks to quick-release chuck
- Adjustable stroke rate of 0 to 3000 rpm and a stroke length of 28 mm
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Footplate extendable without the need for tools, allows an adjustable cutting depth
- Integrated LED work light with additional 10 seconds of light after switching off the device ensures perfect illumination of the cutting line
- Battery and charger available separately
- Includes 1x saw blade for timber and 1x saw blade for metal



Ergonomic, compact design with soft-grip handle ensures high operating comfort

Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower
 power consumption
- SPECIFICATIONS
- Dimensions L x W x H Motor type Stroke rate Stroke length Saw blade holder

Max. cutting depth

Battery voltage



390 x 160 x 80 mm

Brushless motor 0 – 3000 rpm

1/2" (12.7 mm) 115 mm (timber),

20 mm (plastic), 90 mm (PVC piping)

28 mm


20 V



LOGISTICAL DATA

Weight net / gross	1.8 / 2.3 kg
Packaging dimensions	460 x 180 x 90 mm
Article number	5909242900
Barcode	4046664217824
20 Container	2440 pcs
40 Container	5140 pcs
40 HQ Container	6060 pcs

NCLUE



C-HCS165-X



SPECIFICATIONS

Dimensions L x W x H Saw blade diameter Cutting height at 90° max. Cutting height at 45° max. Angular range max. Number of saw blade teeth Saw blade speed Engine type Battery voltage

Battery and charger available separately

Weight net / gross	2.5 / 3.0 kg
Packaging dimensions	310 x 218 x 192 mm
Article number	5901815900
Barcode	4046664216834
20 Container	1670 pcs
40 Container	3520 pcs
40 HO Container	4140 pcs

C-HCS165-X



BC-HCS165-X



SPECIFICATIONS

Dimensions L x W x H Saw blade diameter Cutting height at 90° max. Cutting height at 45° max. Angular range max. Number of saw blade teeth Saw blade speed Engine type Battery voltage

295 x 180 x 195 mm
165 mm
55 mm
40 mm
45°
24
4500 rpm
Brushless motor
20 V

Weight net / gross	2.8 / 3.5 kg
Packaging dimensions	320 x 200 x 195 mm
Article number	5901816900
Barcode	4046664216841
20 Container	1600 pcs
40 Container	3380 pcs
40 HQ Container	3970 pcs

BC-HCS165-X



LED work light for perfect illumination.

BC-PL60-X



BC-PL60-X

C-MBS635-X

CORDLESS METAL BAND SAW

- Powerful battery-operated metal band saw for safe and spark-free cutting of iron, steel, stainless steel, aluminium, copper and plastic
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless metal band saw
- Integrated soft-start and protection against overload ensure a long service life
- Maximum cutting diameter 63.5 cm
- $\ensuremath{\cdot}$ Quick-release lever allows removal of the saw band without the need for tools
- · Guides with ball bearings ensure smooth running of the saw band
- Workpiece stop for safe working
- 6-step speed adjustment from 330 to 630 rpm with an adjustable saw speed from 1.4 to 2.75 m/s $\,$
- LED light will perfectly illuminate the cutting area
- Suitable both for right-handed and left-handed users, thanks to handle that can be attached on either side
- Compact, ergonomic design with soft-grip and additional handle
- Battery and charger available separately



Soft-grip handle ensures comfortable operation

LED

Guides with ball bearings

Aluminium housing

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Saw blade length Cutting speed Cutting-Ø max. Motor type Battery Voltage 342 x 245 x 170 mm 733 x 12.7 x 0.4 mm 1.4 – 2.75 m/s 63.5 mm Brushed motor 20 V

Weight net / gross	3.1 / 3.5 kg
Packaging dimensions	355 x 258 x 192 mm
Article number	5901516900
Barcode	4046664245759
20 Container	920 pcs
40 Container	1840 pcs
40 HQ Container	2236 pcs

C-MBS635-X

BATTERY



Part of the battery platform

С-МТ40-Х

CORDLESS MULTIFUNCTIONAL TOOL

- Compact cordless multifunctional tool with versatile oscillation technology for sawing, cutting, scraping, sanding and grinding
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless multifunctional tool
- Oscillation speed adjustable in 6 steps from 10,000 to 40,000 rpm
- Attachments can be installed in different operating directions ideal adjustment to the relevant work conditions; even areas that are difficult to access can be reached easily
- Robust, durable gear housing made of metal also suitable for demanding work
- + 3.2° oscillation angle ideal for many uses with timber, metal or plastic
- Tool-free replacement of accessories using practical quick-release lever
- Ergonomic, compact design with ${\it soft-grip\ handle}$ ensures comfortable operation
- Adapter for external dust extraction allows work in low-dust conditions
- LED work piece illumination with additional 10 seconds of light after the device has been turned off
- Battery and charger available separately
- Includes 1x saw blade for plunge cuts, 1x diamond saw blade, 1x scraper, 1x delta sanding plate, 1x adapter for external dust extraction, 9x abrasive discs for timber, 1x angle adapter



Soft-grip handle

LED worlpiece illumination

Adapter for external dust extraction

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Motor type Oscillation speed Oscillation angle Battery voltage 270 x 70 x 105 mm Brush motor 10,000 – 40,000 rpm 3.2° 20 V

LOGISTICAL DATA

Weight net / gross	1.0 / 1.4 kg
Packaging dimensions	300 x 175 x 110 mm
Article number	5909248900
Barcode	4046664218074
20 Container	2352 pcs
40 Container	4700 pcs
40 HQ Container	5376 pcs

NCLUD



C-OBS125-X

CORDLESS ORBITAL SANDER

- Cordless orbital sander for precise sanded surfaces
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless orbital sander
- · Suitable for conventional abrasive discs with a diameter of 125 mm
- · Adjustable speed from 6000 to 24,000 rpm to suit the application, adjustable using a rotary wheel
- · Soft-start ensures gentle, smooth start-up of the tool
- · Dust-free working, thanks to dust extraction with dust bag or via extraction system
- · Compact, lightweight design with soft-grip handle ensures comfortable operation
- Low height allows particularly precise and close-to-the-edge sanding
- · Quick replacement of abrasive discs, thanks to Velcro fastener
- · Dustproof switch to protect from dust and guarantee a long service life
- · Battery and charger available separately
- Includes 4 abrasive discs (K60, K80, K120, K240), extraction adapter, dust bag





Compact, lightweight design with soft-grip handle

Dust collector

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Motor type Idle speed **Oscillating speed** Sanding plate diameter Oscillating movement Battery voltage

125 x 185 x 170 mm **Brush motor** 3000 – 12,000 rpm 6000 – 24,000 rpm 125 mm 2 mm 20 V

LOGISTICAL DATA

Weight net / gross	1 / 1.1 kg
Packaging dimensions	150 x 130 x 175 mm
Article number	5909240900
Barcode	4046664216810
20 Container	6080 pcs
40 Container	12,928 pcs
40 HQ Container	14,112 pcs

NCLUDED



C-OBS125-X

C-RHD130-X



SPECIFICATIONS

Dimensions L x W x H Motor type Impact force Impact rating Max. idle speed Max. drill hole diameter

Battery voltage

244 x 228 x 74 mm Brush motor 1.3 J 6000 bpm 0 - 1100 rpm 10 mm (concrete and stone), 8 mm (metal), 16 mm (timber) 20 V

Weight net / gross	2.9 / 3.5 kg
Packaging dimensions	365 x 125 x 300 mm
Article number	5909249900
Barcode	4046664226789
20 Container	1660 pcs
40 Container	3500 pcs
40 HQ Container	4100 pcs



Attachable quick-release chuck with SDS-Plus mount.



Tool-free drill bit replacement, thanks to SDS-Plus chuck





UNIVERSAL USE



BC-RHD230-X

CORDLESS HAMMER DRILL

- Powerful cordless hammer drill with 4-in-1 function: Drilling, hammer drilling, chiseling and chisel position adjustment
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless hammer drill
- Additional handle that can be rotated by 360° allows safe drilling and guidance of the tool
- Powerful 2.2 J impact, up to 5500 bpm
- Depth stop made of robust metal for targeted drill holes that can be reproduced
- The SDS-Plus chuck allows tool-free switching of drills
- Central selection switch for quick changing between functions without the need for tools
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Integrated LED work light with additional 10 seconds of light after switching
 off the drill ensures perfect lighting
- Battery and charger available separately
- Includes additional handle and metal depth stop

BRUSHLESS MOTOR

Product features

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



drilling

✓ Chiseling
 ✓ Chisel

Part of the battery platform

Depth stop

NCLUDED

SDS-Plus chuck

I ED -

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Motor type Impact force Impact rating Max. idle speed Max. drill hole diameter Battery voltage 200 x 200 x 80 mm Brushless motor 2.2 J 5500 bpm 1400 rpm 24 mm (concrete and stone), 13 (metal), 27 mm (timber) 20 V Ergonomic and compact design with soft-grip handle ensures comfortable operation

LOGISTICAL DATA

(m) (1)

Weight net / gross	2.5 / 3.1 kg
Packaging dimensions	355 x 250 x 105 mm
Article number	5909241900
Barcode	4046664216858
20 Container	2360 pcs
40 Container	4980 pcs
40 HQ Container	5860 pcs

360≌



61

C-AC20-X

CORDLESS HAND-HELD COMPRESSOR

- Compact, powerful, battery-operated hand-held compressor allows cordless freedom on-the-go ideal for inflating bicycle tyres as well as toys and sporting equipment
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless hand-held compressor
- Maximum 7 bar operating pressure
- LCD display shows the current as well as the pre-set operating pressure either in bar or PSI
- Automatic shut-off when the specified pressure has been reached
 Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Large diameter piston allows particularly quick inflation
- The LED light allows work even in adverse lighting conditions
- Battery and charger available separately
- Includes 1x compressed air hose, 1x ball needle, 2x universal valve adapters, 1x valve adapter for Dunlop/Express valves, 1x valve adapter for Sclaverand valves





LCD display

Ergonomic, compact design with soft-grip handle ensures high operating comfort

Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number Barcode 20 Container 40 Container 40 HQ Container 0.6 / 0.8 kg 215 x 245 x 80 mm 5909247900 4046664218593 4400 pcs 9300 pcs 10,950 pcs

8.

LED

SPECIFICATIONS

11 20 VIIII

Dimensions L x W x H Operating pressure max. Speed max. Battery voltage 220 x 70 x 160 mm 7 bar 3500 rpm 20 V

NCLUDE



Part of the battery platform

XΞ

TERY FOR ALL DEVICES

AIRFORCE 6



- · Compact mobile compressor perfect for on-the-go, the car or for inflating balls, tyres or air mattresses
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the Hybrid -Kompressor
- 10,3 bar maximum working pressure
- Hybrid function with 3 power sources ensures maximum flexibility can be used with a power cable (230 V), battery (20 V) or cigarette lighter in the car
- Practical air-release/high-volume/low-pressure function e.g. for inflating air mattresses
- 2 integrated USB ports (1x USB-A, 1x USB-C), perfect for charging smartphones, tablets etc.
- · Easy adjustment of the working pressure via the clear operating panel
- Digital display shows the current working pressure
- Cable and accessories can be stowed securely in the device to save space
- Compact design for space-saving storage and a practical carrying handle to ensure easy transport
- With automatic shut-off function when the specified pressure has been reached
- · Units of pressure that can be selected: Bar, PSI and kPa
- LED work light makes working in poor lighting conditions easier
- · Oil-free compressor therefore low-maintenance
- · Battery and charger available separately
- · Includes valve adapter, ball needle, conical adapter (for swimming accessories), high-pressure hose 75 cm, air-release/high-volume/low-pressure hose 44 cm

Transport handle



Battery and charger available separately

LOGISTICAL DATA

Weight net / gross Packaging dimensions Article number EAN 20 Container 40 Container 40 HQ Container

2.3 / 2.5 kg 365 x 153 x 223 mm 5906159901 4046664216803 2268 pcs 4662 pcs 5698 pcs

SPECIFICATIONS	PECIFICATIONS	
Dimensions L x W x H	292 x 147 x 212 mm	
Max. working pressure	10.3 bar	
Max. air output	21 L/min	
AC cable length	1.8 m	
DC cable length	3 m	
Hose length	Compressed air hose 75 cm Air-release/high-volume/ low-pressure hose 44 cm	
Battery voltage	20 V	





AIRFORCE 6

C-ACT160/6-X



SPECIFICATIONS

Dimensions L x W x H Operating pressure max. Tank capacity Intake capacity Hose length Sound level Motor type Battery voltage

410 x 333 x 325 mm
8 bar
6 L
130 L/min
2.5 m
96 dB (A)
Brushed motor
2x 20 V (40 V)

Weight net / gross	10 / 12 kg
Packaging dimensions	440 x 365 x 375 mm
Article number	5906175900
Barcode	4046664247241
20 Container	504 pcs
40 Container	1032 pcs
40 HQ Container	1204 pcs

C-ACT160/6-X

BATTERY



C-WL20-X

CORDLESS WORK LIGHT

- High-performance cordless work light, providing bright and even illumination of the work environment
- Practical 2-in-1 function flood light and front light
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless work light
- Up to 300 lumen luminous flux
- Lamp head can be rotated 270° and adjusted 180° in 6 steps for perfect lighting
- Up to 16 hours of lighting
- Integrated hanging hook so the light can be hung up easily ideal for mobile use in the workshop, when camping or working on cars
- Ergonomic and compact design with soft-grip handle ensures comfortable
 operation
- Battery and charger available separately





Ergonomic and compact design with soft-grip handle ensures comfortable operation

Up to approximately 16 hours of light

Integrated hanging hook

Battery and charger available separately

PRODUCT DATA

Dimensions L x W x H LED output Luminous flux max. Colour temperature Lighting duration 2.0 Ah / 4.0 Ah Battery voltage

269 x 108 x 110 mm 5 W 300 lumen approx. 6200 K 8 h / 16 h 20 V

Weight net / gross	0.39 / 0.53 kg
Packaging dimensions	110 x 75 x 185 mm
Article number	5909244900
Barcode	4046664217855
20 Container	11,512 pcs
40 Container	24,472 pcs
40 HQ Container	26,928 pcs



C-HVC150-X

CORDLESS HAND-HELD VACUUM CLEANER

- Hand-held vacuum cleaner for mobile use, 10 kPa for fast and efficient cleaning even of more major dirt
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless hand-held vacuum cleaner
- · Space-saving storage, thanks to integrated recess for wall bracket
- · Large dust collector with a capacity of 560 ml
- · Compact design allows space-saving storage
- · Convenient floor cleaning, thanks to 3 additional plastic extension tubes and floor nozzle
- Practical handle with soft-grip allows an ergonomic working posture
- F9 class folded filter also filters minute dust particles
- · Filter can be cleaned under running water
- · Battery and charger available separately
- Includes crevice nozzle, upholstery nozzle, floor nozzle, 3 plastic extension tubes





✓ Hand-held vacuum cleaner

Floor vacuum cleaner

> Soft-grip handle

Folded filter

10 kPa suction capacity

560 ml dust collector

Upholstery nozzle





SPECIFICATIONS

Dimensions L x W x H Suction capacity max. Tank volume Battery voltage Motor type

415 x 115 x 135 mm 10 kPa 560 ml 20 V Brushed motor

LOGISTICAL DATA


Weight net / gross	1.4 / 1.8 kg
Packaging dimensions	430 x 190 x 150 mm
Article number	5909251900
Barcode	4046664234371
20 Container	2130 pcs
40 Container	4320 pcs
40 HQ Container	5070 pcs

NCLUDE

C-HVC150-X

BATTERY

PRODUCT DETAILS



Filter can be cleaned under





Large on/off switch for easy use.




560 ml dust collector easy to empty





Wide range of accessories Crevice nozzle, upholstery nozzle, floor nozzle, 3 plastic extension tubes



C-NTS15-X

12 L CORDLESS WET / DRY VACUUM CLEANER

- Compact wet/dry vacuum cleaner, 10 kPa for wet vacuum cleaning and dry vacuum cleaning, with air-blow function
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless wet/dry vacuum cleaner
- Sturdy, shatterproof collector with a capacity of 12 litres and quickrelease lock that allows easy replacement of the bag
- Washable folded filter also filters minute dust particles
- Large working radius, thanks to 1.5 m hose length and 3 additional plastic extension tubes
- Practical accessories bracket to ensure neat stowage and tidy working
- Handle and 4 smooth 360° castors allow easy transport
- Battery and charger available separately
- Includes 3 plastic extension tubes, folded filter, paper bag
 (FSC-certified), foam filter, floor nozzle, crevice nozzle, vacuum hose





- ✓ Wet vacuum cleaning
- ✓ Dry vacuum cleaning
- ✓ Air-blow function

Transport handle

Air-blow connection for blowing

Max. 10 kPa suction capacity

12 L tank volume

Integrated accessories bracket

Battery and charger available separately

SPECIFICATIONS

1.5 m hose length


Shatterproof collector

Dimensions L x W x H Suction capacity max. Tank volume Hose length Particle size Battery voltage Motor type

310 x 290 x 400 mm
10 kPa
12 L
1.5 m
min. 0.3 µm
20 V
Brushed motor

Weight net / gross	3.2 / 4 kg
Packaging dimensions	300 x 300 x 400 mm
Article number	5907738900
Barcode	4046664234340
20 Container	985 pcs
40 Container	2100 pcs
40 HQ Container	2350 pcs





C-NTS20-X

20 L CORDLESS WET / DRY VACUUM **CLEANER**

- · Compact wet/dry vacuum cleaner, 10 kPa for wet vacuum cleaning and dry vacuum cleaning, with air-blow function
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless wet/dry vacuum cleaner
- · Sturdy, shatterproof collector with a capacity of 12 litres and quick-release lock that allows easy replacement of the bag
- · Washable folded filter also filters minute dust particles
- · Large working radius, thanks to 1.5 m hose length and 3 additional plastic extension tubes
- · Practical accessories bracket to ensure neat stowage and tidy working
- · Handle and 4 smooth 360° castors allow easy transport

Transport handle

schappeck

- · Battery and charger available separately
- Includes 3 plastic extension tubes, folded filter, paper bag (FSC-certified), foam filter, floor nozzle, crevice nozzle, vacuum hose





- ✓ Wet vacuum cleaning
- ✓ Dry vacuum cleaning Air-blow function

Air-blow connection for blowing

Max. 10 kPa suction capacity

Sturdy 20 L stainless steel collector

> Integrated accessories bracket

1.5 m hose length

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Suction capacity max. Tank volume Hose length Particle size Battery voltage Motor type

335 x 335 x 500 mm
10 kPa
20 L
1.5 m
min. 0.3 μm
20 V
Brushed motor

LOGISTICAL DATA

Weight net / gross	4.1 / 5.2 kg
Packaging dimensions	345 x 345 x 465 mm
Article number	5907739900
Barcode	4046664234357
20 Container	595 pcs
40 Container	1210 pcs
40 HQ Container	1225 pcs

C-NTS20-X





15 L CORDLESS ASH VACUUM CLEANER

- Compact ash vacuum cleaner, 10 kPa vacuuming capacity, ensures a clean wood burner or barbecue
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless ash vacuum cleaner
- Robust metal collector with 15 L capacity
- Large working radius, thanks to 230 mm fireproof aluminium tube and 1000 m suction hose
- Air-blow connection for blowing areas that are difficult to access
- Folded filter for coarse dirt and ashes
- Quick-release lock allows easy emptying of the collector
- Practical carrying handle ensures easy transport
- Battery and charger available separately







- ✓ Ash vacuuming
- ✓ Vacuuming
- ✓ Air-blow function

aluminium tube

230 mm

1000 mm fireproof hose

Transport handle

15 L metal collector

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Suction capacity max. Tank volume Hose length Particle size Battery voltage Motor type

290 x 290 x 350 mm
10 kPa
15 L
100 cm
min. 0.3 µm
20 V
Brushed motor

Quick-release

lock

LOGISTICAL DATA

Weight net / gross	2.4 / 3.4 kg
Packaging dimensions	300 x 300 x 370 mm
Article number	5906405900
Barcode	4046664234364
20 Container	1060 pcs
40 Container	2180 pcs
40 HQ Container	2515 pcs

NCLUD

C-AVC15-X



VACUUMING

ASH VACUUMING

77

C-HPG35-X



SPECIFICATIONS

Dimensions L x W x H **Operating pressure** Maximum pressure Suction height Intake hose Flow rate Motor type Battery voltage

890 x 220 x 65 mm
25 bar
35 bar
0.6 m
6 m
180 L/h
Brushed motor
20 V

LOGISTICAL DATA

Weight net / gross	1.5 / 2.7 kg
Packaging dimensions	387 x 243 x 127 mm
Article number	5907740900
Barcode	4046664236054
20 Container	1680 pcs
40 Container	3360 pcs
40 HQ Container	4200 pcs

C-HPG35-X



BC-PMX100-X

(yedday)

CORDLESS PAINT AND MORTAR STIRRER

- · Powerful paint and mortar stirrer for mixing paints or varnish as well as adhesive, mortar, concrete or plaster
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the paint and mortar stirrer
- · Speed adjustment in 6 steps with a maximum speed of 650 rpm for operation to suit the material and application
- Quick-release fastener allows attachment replacement without the need for tools
- Stirrer diameter 100 mm
- Soft-start ensures gentle, smooth start-up of the tool
- Ergonomic, compact design with soft-grip
- Battery and charger available separately

Product features **BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- · Lower thermal motor load
- · Maximum efficiency, thanks to ideal power transfer
- · Longer battery life, thanks to lower power consumption



Ergonomic, compact design with soft-grip

Stirrer diameter 100 mm

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Max. stirrer speed Stirrer diameter Stirrer length Stirrer mounting Motor type Battery voltage

306 (1100) x 180 x 185 mm 650 rpm 100 mm 790 mm M14 **Brushless motor** 20 V

LOGISTICAL DATA

Weight net / gross	2.5 / 3.2 kg
Packaging dimensions	415 x 191 x 190 mm
Article number	5907806900
Barcode	4046664245766
20 Container	1688 pcs
40 Container	3500 pcs
40 HQ Container	3938 pcs

Soft-start



INDEX

Garden







94 – 99 <u>CORDLESS CHAINSAW</u> 100 – 103 CORDLESS PRUNING SAW

104 – 105 <u>CORDLESS GRASS & HEDGE</u> <u>TRIMMER</u>

106 – 107 CORDLESS PRUNING SHEARS

108 – 109 <u>cordless strimmer</u>







Workshop tools from page 14

82

INDEX





128 – 129 <u>CORDLESS HAND-HELD</u> <u>SPREADER</u>

130 - 131 CORDLESS EARTH AUGER





CORDLESS SNOW BLOWER



BC-MP220-X

22 CM BATTERY LAWN MOWER

- Compact cordless lawn mower with a cutting width of 21.5 cm and mulch function for small lawns up to 120 m^2
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Cutting height adjustment in 3 steps from 30 to 50 mm
- Ergonomic comfort handle absorbs vibrations
- Polished blade made of special steel particularly robust and durable
- Shaft can be separated to allow for space-saving storage
- Large wheels ensure a secure grip even in steep terrain
- Practical LED light on the machine housing shows the current battery charge
- · Includes scraper to conveniently clean the mowing unit
- Battery and charger available separately

Product features BRUSHLESS MOTOR

Maintenance-free, brushless motor technology

- Service life up to 10 times longer
- · Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption





Ergonomic comfort handle

LED battery charge display

schappach |

Shaft can be

separated

Large wheels

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Engine type Battery voltage Cutting width max. Cutting heights Deck 43 cm

Weight net / gross	4.4 / 5.5 kg
Packaging dimensions	520 x 370 x 210 mm
Article number	5911416900
Barcode	4046664236429
20 Container	600 pcs
40 Container	1200 pcs
40 HQ Container	1500 pcs

BC-MP220-X



BC-MP320-X

Part of the battery platform

ATTERY FOR ALL DEVICES

32 CM BATTERY LAWN MOWER

- High-performance cordless lawn mower with a cutting width of 38 cm and 3-in-1 function: mowing, collecting, drawing in grass at the edge for cutting
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Suitable for gardens measuring 250 300 m²
- Powerful 20 V
- Axial cutting height adjustment in 3 steps from 20 to 60 mm
- Large 30 L collection box with filling level indicator
- Robust housing with integrated carrying handle to ensure easy transport
- Battery compartment with safety key and foldable protective hood
- Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting
- Polished blade made of special steel particularly robust and durable
- Foldable bow handle for space-saving storage

Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Foldable handle

32 cm



3in1

Comfort grip handle





Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Engine type Battery voltage Cutting width max. Cutting heights Deck Collection box capacity

1110 x 380 x 1010 mm Brushless motor 20 V 32 cm Axial, 20 – 60 mm Plastic 30 L

Weight net / gross	8.5 / 10.1 kg
Packaging dimensions	620 x 400 x 330 mm
Article number	5911413900
Barcode	4046664217572
20 Container	400 pcs
40 Container	800 pcs
40 HQ Container	950 pcs



BC-MP320-X

BC-MP380-X

Part of the battery platform

TTERY FOR ALL DEVICE

38 CM BATTERY LAWN MOWER

- High-performance cordless lawn mower with a cutting width of 38 cm and 4-in-1 function: mowing, collecting, mulching, drawing in grass at the edge for cutting
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Suitable for gardens measuring 450 500 m²
- Powerful 2x 20 V (40 V)
- Adjustable 6-steps cutting height (25 75 mm)
- Ergonomic comfort handle absorbs vibrations
- Large 45 L collection box with filling level indicator

· Maintenance-free, brushless motor technology

· Maximum efficiency, thanks to ideal power

Longer battery life, thanks to lower power

Service life up to 10 times longer
Lower thermal motor load

transfer

consumption

- Robust housing with integrated carrying handle to ensure easy transport
- · Battery compartment with safety key and foldable protective hood
- Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting
- · Polished blade made of special steel particularly robust and durable
- High-wheeler large wheels that are gentle on the lawn ensure a secure grip even in steep terrain
- Foldable and height-adjustable bow handle for space-saving storage and an ergonomic working posture
- Includes mulch insert so the cut grass can be effectively re-used as fertiliser

Product features



Foldable handle

Height-adjustable bow handle Large collection box: 45 L

Large wheels (Highwheeler)

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Engine type Battery voltage Cutting width max. Cutting heights Deck Collection box capacity


1178 x 432 x 1030 mm Brushless motor 2x 20 V (40 V) 38 cm 25 - 75 mm Plastic 45 L

LOGISTICAL DATA

Weight net / gross	13 / 17.9 kg
Packaging dimensions	725 x 430 x 375 mm
Article number	5911414900
Barcode	4046664217565
20 Container	258 pcs
40 Container	516 pcs
40 HQ Container	611 pcs

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Grass at edge is drawn in for cutting

Comfort grip handle



BC-MP380-X

BC-MP430-X

Product features

Comfort grip

handle

BRUSHLESS MOTOR

· Maintenance-free, brushless motor technology

· Maximum efficiency, thanks to ideal power

· Longer battery life, thanks to lower power

Service life up to 10 times longer

· Lower thermal motor load

transfer

consumption

43 CM BATTERY LAWN MOWER

- High-performance cordless lawn mower with a cutting width of 43 cm and 4-in-1 function: mowing, collecting, mulching, drawing in grass at the edge for cutting
- · Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Suitable for gardens measuring 600 700 m²
- Powerful 2x 20 V (40 V)
- Practical operating panel allows selection of "Eco" or "Auto" mode
- Eco mode low speed ensures maximum battery run time
- Auto mode the speed is adjusted to demand
- Adjustable 6-steps cutting height (25 75 mm)
- · Ergonomic comfort handle absorbs vibrations
- · Large 50 L collection box with filling level indicator
- · Robust housing with integrated carrying handle to ensure easy transport
- · Battery compartment with safety key and foldable protective hood
- Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting
- · Polished blade made of special steel particularly robust and durable
- High-wheeler large wheels that are gentle on the lawn ensure a secure grip even in steep terrain
- Foldable and height-adjustable bow handle for space-saving storage and an ergonomic working posture
- · Includes mulch insert so the cut grass can be effectively re-used as fertiliser



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Engine type **Battery voltage** Cutting width max. **Cutting heights** Deck **Collection box capacity**

1350 x 470 x 1150 mm **Brushless motor** 2x 20 V (40 V) 43 cm 25 – 75 mm Plastic 50 L

LOGISTICAL DATA

Weight net / gross	14.4 / 16.7 kg
Packaging dimensions	805 x 470 x 385 mm
Article number	5911415900
Barcode	4046664217558
20 Container	210 pcs
40 Container	420 pcs
40 HQ Container	504 pcs



- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Grass at edge is drawn in for cutting

Large

collection

box: 50 L



BC-MP470-X

Part of the battery platform

47 CM BATTERY LAWN MOWER


- High-performance cordless lawn mower with a cutting width of 47 cm, suitable for gardens measuring 800 - 900 m²
- · Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Powerful 2x 20 V for operation and battery extension for 2 additional batteries
- · Central cutting height adjustment
- Ergonomic comfort handle absorbs vibrations
- Vario drive rear wheel drive with adjustable speed from 2.5 to 4.5 km/h makes mowing easier on rough terrain
- Large 75 L collection box with filling level indicator
- LED headlights allow working at twilight or in poor lighting conditions
- Robust steel housing with integrated carrying handle to ensure easy transport
- Battery compartment with foldable protective hood
- Polished blade made of special steel particularly robust and durable
- High-wheeler large wheels that are gentle on the lawn ensure a secure grip even in steep terrain
- Foldable and height-adjustable bow handle for space-saving storage and an ergonomic working posture
- · Integrated ejection on the side and at the back as well as mulch function for a professional result
- · Battery and charger available separately



- ✓ Collecting
- ✓ Mulching
- ✓ Vario drive
- Deck washout port
- ✓ Side discharge

Product features **BRUSHLESS MOTOR**

- · Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



Large wheels (Highwheeler)

LED spotlight

Battery and charger available separately

Vario drive

Large collection box: 75 L

Height-adjustable

bow handle

PRODUKTDATEN

Dimensions L x W x H Engine type **Battery voltage** Cutting width max. **Cutting heights** Deck **Collection box capacity** Vario speed

1650 x 560 x 1100 mm **Brushless Motor** 2x 20V (40V) + 2x battery extension 47 cm 26 – 80 mm Plastic 75 L 2.5 - 4.5 km/h

47 cm

Weight net / gross	31 / 34 kg
Packaging dimensions	930 x 580 x 460 mm
Article number	5911417900
Barcode	4046664235101
20 Container	105 pcs
40 Container	220 pcs
40 HQ Container	260 pcs





Vario drive - rear wheel drive with adjustable speed (2.5 to 4.5 km/h)







in 7 steps from 26 to 80 mm

PRODUCT DETAILS

Lawn



470 mm

2x 20 V

Side discharge can be easily attached/ detached if needed

Includes mulch

insert





BATTERY









BC-TCS200-X

Product features

technology

power transfer

power consumption

BRUSHLESS MOTOR

Maintenance-free, brushless motor

Service life up to 10 times longer

Maximum efficiency, thanks to ideal

Longer battery life, thanks to lower

· Lower thermal motor load

20 CM CORDLESS CHAINSAW

- Powerful cordless chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- 7 m/s cutting speed ensures rapid sawing progress
- Premium-quality 8"/20 cm ProCut blade and chain, 17.5 cm cutting length
- Tool-free chain replacement and chain tensioning
- \bullet Circumferential handle with soft-grip allows ergonomic work and many uses
- Anti-kickback chain brake stops the chain within just a few milliseconds in cases of kickback
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication
- Battery and charger available separately
- *This chain saw has been exclusively designed for use by trained arborists





SPECIFICATIONS

Dimensions L x W x H Chain bar length Cutting length Cutting speed Chain tension adjustment Chain brake Oil tank capacity Engine type Battery voltage 540 x 230 x 230 mm 20 cm / 8" 17.5 cm 7 m/sec Tool-free Yes 0.11 L Brushless motor 20 V

LOGISTICAL DATA Weight net / gross

weight het / gross	2.5 / 3.3 Kg
Packaging dimensions	270 x 230 x 230 mm
Article number	5910311900
Barcode	4046664233879
20 Container	2000 pcs
40 Container	4000 pcs
40 HQ Container	4780 pcs

1001

Battery and charger available separately

ProCu



95

C-CS254-X

25,4 CM CORDLESS CHAINSAW

- Powerful cordless chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- 6 m/s cutting speed ensures rapid sawing progress
- Premium-quality 10" / 25.4 cm ProCut blade and chain, 20 cm cutting length
- Tool-free chain replacement and chain tensioning
- Circumferential handle with soft-grip allows ergonomic work and many uses

Circumferential

handle

- Anti-kickback chain brake stops the chain within just a few milliseconds in cases of kickback
- Hand guard ensures increased safety
- Robust metal claw stop protects the material to be cut from slipping
- Auto lubrication system
- Perfect for sustained work, thanks to low weight
- Integrated overload protection
- Battery and charger available separately



Chain brake

10" ProCut blade & chain

Auto lubrication system

Tool-free chain replacement and chain tensioning



SPECIFICATIONS

Dimensions L x W x H Chain bar length Cutting length Cutting speed Chain tension adjustment Chain brake Oil tank capacity Engine type Battery voltage 653 x 220 x 224 mm 10" / 25.4 cm 20 cm 6 m/sec werkzeuglos Yes 0.125 L Brush motor 20 V

Battery and charger available separately

Weight net / gross	2.7 / 4 kg
Packaging dimensions	450 x 230 x 230 mm
Article number	5910308900
Barcode	4046664216902
20 Container	1200 pcs
40 Container	2600 pcs
40 HQ Container	2860 pcs







BC-CS355-Duo-X

35,6 CM CORDLESS CHAINSAW

- Powerful cordless chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- 15 m/s cutting speed ensures rapid sawing progress
- Premium-quality 14" / 35.6 cm ProCut blade and chain, 33.5 cm cutting length
- Powerful 2x 20 V (40 V)
- Tool-free chain replacement and chain tensioning
- Circumferential handle with soft-grip allows ergonomic work and many uses
- Anti-kickback the chain brake stops the saw chain within milliseconds in case of kickback
- \bullet 2-hand safety switch ensures the immediate braking of the chain in less than 0.12 sec.
- Soft-start is gentle on the motor and ensures a smooth start-up of the chain
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication, integrated protection against overload and oil level display

Circumferential handle

schappach

Chain brake

Tool-free chain replacement and chain

tensioning

Battery and charger available separately





Product features **BRUSHLESS MOTOR**

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
 Maximum efficiency, thanks to ideal
- power transfer
- Longer battery life, thanks to lower power consumption

SPECIFICATIONS

Dimensions L x W x H
Chain bar length
Cutting length
Cutting speed
Chain tension adjustment
Chain brake
Oil tank capacity
Engine type
Battery voltage

800 x 220 x 235 mm 35.6 cm / 14" 33.5 cm 15 m/sec Tool-free Yes

0.26 L

Brushless motor 2x 20 V (40 V)

SOFT

STAR'

Battery and charger available separately

LOGISTICAL DATA Weight net / gross

weight net / gross	3.3 / 5 Kg
Packaging dimensions	480 x 240 x 240 mm
Article number	5910309900
Barcode	4046664216889
20 Container	1080 pcs
40 Container	2250 pcs
40 HQ Container	2475 pcs



C-PS100-X

CORDLESS PRUNING SAW

- Compact and lightweight pruning saw for cutting trees and shrubs as well as reducing green waste to small pieces
- Also suitable for cutting planks, square and round timber as well as for DIY projects
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless pruning saw
- Large 5" ProCut blade & chain
- Cutting speed of up to 4.8 m/s ensures rapid progress
- $\ensuremath{\cdot}$ The compact design allows work in areas that are hard to access
- Smooth chain, low in vibrations
- 127 mm maximum cutting thickness
- Soft-grip handle with safety switch
- Hand protection and chain guard for secure handling of the device
- Chain tension adjustment
- Practical storage of the oil bottle on the device
- Battery and charger available separately



Soft-grip handle with safety switch

5" blade & chain

Chain tension adjustment

Extensive hand protection

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Cutting speed max. Cutting length max. Chain pitch Chain bar length Chain tension adjustment Battery voltage Engine type

385 x 85 x 180 mm 4.8 m/s 127 mm 0,3" 5" Yes 20 V Brushless motor	
127 mm 0,3" 5" Yes 20 V	385 x 85 x 180 mm
0,3" 5" Yes 20 V	4.8 m/s
5" Yes 20 V	127 mm
Yes 20 V	0,3"
20 V	5"
	Yes
Brushless motor	20 V
	Brushless motor

LOGISTICAL DATA

Weight net / gross	1.03 / 1.65 kg
Packaging dimensions	400 x 90 x 185 mm
Article number	5904204900
Barcode	4046664246091
20 Container	3252 pcs
40 Container	6504 pcs
40 HQ Container	7898 pcs

00/4.05



C-PS100-X

Easy lubrication of the chain and blade

BC-PS150-X

CORDLESS PRUNING SAW


- Compact and lightweight pruning saw for cutting trees and shrubs as well as reducing green waste to small pieces
- · Also suitable for cutting planks, square and round timber as well as for DIY projects
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wea
- · Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless pruning saw
- Large 6" ProCut blade & chain
- Cutting speed of up to 6.8 m/s ensures rapid progress
- · The compact design allows work in areas that are hard to access
- · Smooth chain. low in vibrations
- 150 mm maximum cutting thickness
- Soft-grip handle with safety switch
- · Automatic chain lubrication for uninterrupted work
- Hand protection and chain guard for secure handling of the device
- Chain tension adjustment
- · Battery and charger available separately



Identical with PCS8-20ProS Category: Cordless pruning sa

ch cordess pruning saw BC-PS150-X

Automatic lubrication system



Soft-grip handle with safety switch

Product features **BRUSHLESS MOTOR**

· Maintenance-free, brushless motor technology

· Service life up to 10 times longer

· Lower thermal motor load

- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

SPECIFICATIONS

Dimensions L x W x H Reserve for chain lubricant Cutting speed max. Cutting length max. Chain pitch Chain bar length Chain tension adjustment **Battery voltage** Engine type

425 x 110 x 170 mm 30 cm3 (30 ml) 6.8 m/s 150 mm 1/4" 6" Yes 20 V Brushless motor

Chain tension adjustment

Extensive hand protection

Battery and charger available separately

Weight net / gross	1.3 / 2.1 kg
Packaging dimensions	440 x 230 x 120 mm
Article number	5910310900
Barcode	4046664216926
20 Container	1900 pcs
40 Container	3800 pcs
40 HQ Container	4900 pcs



C-HTGS200-X

CORDLESS GRASS AND HEDGE TRIMMER

- Compact 2-in-1 grass and hedge trimmer for all sorts of uses in the garden
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless grass and hedge trimmer
- Comfortable work, thanks to practical design, ergonomic soft-grip handle
 and low weight
- 2-in-1 function ideal for neat lawn edges and shaping hedges
- Tool-free click system for easy blade replacement
- The ergonomic design ensures comfortable handling
- Safety switch with safety lock
- High-quality, robust gears for a long service life
- Grass cutting blades with a width of 90 mm perfect for maintaining lawn edges
- Shrub cutting blades with a cutting length of 200 mm ideal for hedge and shrub care
- Hardened precision blades ensure an ideal cutting result
- Battery and charger available separately
- Includes shrub cutting blades, grass cutting blades as well as 2 protective covers



✓ Lawn edges

✓ Cordless grass

and hedge

trimmer

20 / IXES

Part of the battery platform

Hardened precision blades

Robust housing

Tool-free click system for easy blade replacement

Safety switch with safety lock



SPECIFICATIONS

Dimensions L x W x H Cutting width (grass cutting blades) Cutting length (shrub cutting blades) Idle speed Battery voltage Engine type

260 x 80 x 120 mm
90 mm
200 mm
1200 rpm
20 V
Brush motor

LOGISTICAL DATA

Weight net / gross	1 / 1.5 kg
Packaging dimensions	360 x 120 x 120 mm
Article number	5912205900
Barcode	4046664216872
20 Container	4860 pcs
40 Container	10,260 pcs
40 HQ Container	11,400 pcs

Battery and charger available separately







BC-PRS28-X

CORDLESS PRUNING SHEARS

- Practical cordless pruning shears for reliable cutting of branches with a maximum thickness of 28 mm – e.g. for fruit tree pruning, hedge trimming or other work
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the Cordless pruning shears
- Premium-quality anvil steel blades for precise cutting work that is gentle on plants
- 2 adjustable cutting diameters of 15 mm & 28 mm
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Front hand guard and automatic deactivation after 3 minutes ensure maximum safety during working
- Robust and durable plastic housing
- Low weight and compact design
- Battery and charger available separately



Product features BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



Soft-grip handle

Hand protection

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Cutting capacity 6-steps Battery voltage Motor type 335 x 230 x 126 mm max. 28 mm 15 mm & 28 mm 20 V Brushless motor

Weight net / gross	0.9 / 1.2 kg
Packaging dimensions	330 x 120 x 140 mm
Article number	5911606900
Barcode	4046664243502
20 Container	5747 pcs
40 Container	11700 pcs
40 HQ Container	13957 pcs

BC-PRS28-X



PRODUCT DETAILS







Low weight



Brushless motor



Safe storage, thanks to protective cover.



Premium-quality anvil steel blade ensures precise cutting work that is gentle on plants

> Ergonomic design with soft-grip surface ensures comfortable operation





Front hand guard for maximum safety.



2 adjustable cutting diameters of 15 mm & 28 mm.



C-LT300-X



SPECIFICATIONS

Dimensions L x W x H Motor-Type Battery voltage Cutting width max. Thread length Height adjustment Angle adjustment Cutting head 1235 x 335 x 356 mm Brush motor 20 V 300 mm 3 m Up to 270 mm 0° – 90° Rotating

Weight net / gross	2.2 / 3 kg
Packaging dimensions	1020 x 200 x 140 mm
Article number	5910904900
Barcode	4046664216735
20 Container	1000 pcs
40 Container	2000 pcs
40 HQ Container	2300 pcs





PRODUCT DETAILS



Telescopic shaft





20 V



Telescopic shaft can be adapted to the user's body height – can be steplessly adjusted in length up to 270 mm.







Trimming

Additional adjustable handle for adapting to local conditions and the relevant application



can be adjusted without the need for tools





Fold-out plant protection bracket protects flowers, plants etc. from damage



Thanks to its adjustment options, the C-LT300-X is perfect for slopes.

Thanks to the rotatable cutting head, even areas with difficult access can be processed.

BC-BCH330/20-X



TAP'N'GO

Brush cutter



Tip automatic spool



Product features BRUSHLESS MOTOR

Maintenance-free, brushless motor technology

- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer

Longer battery life, thanks to lower power consumption

CORDLESS BRUSH CUTTER

- Powerful cordless brush cutter grass trimmer and line trimmer in one
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless brush cutter
- Cutting width grass trimmer 330 mm / Cutting width brush cutter 255 mm
- Easy replacement of the cutting equipment, thanks to spindle lock
- Premium-quality 3-toothed line trimmer for particularly dense undergrowth
- Anti-vibration technology allows ergonomic work with low vibrations
- 3 speed levels for the perfect adjustment to local conditions 4000 / 4750 / 5500 rpm $^{\circ}$
- Dual-line coil with touch control and 1.6 mm line extension (Tap'n'Go function)
- Easy tool-free assembly/disassembly for space-saving storage
- Adjustable bike handle with two-hand operation and non-slip surface
 allows ergonomic, extended working
- · Battery and charger available separately



SPECIFICATIONS

Dimensions L x W x H
Engine type
Battery voltage
Cutting width (line head)
Thread grass trimmer
Line feed
Cutting width (blade)

Weight net / gross	4.5 / 6 kg
Packaging dimensions	1020 x 135 x 230 mm
Article number	5910906900
Barcode	4046664233893
20 Container	900 pcs
40 Container	1800 pcs
40 HQ Container	2200 pcs



BC-BCH380/40-X



SPECIFICATIONS

Dimensions L x W x H
Engine type
Battery voltage
Cutting width (line head)
Thread grass trimmer
Line feed
Cutting width (blade)

Weight net / gross	5.5 / 7 kg
Packaging dimensions	1120 x 160 x 230 mm
Article number	5910907900
Barcode	4046664233909
20 Container	900 pcs
40 Container	1800 pcs
40 HQ Container	2200 pcs



C-PHTS410-X



SPECIFICATIONS

Dimensions L x W x H	1220 x 224 x 218 mm
Battery voltage	20 V
Motor type	Brush motor
Pole-moun	ted pruner
Cutting length	180 mm
Cutting speed	max. 4.5 m/s
Pole-mounted pruner length	2.35 m
Hedge t	rimmer
Cutting length	410 mm
Branch diameter	max. 16 mm
Blade length	203 mm
Cutting speed	1200 rpm
Hedge trimmer length	2.6 m

Battery and charger available separately

Weight net / gross	4.85 / 5.9 kg
Packaging dimensions	1235 x 142 x 145 mm
Article number	5912404900
Barcode	4046664217602
20 Container	982 pcs
40 Container	2105 pcs
40 HQ Container	2524 pcs




BC-MFH400-X

CORDLESS MULTIFUNCTION DEVIC

- Adaptable cordless multi-function device combines 4 functions in one tool: grass trimmer, brush cutter, hedge trimmer, pole-mounted pruner
- · Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless multi-function device
- Powerful 2x 20 V (40 V)
- Grass trimmer: 1.6 mm dual nylon line, touch control, 380 mm working width
- Brush cutter: 3-toothed blade made of special steel, 255 mm working width
- Hedge trimmer: 390 mm cutting length, angle adjustment in 11 steps, 24 mm maximum branch diameter, durable quality blade made of laser-cut steel
- Pole-mounted pruner: 254 cutting length, max. 18 m/s cutting speed, 3 cutting speed levels: 1st gear - 12 m/s, 2nd gear - 15 m/s, 3rd gear - 18 m/s
- · Automatic chain lubrication, ProCut blade & chain
- · Tool-free replacement of individual attachments
- · Easy speed adjustment using the operating panel to suit the work
- Shoulder strap with quick-release function to allow extended and fatigue-free work
- · Battery and charger available separately
- · Includes carrying strap, blade guard, assembly tools

FOR ALL DEVICES





Grass trimmer

ProCut blade & chain

SPECIFICATIONS

Brush cutter

Battery voltage	2x 20 V (40 V)
Motor type	Brushless motor
Gra	ss trimmer
Nylon line	1.6 mm
Working width	380 mm
Dimensions L x W x H	1940 x 480 x 230 mm
Br	ush cutter
Working width	255 mm
Dimensions L x W x H	1940 x 480 x 230 mm
Hed	ge trimmer
Cutting length	390 mm
Branch diameter	max. 24 mm
Dimensions L x W x H	2380 x 330 x 200 mm
Pole-m	ounted pruner
Cutting length	254 mm
Cutting speed	max. 18 m/s
Dimensions L x W x H	2170 x 130 x 200 mm





- · Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer

N = 16 - 16

· Longer battery life, thanks to lower power consumption



- ✓ Grass trimmer
- ✓ Hedge trimmer
- ✓ Brush cutter
- ✓ Pole-mounted pruner

Pole-mounted pruner

Battery and charger available separately

LOGISTICAL DATA	
Weight net / gross	9.2 / 11 kg
Packaging dimensions	1120 x 260 x 260 mm
Article number	5904820900
Barcode	4046664216865
20 Container	630 pcs
40 Container	1260 pcs
40 HQ Container	1500 pcs



GRASS TRIMMER

HEDGE TRIMMER

BRUSH CUTTER

117

POLE-MOUNTED PRUNER

C-HT570-X



SPECIFICATIONS

Dimensions L x W x H Bar length Cutting length Schnittstärke max. Cutting speed Battery voltage Motor type 930 x 200 x 160 mm 560 mm 510 mm 16 mm 2400 rpm 20 V Brush motor

Weight net / gross	2.1 / 2.45 kg
Packaging dimensions	1170 x 275 x 245 mm
Article number	5910607900
Barcode	4046664217503
20 Container	1216 pcs
40 Container	2432 pcs
40 HQ Container	2952 pcs





SPECIFICATIONS

Dimensions L x W x H **Bar length Cutting length** Cutting capacity max. **Cutting speed** Battery voltage Motor type

1220 x 224 x 218 mm
720 mm
650 mm
30 mm
2700 rpm
2x 20 V (40 V)
Brushless motor

LOGISTICAL DATA

Weight net / gross	4.0 / 5.4 kg
Packaging dimensions	1245 x 235 x 230/190 mm
Article number	5910606900
Barcode	4046664217220
20 Container	592 pcs
40 Container	1330 pcs
40 HQ Container	1500 pcs

Battery and charger available separately





C-PHS410-X



SPECIFICATIONS

Dimensions L x W x H Battery voltage Motor type Cutting length Branch diameter Cutting speed Hedge trimmer length 1970 x 80 x 135 mm 20 V Brush motor 410 mm max. 16 mm 1200 rpm 2.6 m

Weight net / gross	2.95 / 3.7 kg
Packaging dimensions	1250 x 142 x 145 mm
Article number	5910608900
Barcode	4046664239147
20 Container	612 pcs
40 Container	1340 pcs
40 HQ Container	1552 pcs





C-BL700-X

AXIAL CORDLESS LEAF BLOWER

- Powerful cordless leaf blower for blowing leaves, cut grass or other garden
 detritus
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless leaf vac/blower
- High air speed of 155 km/h and an air flow rate of 516 m³/h
- Two air speed levels 115 km/h (1st gear) and 155 km/h (2nd gear) ensure clean results
- Axial fan ensures a higher air flow rate
- Blowing pipe can be separated and easily removed to ensure space-saving storage pipe attachment with tool-free quick-release fastener
- Soft-grip balance handle ensures ergonomic work
- Low weight and easy handling
- · Battery and charger available separately



SPECIFICATIONS

Dimensions L x W x H Engine type Air power Air speed Battery voltage

1260 x 550 x 370 mm Brush motor 1st gear: 390 m³/h 2nd gear: 516 m³/h 1st gear: 115 km/h 2nd gear: 155 km/h

20 V

Weight net / gross	1.8 / 2.4 kg
Packaging dimensions	485 x 285 x 160 mm
Article number	5912104900
Barcode	4046664216827
20 Container	1072 pcs
40 Container	2260 pcs
40 HQ Container	2640 pcs



Two air speed levels 115 km/h (1st gear) and 155 km/h (2nd gear) ensure clean results.

BC-BLV720-X



- · Maintenance-free, brushless motor technology · Service life up to 10 times longer
- · Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- · Longer battery life, thanks to lower power consumption

Additional adjustable handle

Ergonomic handle

BATTERY LEAF VACUUM/BLOWER

- Powerful cordless leaf blower with 4-in-1 function: vacuuming, blowing and shredding function, plus integrated collecting bag
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless leaf vac/blower
- Powerful 2x 20 V (40 V)
- Tool-free speed adjustment from 9,000 to 14,000 rpm using a setting wheel for the perfect adjustment to requirements
- + High air speed of 210 km/h and an air flow rate of 720 $m^{3}\!/h$
- Large 45 litre collecting bag with window to check on capacity
- 10:1 mulch ratio reduces garden waste to easy-to-handle mulch
- · No tools required when switching from blowing to vacuuming / shredding mode
- The additional adjustable handle and a carrying strap allow an ergonomic working posture

✓ Vacuum

function ✓ Blower function Mulching function Integrated collecting bag

- Large guide wheels ensure easy handling
- Ergonomic handle with non-slip soft-grip surface
- · Battery and charger available separately

Large 45 litre collecting bag with window

Large guide wheels

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Engine type Air flow rate Air speed max. **Battery voltage** Mulch ratio

1430 x 330 x 440 mm **Brushless motor** 720 m³/h 210 km/h 2x 20 V (40 V) 10:1

Part of the battery platform BATTERY FOR ALL DEVICES



LOGISTICAL DATA

Weight net / gross	3.8 / 4.8 kg
Packaging dimensions	370 x 305 x 445
Article number	5912105900
Barcode	4046664216919
20 Container	590 pcs
40 Container	1190 pcs
40 HQ Container	1396 pcs

445 mm

NCLUDED

BC-BLV720-X



C-GSP800-X

CORDLESS HAND-HELD SPREADER

- Compact cordless hand-held spreader for fertilising, sowing or targeted
 spreading of salt
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless hand-held spreader
- Even distribution of spreading material on all types of surfaces, e.g. grass, snow or soil
- Covers up to 800 m²
- Spreading quantity adjustment in 8 steps
- Individually adjustable spreading width up to a maximum of 5 m
- Large spreading container capacity: 3.5 litres
- Easy spreading angle adjustment using leverl
- Electronic speed adjustment in 6 steps
- Ergonomic handle with non-slip soft-grip surface

Spreading quantity adjustment in 8 steps

Battery and charger available separately



Ergonomic soft-grip handle

Capacity 3.5 litres

Speed adjustment

spreading angle adjustment


Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Spreading width Capacity Speed Area output Battery voltage Engine type 290 x 220 x 280 mm max. 5 m 3.5 L 1000 – 2200 rpm 800 m² 20 V Brush motor

Weight net / gross	1.1 / 1.7 kg
Packaging dimensions	295 x 235 x 310 mm
Article number	5911502900
Barcode	4046664216940
20 Container	1330 pcs
40 Container	2800 pcs
40 HQ Container	3360 pcs

C-GSP800-X



Easy spreading angle adjustment using lever.

BC-EB100-X

CORDLESS EARTH AUGER

- Powerful earth auger, 125 rpm, for drilling of fence post, foundation or plant holes
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless earth auger
- Rapid, tool-free auger replacementl
- 100 mm auger diameter, 800 mm length
- 3 operating modes Eco, Power Mode, Anti-clockwise Operation
- Dual handle with soft-grip allows ergonomic work and many uses
- Battery and charger available separately



Dual handle with soft-grip

Drill speed 125/min

Quick and easy drill bit change

Product features
BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H Drilling speed Auger diameter Auger length Engine type Battery voltage 1100 x 200 x 400 mm 125 rpm 100 mm 800 mm Brushless motor 20 V

LOGISTICAL DATA Weight net / gross

DRILLING LENGT

mm

3.4 / 5.8 kg 890 x 397 x 202 / 115 mm 5904705900 4046664235309 750 pcs 1500 pcs 1800 pcs





Rapid, tool-free auger replacement



Anti-clockwise Operation

CORDLESS SWEEPER

- Extensive cleaning, thanks to 610 mm working width and 2000 $\mbox{m}^2\mbox{/h}$ area covered
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless sweeper
- Brush speed can be adjusted in 3 steps (160/190/220 rpm)
- Thanks to brushes on the sides, any edges can be reliably reached
- Foldable and height-adjustable bow handle
- · On/off switch on the handle allows convenient use
- 2 large disc brushes with a diameter of 325 mm and a speed of 220 rpm enable rapid progress
- Smooth soft-profile tyres and two $360^\circ\,\text{castors}$ allow easy handling on all surfaces
- Collector made of impact-resistant plastic with a capacity of 20 litres
- Ergonomic soft-grip handle
- Includes brushes and dirt collector
- Battery and charger available separately

C-S610-X



Soft-grip handle

Foldable and heightadjustable bow handle

> Impactresistant plastic housing

20 L on-board waste container

Smooth-running soft-profile wheels

Battery and charger available separately

PRODUKTDATEN

Dimensions L x B x H Motor type Battery voltage Sweeping width Waste container Brushes Brush speed Cleaning capacity (4,0 Ah)

990 x 610 x 1060 mm Brush motor 20 V 610 mm 20 L Ø 325 mm 220 rpm 2000 m²

LOGISTICAL DATAWeight net / gross10.2 / 12.2 kPackaging dimensions690 x 520 xArticle number5908705900Barcode40466642357

Barcode 20 Container 40 Container 40 HQ Container 10.2 / 12.2 kg 690 x 520 x 310 mm 5908705900 4046664235118 345 pcs 720 pcs 840 pcs



C-S610-X

BC-SNB400-X



SPECIFICATIONS

Working width Max. intake height Discharge range max. Speed regulation Battery voltage Motor type

400 mm
200 mm
6000 mm
6-step
2x 20 V (40 V)
Brushless motor

Weight net / gross	6.5 / 7.5 kg
Packaging dimensions	580 x 320 x 400 mm
Article number	5908106900
Barcode	4046664218005
20 Container	360 pcs
40 Container	730 pcs
40 HQ Container	860 pcs

BC-SNB400-X



SBP2.0 / SBP4.0

BATTERY

- Powerful 20 V / 2.0 Ah (SBP2.0) or 20 V / 4.0 Ah (SBP4.0) Lithium-ion battery
- Universal use one battery for the entire Scheppach IXES 20 Volt series
 The remaining battery capacity can be read conveniently on the
- 3-level LED display
 Individual cell management protects from overheating as well as excess voltage and ensures uniform charging and discharging of the cells
- Extended battery life and run time, thanks to the minimised risk of excessive charging and deep discharge
- Work protecting resources by using just one battery system
- Charging time approx. 35 to 60 mins (SBP2.0) / 60 to 120 mins (SBP4.0) (depending on charger)
- Low weight ensures comfortable operation
- High impact resistance and pleasant haptics, thanks to rubberised housing
- Housing protected from dust and corrosion

PRODUCT DETAILS

Charging time approx. 35 – 60 mins (SBP2.0) approx. 60 – 120 mins (SBP4.0)



Long service life

LED indicator light



20 V



Part of the battery platform SBP2.0 ONE BATTERY FOR ALL DEVICES Rubberised housing Stand B (125 SBP4.0 Housing protected from dust and corrosion LED indicator light **High impact** resistance Charger available separately

SPECIFICATIONS

	SBP2.0	SBP4.0
Dimensions L x W x H	125 x 80 x 50 mm	125 x 80 x 70 mm
Battery capacity	2.0 Ah	4.0 Ah
Battery tension	20 V ====	20 V

	SBP2.0	SBP4.0
Weight net / gross	0.4 / 0.5 kg	0.7 / 0.8 kg
Packaging dimensions	138 x 85 x 62 mm	140 x 85 x 82 mm
Article number	7909201708	7909201709
Barcode	4014915236481	4014915236504
20 Container	20,700 pcs	16,260 pcs

SBC2.4 / SDBC2.4

CHARGER / TWINCHARGER

- Compact 2.4 A charger for Li-ion batteries (SBC2.4A) / 2.4 A dual charger for charging two Li-ion batteries at the same time – even with different capacities (SDBC2.4A)
- Suitable for all batteries belonging to the Scheppach IXES 20 Volt series
- Charges batteries quickly 2.0 Ah battery: about 60 mins charging time / 4.0 Ah battery about 120 mins charging time
- LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket



PRODUCT DETAILS

Charging time approx. 60 mins (2.0 Ah) approx. 120 mins (4.0 Ah)

LED indicator light



Long service life

20 V



Battery available separately

SPECIFICATIONS CHARGER

	SBC2.4A	
Dimensions L x W x H	125 x 83 x 73 mm	
	Input 🗲	Output 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ====
Rated current		2.4 A
Rated input	65 W	

SBC2.4A

SPECIFICATIONS CHARGER

	SDBC2.4A	
Dimensions L x W x H	205 x 125 x 75 mm	
	Input 🗲	Output 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ====
Rated current		2.4 A
Rated input	130 W	

SDBC2.4A

LED I indicator light

LOGISTICAL DATA

	SBC2.4A	SDBC2.4A
Weight net / gross	0.35 / 0.4 kg	0.7 / 0.9 kg
Packaging dimensions	165 x 115 x 92 mm	165 x 225 x 90 mm
Article number	7909201710	7909201712
Barcode	4014915236511	4014915236528
20 Container	11,328 pcs	5664 pcs
40 Container	24,180 pcs	12,060 pcs
40 HQ Container	27,636 pcs	13,800 pcs

I

SBC4.5 / SDBC4.5

CHARGER / TWINCHARGER

- Compact 4.5 A charger for Li-ion batteries (SBC4.5A) / dual charger for charging two Li-ion batteries at the same time – even with different capacities (SDBC4.5A)
- Suitable for all batteries belonging to the Scheppach IXES 20 Volt series
- Charges batteries quickly 2.0 Ah battery: about 35 mins charging time / 4.0 Ah battery about 60 mins charging time
- Practical quick-charge function ensures up to 40% quicker charging
- LED indicator light shows battery charge
- $\boldsymbol{\cdot}$ Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket



PRODUCT DETAILS

Charging time approx. 35 mins (2.0 Ah) approx. 60 mins (4.0 Ah)



Long service life

LED indicator light



20 V



Battery available separately

SPECIFICATIONS CHARGER

	3DC4.3A	
Dimensions L x W x H	145 x 100 x 85 mm	
	Input 🗲	Output 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ====
Rated current		4.5 A
Rated input	120 W	

SPECIFICATIONS CHARGER

	SDBC4.5A	
Dimensions L x W x H	240 x 145 x 85 mm	
	Eingang 🗲	Ausgang 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ====
Rated current		4.5 A
Rated input	240 W	

LED I indicator light



LOGISTICAL DATA

DBC

4.54

	SBC4.5A	SDBC4.5A
Weight net / gross	0.4 / 0.6 kg	1.0 / 1.2 kg
Packaging dimensions	187 x 125 x 97 mm	260 x 190 x 92 mm
Article number	7909201711	7909201713
Barcode	4014915236542	4014915236535
20 Container	9000 pcs	4320 pcs
40 Container	18,120 pcs	9360 pcs
40 HQ Container	20,700 pcs	10,740 pcs

SBSK2.0 / SBSK4.0

STARTER-KIT 2.0 / STARTER-KIT 4.0

- Practical starter kit consisting of one 20 V / 2.0 Ah battery and one 2.4 A charger (SBSK2.0) or one 20 V / 4.0 Ah battery and one 2.4 A charger (SBSK4.0)
- Suitable for all devices belonging to the Scheppach IXES 20 Volt series
- Cordless work for maximum flexibility
- · Work protecting resources by using just one battery system
- Individual cell management protects from overheating as well as excess
 voltage and ensures uniform charging and discharging of the cells
- Extended battery life and run time, thanks to the minimised risk of excessive charging and deep discharge
- The remaining battery capacity can be read conveniently on the $\ensuremath{\textbf{3-level LED display}}$
- High impact resistance and pleasant haptics, thanks to rubberised housing
- Housing protected from dust and corrosion
- Compact 2.4 A charger for 20 V Li-ion batteries
- Charges batteries quickly 2.0 Ah battery: about 60 mins charging time / 4.0 Ah battery about 120 mins charging time
- LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket

PRODUCT DETAILS



Charging time

LONG

Long service life

20 V





Rubberised housing



SBSK2.0



SPECIFICATIONS BATTERY

	SBSK2.0	SBSK4.0
Dimensions L x W x H	125 x 80 x 50 mm	125 x 80 x 70 mm
Battery capacity	2.0 Ah	4.0 Ah
Battery tension	20 V ====	20 V ====

SPECIFICATIONS CHARGER

	SBSK2.0 / SBSK4.0	
Dimensions L x W x H	125 x 83 x 73 mm	
	Input 🗲	Output 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ====
Rated current		2.4 A
Rated input	65 W	

LED indicator light SBSK4.0



Housing protected from dust and corrosion

	SBSK2.0	SBSK4.0
Weight net / gross	0.77 / 0.85 kg	1.0 / 1.1 kg
Packaging dimensions	177 x 150 x 90 mm	177 x 150 x 90 mm
Article number	7909201720	7909201721
Barcode	4014915236726	4014915236733
20 Container	7800 pcs	7800 pcs
40 Container	15,660 pcs	15,660 pcs
40 HQ Container	17,928 pcs	17,928 pcs

More than 70 tools and a host of new developments

D

ensure that there are no limits when it comes to your projects!



Scheppach GmbH Günzburger Str. 69 | D-89335 Ichenhausen | Fon 0049/8223/4002-99 www.scheppach.com

Edition 03/2024 | Subject to technical change without notice. Errors and omissions excepted